

## Genesee County Land Bank Authority Blight Elimination Program

Request for Proposals – Demolition and Disposal of Residential Structures in the City of Flint & Genesee County.

BID NUMBER: #LB: 15-008

DUE DATE: Thursday, May 28, 2015 at 3:00 pm EST

#### As part of partnership between:

Genesee County Land Bank Authority (GCLBA)
Michigan State Housing Development Authority (MSHDA)
City of Flint
Michigan Land Bank Authority (MLBA)
City of Flint
City of Burton
Charter Township of Flint
Charter Township of Genesee
Charter Township of Mt. Morris



#### **TABLE OF CONTENTS**

TABLE OF CONTENTS	. 2
REQUEST FOR PROPOSALS	. 3
Request for Proposals- Demolition & Disposal of Residential Structures in the City of Flint & Genesee County	. 3
INTRODUCTION	. 3
Overview	
Time of Completion  Term of Contract	
Background	
Federal Regulations	
PROFESSIONAL SERVICE REQUIREMENTS	. 7
Scope of Work	
EVALUATION CRITERIA AND SCORING	. 7
SUBMITTAL REQUIRMENTS	10
A. Minimum Qualifications of Bidders	10
B. Letter of Interest	12
SELECTION PROCESS	13
IMPORTANT DATES	13
QUESTIONS	14
SUBMITTAL DUE DATE	14
RFP SUBMITTAL REQUIREMENTS CHECKLIST	15
ADDITIONAL INFORMATION	17

#### **ATTACHMENTS**

- A GENESEE COUNTY BIDDERS INSURANCE CHECK LIST
- B LIST OF REFERENCES (3)
- C CERTIFICATION FORM NOTE
- D CAPACITY & UNIT RATE PRICING BID TAB
- E SECTION 3 CERTIFICATION INFORMATION
- F CONFLICT OF INTEREST/NON-COLLUSION AFFIDAVIT
- G CERTIFICATION FORM OF BUSINESS ENTERPRISE
- H MEDC COMMUNITY VENTURES FLYER

#### APPENDICES

- 1 SCOPE OF WORK DEMOLITION
- 2 MDEG NESHAP PROGRAM
- 3 MAP AND BOUNDARIES OF TARGET AREAS
- 4 FEDERAL AND COUNTY REGULATIONS (PREVAILING WAGE)
- 5 SAMPLE CONTRACT (WHERE TO FIND SAMPLE PAYMENT PACKETS)



#### REQUEST FOR PROPOSALS

## REQUEST FOR PROPOSALS – DEMOLITION & DISPOSAL OF RESIDENTIAL STRUCTURES IN THE CITY OF FLINT & GENESEE COUNTY.

#### INTRODUCTION

#### Overview

Demolition of commercial and residential structures is being undertaken as an approved eligible activity under the Genesee County Land Bank Authority (GCLBA) Demolition Program. GCLBA invites the submission of proposals from contractors experienced and licensed to conduct the abatement, demolition and disposal of residential structures located in Genesee County. Funding sources for services to be provided include but are not limited to:

- Community Development Block Grant Program
- Neighborhood Stabilization Program Round 1
- Hardest Hit Funds

Bid Number: LB 15-008

Qualified demolition contractors may submit bids for the Scope of Work defined in this RFP. This proposal will be scored on the evaluation criteria set forth in this RFP. The GCLBA anticipates entering a contract for the Scope of Work set forth herein.

Only firms/contractors that are on the GCLBA Approved Contractor lists can respond to RFP's issued by the GCLBA.

If contractors will not be responding to this RFP please only return Attachment C.

Addendums to this RFP can be found at <a href="https://www.thelandbank.org">www.thelandbank.org</a> under the tab Current Bids. Please check any updates to this proposal.

Companies with demonstrated experience in the scope of work defined in this RFP and with an interest in making their services available to GCLBA are invited to respond to this RFP. "Respondents" means the companies or individuals that submit proposals in response to this RFP. The Respondent shall be financially solvent and each of its members if a joint venture, its employees, agents or sub-consultants of any tier shall be competent to perform the services required under this RFP document.

NOTE: CIVIC PARK HISTORIC DISTRICT DEMOLITIONS HAVE ADDITIONAL FEDERAL REQUIREMENTS. ENSURE YOU HAVE THE CORRECT PROPERTY BEFORE BEGINNING DEMOLITION.

Civic Park Historic District is designated on the National Register of Historic Places. The GCLBA received approval to demolish only the 224 properties in this area that were deemed vacant and that had lost their historic integrity. Demolishing the wrong property in Civic Park Historic District could result in the GCLBA's demolition program being out of compliance with severe penalties from the State of Michigan. Fines and



penalties for demolishing the wrong properties will be passed on to the contractor. The contractor is responsible for verification that the correct property is being demolished. The properties demolished in Civic Park Historic District may not be the most blighted structures so the contractor is warned to be extremely cautious about ensuring the right properties are being demolished. Photographs of properties taken during the inspection phase may not match the current property condition and address numbers may not be visible on the property. Proceed with caution.

GCLBA is seeking to encourage participation by respondents who are MBE/WBE/DVBE or Section 3 business enterprises. Companies can apply to the City of Flint or self-register with U. S. Department of Housing and Urban Development (HUD) (not the Land Bank) to become an approved Section 3 contractor.

Nothing in this RFP shall be construed to create any legal obligation on the part of GCLBA or any respondents. GCLBA reserves the rights, in its sole discretion, to amend, suspend, terminate, or re-issue this RFP in whole or in part, at any stage. In no event shall GCLBA be liable to respondents for any cost or damages incurred in connection with the RFP process, including but not limited to, any and all costs of preparing a response to this RFP or any other costs incurred in reliance on this RFP. No respondent shall be entitled to repayment from GCLBA for any costs, expenses or fees related to this RFP. All supporting documentation submitted in response to this RFP will become the property of the GCLBA. Respondents may also withdraw their interest in the RFP, in writing, at any point in time as more information becomes known.

Each respondent is responsible for labeling the exterior of the sealed envelope containing the proposal response with the proposal number, proposal name, proposal due date and time and your firm's name. Late proposals will not be accepted. The proposal request number and due date for this Bid is:

PROPOSAL REQUEST NUMBER: #LB: #15-008

DUE DATE: Thursday, May 28, 2015 @ 3:00 pm EST

All inquiries relating to this RFP should be directed in writing to Cheryl McHallam, Grants Manager, Genesee County Land Bank, 452 S. Saginaw Street, 2<sup>nd</sup> Floor, Flint, Michigan 48502 or <a href="mailto:cmchallam@thelandbank.org">cmchallam@thelandbank.org</a>.

No proposal may be withdrawn for a period of thirty (30) days after submission. Proposals offering less than thirty (30) days for acceptance by the Genesee County Land Bank from the date set for opening will be considered non-responsive and will be rejected.

The GCLBA reserves the right to reject any or all proposals and to waive irregularities or informalities as may be deemed in the GCLBA's interest. It is the GCLBA's intent to award the project to the lowest responsive and responsible contractor for the proposal. The GCLBA may choose to enter into multiple contracts for the same scope of services to ensure that there is enough capacity to complete the work in a timely manner, as required by the funding sources identified.



#### Time of Completion

Any agreement awarded pursuant to this RFP solicitation shall be in accordance with the Scope of Work and compensation as outlined below, and, within a mutually agreed upon expedited timeframe.

#### **Term of Contract**

It is anticipated that the Respondent(s) will start work on or around Friday, June 12, 2015 depending on the readiness of the projects. Please note that some projects that may be awarded may later be cancelled prior to being issued a Notice to Proceed with Demolition depending on various factors including changes in priorities, readiness of projects prior to grant deadlines, and available funding. In the event a structure or structures itemized on this bid is destroyed or substantially destroyed by fire or other calamity beyond its present condition as determined by the GCLBA, or environmental hazards are found, at any time prior to actual demolition, the Authority reserves the right to remove the structure from the bid; or in the event of bid award, to remove the structures(s) from the award and reduce the price by the Contractors' bid for that structure(s). Any agreement awarded pursuant to this RFP solicitation shall be for a contract period ending Friday, July 24, 2015, or until the funds are exhausted, whichever comes first. Contractors must provide updated work schedules to the GCLBA on a weekly basis.

All demolition work must be completed and paperwork and payment requests must be submitted to the Demolition Program Manager by Friday, July 24, 2015. Any incomplete payment request packets or if final demolition inspection is failed by the GCLBA Demolition Inspection, all packets will be rejected and returned to the contractor for correction.

Once packet includes all of the required documentation contractor can resubmit to the GCLBA for processing. When payment packets have been approved and include all required documentation, payment request will be submitted for processing. No invoice will be paid in less than 30 days. Payment to Contractor will be made by the GCLBA in 30 to 60 days upon receiving approved and complete payment request packet for each project/address and all required submittals (invoice, sworn statement, lien waivers, manifests, etc.)

#### **Background**

The GCLBA recently received monies from the City of Flint through Community Development Block Grant. This program will require all demolitions to be completed by end of October 2015. Contractors are expected to be able to handle the GCLBAs needs and be very responsive to GCLBA staff requests.



#### **Federal Regulations**

This project will comply with all codes, standards, regulations, and workers' safety rules that are administered by federal agencies (EPA, OSHA, and DOT), state agencies (MIOSHA, MDEQ, and DCH), and any other or relevant local regulations and standards that may apply.

Proposals shall be responsible for compliance with the following additional requirements:

- 1. Certification Form Note
- 2. Bid Bond
- 3. Michigan Builders or M&A –Home Wrecking License
- 4. Michigan Accredited Asbestos Building Inspector Certification for Company
- 5. Michigan Accredited Asbestos Certification for Asbestos Supervisor
- 6. Michigan Accredited Asbestos Certification for workers
- 7. OSHA 40-hour Hazardous Waste Operations Certification (HAZWOPER)
- 8. OSHA 8-hour refresher HAZWHOPER Re-certification
- Laboratory Certificate of Accreditation to ISO/IEC 17025:2005 in accordance with 40 CFR CH.1 (1-1-87 Edition), Part 763, Subpart F, Appendix A, pp.293-299.
- Compliance with MIOSHA Part 602 Asbestos Standards for Construction (as amended June 5, 2013)
   <a href="http://www.michigan.gov/documents/CIS\_WSH\_part602\_37719\_7.pdf">http://www.michigan.gov/documents/CIS\_WSH\_part602\_37719\_7.pdf</a>
   OSHA 29 CRF 1926- Construction Industry Standards
- 11.29 CFR 1910.1001, 19326.1101 & 1915.1001 Procedures of Occupational Exposure to Asbestos
- 12.29 CFR 1910.1200 Hazard Communication
- 13.40 CFR Part 261- EPA Regulations
- 14. HUD Title X parts 1012-1013
- 15. Federal Labor Standards and Provisions
- 16. Equal Opportunity Clause
- 17. Section 3 Clause (See Attachment E)
- 18. HUD Contract and Subcontract Activity
- 19. Copeland Anti-kickback Act
- 20. Bidders Insurance Checklist (Attachment A)
- 21. Genesee County Labor Standards (Including Prevailing Wage & Wage Determination)
- 22. And other Regulations Referenced throughout this document and attachments



#### PROFESSIONAL SERVICE REQUIREMENTS

#### Scope of Work

GCLBA seeks sealed proposals from qualified respondents to provide the scope of services described below on residential structures located in targeted neighborhoods in the City of Flint and Genesee County. See Appendix 3 – Boundaries and Maps Nearly all of the targeted neighborhoods contain abandoned and derelict residential/commercial structures. Applicants can respond to the proposal/ scope of services described below (See Appendix 1 for full scope of work unless otherwise stated in this Request for Proposals (RFP)):

#### <u>Summary Scope of Work: Demolition and Disposal of Residential Structures</u>

During the contract period through, July 24, 2015, GCLBA anticipates the demolition and disposal of structures across the respective areas until the available funds are exhausted.

All final grade work must be completed and final paperwork and payment requests must be submitted to the Demolition Program Manager by Friday, July 24, 2015. Due to time constraints of the blight elimination program GCLBA does not anticipate allowing for any contract extensions.

The purpose of this project is to provide demolition, waste disposal, and site protection of blighted and/or dangerous structures located in the City of Flint and Genesee County. (The complete scope of work is available in Appendix 1 and on the Land Banks website: www.thelandbank.org)

Proposals shall be responsible for compliance with the following additional requirements:

#### **Demolition Process in the Archeologically Sensitive Areas**

List addresses which shall be affected by this:

4013281003	817 W Second St	NSP2-LB-15-008
4013281006	805 W Second St	NSP2-LB-15-008



A. <u>Scheduling of Ground Disturbing Work</u> – 1) If a demolition is planned in an Archeologically Sensitive Area (Carriage Town, Grand Traverse District and University Avenue Corridor), the Demolition Contractor will notify the Genesee County Land Bank 14-days in advance of the date the demolition of the basement is scheduled to occur.

Please direct this 14-day notice to the Genesee County Land Bank; Heidi Phaneuf, Community Resource Planner, <a href="mailto:hphaneuf@thelandbank.org">hphaneuf@thelandbank.org</a>. Email is the preferred method of contact to ensure timeliness of the noticing; hand delivered requests will also be accepted.

This addendum notice shall include the following information about the project:

- Address or parcel ID of the property where work will be performed
- Description of the work to be performed (i.e. demolition, porch footings, digging new basement, etc.)
- Date and time when ground disturbing work will be performed
- Statement requesting Archeological Monitoring
- B. <u>Schedule with the Archeologist</u> GCLB will contact our NSP2 Archeologist in advance of the ground disturbing work and let them know of the date and location of the work to be performed. GCLB will make sure that the Archeologist is available for the date and time proposed by the Contractor. If the Archeological Monitoring cannot take place at the date and time proposed, the GCLB will inform the Contractor who will propose a new date and time.
- C. <u>Commencing of Ground Disturbing Work</u>- No ground disturbing work shall take place before the Archeologist is on-site or during a time frame outside of those identified in the letter to the Tribal Councils and Groups. GCLB staff will make every effort to have a representative also be on-site for the ground-disturbing work.

<u>Demolition Process</u> - Demolition crews can take the house down, but will only remove the basement foundation when the Archeologist is present. The foundation walls will be carefully pushed into the hole exposing the soil profile. The Archeologist will inspect the soil profile for Native American remains and artifacts and determine if any are present.



#### **Additional Requirements**

This project will comply with all codes, standards, regulations, and workers' safety rules that are administered by federal agencies (EPA, OSHA, and DOT), state agencies (MIOSHA, MDNRE, and DCH), and any other local regulations and standards that may apply.

#### **EVALUATION CRITERIA AND SCORING**

The GCLBA will evaluate the qualifications received and identify the submittals that are the most responsive, responsible and offer the best service to the GCLBA. The GCLBA will consider consultant qualifications, financial viability, project references, and experience with comparable projects. Specifically, each Qualifications package will be reviewed based on the following selection criteria:

#### A. PROPOSAL/EVALUATION CRITERIA:

Evaluation Factors	Maximum Points
Ability to Meet Production Goals within Timelines	40
The bidder's demonstration of understanding of scope of work, readiness to proceed and availability to complete work assigned within timeframes required.	
HUD Section 3	5
Contractor provides letter from the City of Flint or Genesee County Metropolitan Planning Commission certifying them as a Section 3 Business Concern	
Local Contractor	5
Points awarded to contractors that are located in Genesee County	
Price	50
The ability to demonstrate reasonable costs in performing scope of work identified in the RFP.	



#### SUBMITTAL REQUIRMENTS

RFP responses must be submitted both via hard copy and electronic copy. Each respondent shall submit one (1) original, one (1) additional copy of application and one flash drive containing a PDF copy of the following documents in a clear, legible, 12 point font, and 8.5 by 11 inch format. Responses not submitted via hard copy will not be considered. Respondents are advised to adhere to the Submittal Requirements. Failure to comply with the instructions of this RFP will be cause for rejection of submittals.

Bidders may, without prejudice to himself, withdraw Bid/Tender after it has been submitted, provided the request for such withdrawal is received in writing before time set for opening. Verbal communication is not acceptable. After opening, no Bid/Tender may withdraw for period indicated.

Before submitting a proposal, each Bidder shall inspect the site of the proposed work to arrive at a clear understanding of the conditions under which the work is to be done. He will be held responsible for having compared the premises with the drawings and specifications, and to have satisfied himself/herself as to all conditions affecting the execution of the work.

If Bidder has an <u>approved prequalification packet</u> on file the following documents do not need to be included with submittals:

- Evidence of Insurance (Genesee County Land Bank named as an insured)
- Michigan Builders or M&A -Home Wrecking License
- Any other State License and/or Certification that is deemed necessary

ONLY THE DOCUMENTS LISTED ABOVE DO NOT NEED TO BE SUBMITTED WITH THE PROPOSAL IF AN UPDATED APPROVED PREQUALIFICATION PACKET IS ON FILE.

If there are any changes with the documents or renewals, it is the contractor's responsibility to submit the correct documents to the GCLBA in a timely manner. If the GCLBA does not have updated information on file, the documents will be considered missing, which may result in the bid response being considered as non-responsive.

GCLBA reserves the right to seek additional information to clarify responses to this RFP. Each response must include the following:

#### A. Minimum Qualifications of Bidders

Bid Number: LB 15-008

These documents must be submitted and acceptable before GCLBA will review the Experience and Capacity proposal:

1. Evidence of Financial Stability: The bidder shall be financially stable and has the financial wherewithal to carry out the requirements of this solicitation. All respondents shall include two years of Company tax returns and a most recent financial statement provided by their accountant or a letter from their accountant stating evidence of financial stability with the proposal response. This information will assist GCLBA in determining the Respondent's financial



- condition. GCLBA is seeking this information to ensure that the proposer's have the financial stability and wherewithal to assure good faith performance.
- Michigan Builders or M&A –Home Wrecking License: The bidder must be licensed by the State of Michigan, as a Residential Builders and/or Maintenance & Alterations Contractors with a House Wrecking trade designation. (The person/company that is issued the License by the State of Michigan must be in entity that applies in order to be added to the prequalified list.)
- 3. Evidence of Insurance: The bidder must have Commercial General Liability with limits not less than: Premises/operations \$1,000,000 per occurrence with \$2,000,000 aggregate; Workers Compensation Statutory limits of Michigan; Employers Liability with limits \$100,000 accident/disease, \$500,000 policy limit, disease; Automobile Liability with limits not less than \$1,000,000 combined single limit each accident-Owned, hired, nonowned; and, Professional Liability with limits not less than \$1,000,000 including errors & omissions \$200,000 per occurrence \$600,000 in aggregate for Medical Malpractice. A certificate of insurance must be included with submission of qualifications. (See Attachment A for Bidder's Insurance Checklist) GCLBA must be listed as an additional insured.
- 4. <u>Current Certificate of Good Standing (Corporation) or Certificate of Existence:</u>
  The bidder shall provide a Certificate of Good Standing (Corporation) or Certificate of Existence (Limited Liability Company) issued by the Michigan Department of Licensing and Regulatory Affairs Corporations, Securities & Commercial Licensing Bureau. (If Respondent is a joint venture, a Certificate of Good Standing or Certificate of Existence, as applicable, must be submitted for each entity comprising the joint venture.)
- 5. Experience: Bidders must have a minimum of five\* (5) years of proven experience providing professional licensed demolition services. \*Required by the State of Michigan. References should be related to the scope of work and must be recent, with projects completed within the past 5 years.
- 6. <u>Bid, Performance and Payment Bond:</u> Bidders must have the ability to secure a Bid Bond in the amount of five (5%) of their bid amount and **a Performance Bond and Payment Bond,** if awarded, in an amount equal to one hundred percent (100%) of the total contract amount. Surety on such bonds shall be by a bona fide company authorized to do business in the State of Michigan. **Bond requirement shall be increased consistent with any contract amount increase.**
- 7. Conflict of Interest Statement & Supporting Documentation: The Respondent shall disclose any professional or personal financial interests that may be a conflict of interest in representing the GCLBA. In addition, all Respondents shall further disclose arrangement to derive additional compensation from various investment and reinvestment products, including financial contracts.
- 8. <u>Debarment and Suspension:</u> The Respondent certifies to the best of its knowledge and belief that it, its agents, and its subcontractor(s):
  - a. Are not presently debarred, suspended, proposed for debarment, and declared ineligible or voluntarily excluded from covered transactions by any federal department or the State.



- b. Have not within a three-year period preceding this Contract been convicted of or had a civil judgment rendered against them for commission of fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a public (federal, MLB, or local) transaction or contract under a public transaction, as defined in 45 CFR 1185; violation of federal or State antitrust statutes or commission of embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements, or receiving stolen property.
- c. Are not presently indicted or otherwise criminally or civilly charged by a government entity (federal, State, or local) with commission of any of the offenses enumerated in subsection (b).
- d. Have not within a three-year period preceding this Contract had one or more public transactions (federal, State, or local) terminated for cause or default.
- e. Will comply with all applicable requirements of all other State or federal laws, executive orders, regulations, and polices governing this program.
- 9. Other State License and or Certification:
  - Hazardous Waste Operations and Emergency Response (HAZWOPER)
     Certification
  - b. Any other State License and/or Certification that is deemed necessary to complete the Scope of Work as described.
- **10.** <u>Capacity:</u> The bidder must have the capacity to complete number projects that is required by the GCLBA *on a weekly basis.* 
  - a. Demolition: Complete ten (10) or more demolition and disposal projects per week.

#### B. Letter of Interest

Bid Number: LB 15-008

Please submit a Cover Letter of Interest on your firms letterhead signed by a duly authorized officer or representative of the Respondent, not to exceed two (2) pages in length. The Letter of Interest must also include the following information:

- 1. The principal place of business and the contact person, title, telephone/fax numbers and email address.
- 2. A brief summary of the qualifications of the Respondent and team. Please ensure you are including information for GCLBA to assess your qualifications in regards to the scoring criteria set forth in this RFP.
- 3. Description of organization (i.e. Corporation, Limited Liability Company, or Joint Venture).
- 4. The names and business addresses of all Principals of the Respondent. For purposes of this RFP "Principals" shall mean persons possessing an ownership interest in the Respondent.
  - If the Respondent is a partially owned or fully-owned subsidiary of another organization, identify the parent organization and describe the nature and extent



of the parent organization's approval rights, if any, over the activities of the Respondent.

- 5. Experience and capacity to implement the scope of work described in Scope of Services. Please ensure you are including information for GCLBA to assess your qualifications in regards to the scoring criteria set forth in this RFP. Include a list of projects your company is currently committed to and briefly explain whether you see any conflict between being able to complete projects currently under contract and a GCLBA contract should the project be awarded.
- Familiarity with the GCLBA and basic understanding of programs (see
   <u>www.thelandbank.org</u> for more information) including previous experience with
   other Land Banks.
- 7. The Signature Page attached hereto at the end of this RFP and incorporated herein by reference must be signed by Respondent and attached to the Letter of Interest

#### **SELECTION PROCESS**

The Selection Committee comprised of GCLBA staff will review qualifications in accordance with the evaluation criteria set forth herein and Michigan Blight Elimination and Michigan Hardest Hit Fund Demolition Program objectives and policies. Proposals that are submitted timely and comply with the mandatory requirements of the RFP will be evaluated in accordance with the terms of the RFP. Any contract resulting from this RFP will not necessarily be awarded to the vendor with the lowest price. Instead, contract(s) shall be awarded to vendor(s) whose proposal(s) received the most points in accordance with criteria set forth in RFP.

#### **IMPORTANT DATES**

Bids Due Thursday, May 28, 2015

Notice of Award Wednesday, June 3, 2015

Contract Signed On or around Friday, June 5, 2015

Start Work On or around Friday, June 12, 2015

Work Completed On or before Friday, July 17, 2015

Final Paperwork and

Payment Request

Bid Number: LB 15-008

On or before Friday, July 24, 2015



#### **QUESTIONS**

Questions regarding this RFP should be submitted in writing via email to <a href="mailto:cmchallam@thelandbank.org">cmchallam@thelandbank.org</a>.

#### SUBMITTAL DUE DATE

Only firms/contractors that are the on the GCLBA Approved Contractor lists can respond to RFP's issued by the GCLBA.

Responses to this RFP are due by 3:00 pm on Thursday, May 28, 2015. Each Respondent is responsible for labeling the exterior of the sealed envelope containing the proposal response with the proposal number, proposal name, proposal due date and time, and your firm's name. Hard copies and must be delivered to:

Cheryl McHallam, Grants Manager Genesee County Land Bank Authority 452 S. Saginaw St. 2<sup>nd</sup> Floor Flint, MI 48502

Only the documents listed below do not need to be submitted with the proposal if an updated approved prequalification packet is on file.

If there are any changes with the documents or renewals, it is the contractor's responsibility to submit the correct documents to the GCLBA in a timely manner.

□ Evidence of Insurance – GCLBA must be listed as an insured

□ Michigan Builders License or Maintenance and Alterations license with House Wrecking

□ Evidence of Financial Stability\*



#### **RFP SUBMITTAL REQUIREMENTS CHECKLIST**

Please provide Checklist with response to RFP

(If documentation is on file please verify dates and numbers below where required\*)

(GCLBA STAFF ONLY)	Included in bid packet	On file with GCLBA	Expirati on Date	** Some of the submittal requirements are included in the attachments. (PAGE 1)
		Include in bid packet.		<ul> <li>□ Please provide the Submittal Requirements as stated. This section provides instruction for the written portion of your proposal. It will be comprised of the following sections:</li> <li>○ Section B: Letter of Interest- Include a description of on-going projects and whether they will conflict with the completion of this project.</li> </ul>
		Include in bid packet.		□ Certification Form Note
		Include in bid packet.		□References (Attachment B)
		Include in bid packet.		□Description of Company
		Include in bid packet.		□Bid Bond
		Include in bid packet.		□ Current Certificate of Good Standing* (Corporation) or Certificate of Existence (Limited Liability Company) issued by the Michigan Secretary of State (If Respondent is a joint venture, a Certificate of Good Standing or Certificate of Existence, as applicable, must be submitted for each entity comprising the joint venture.)
				□ Evidence of Insurance* – GCLBA must be listed as an insured
				□ Michigan Builders License or Maintenance and Alterations license with House Wrecking *  ○ Issued to:
				□Michigan Accredited Asbestos Certification for Company
		Include in bid packet.		□ Michigan Accredited Asbestos Certification for Asbestos Supervisor
		Include in bid packet.		□ Michigan Accredited Asbestos Certification for workers
				□OSHA 40-hour Hazardous Waste Operations Certification (HAZWOPER)
				□ Evidence of Financial Stability* - Two years tax returns (Current)



(GCLBA STAFF ONLY)	Included in bid packet	On file with GCLBA	Expiration Date	** Some of the submittal requirements are included in the attachments. (PAGE 2)
		Include in bid packet.		□ Conflict of Interest Statement & Supporting Documentation*
		Include in bid packet.		□ Capacity & Unit Rate Pricing Bid Tab/Pricing Proposal (Attachment D)
		Include in bid packet.		□ Local Hiring, HUD Section 3, if applicable (Attachment E & G) or Section 3 letter from the City of Flint or U. S. Department of Housing and Urban Development (HUD), MBE/WBE,DVBE  (Contractor must submit documents to City of Flint or HUD and received approval letter prior to submitting proposal. Approval letter certifying contractor as a Section 3 Contractor is submitted with proposal.)
		Include in bid packet.		□RFP Submittal Requirements Checklist
		Include in bid packet.		□ Any other State License and/or Certification that is deemed necessary
		Include in bid packet.		Received Addendum(s):



#### <u>ADDITIONAL INFORMATION</u>

#### **ATTACHMENTS**

- A GENESEE COUNTY BIDDERS INSURANCE CHECK LIST
- B LIST OF REFERENCES (3)
- C CERTIFICATION FORM NOTE
- D UNIT RATE PRICING BID TAB
- E SECTION 3 CERTIFICATION INFORMATION
- F CONFLICT OF INTEREST/NON-COLLUSION AFFIDAVIT
- G CERTIFICATION FORM OF BUSINESS ENTERPRISE
- H MEDC COMMUNITY VENTURES FLYER

#### **APPENDICES**

- 1 SCOPE OF WORK (DEMOLITION)
- 2 MDEQ NESHAP PROGRAM
- 3 MAP AND BOUNDARIES OF TARGET AREAS
- 4 FEDERAL AND COUNTY REGULATIONS (PREVAILING WAGES)
- 5 SAMPLE CONTRACT (WHERE TO FIND SAMPLE PAYMENT PACKETS)



#### ATTACHMENT A: GENESEE COUNTY BIDDER'S INSURANCE CHECKLIST

Cove	erages Required	Limits (Figures denote minimums)		
1.	Workers' Compensation	Statutory limits of Michigan		
2.	Employers Liability	\$100,000 accident/disease		
		\$500,000 policy limit, disease		
3.	General Liability 1,000,000/OCC/AGG	Including Premises/operations		
	• • •	\$1,000,000 per occurrence with \$2,000,000		
		aggregate		
4.	Professional liability	\$1,000,000 including errors & omissions		
	•	\$200,000 per occurrence \$600,000 in		
		aggregate for Medical Malpractice		
5.	Products/Completed operations	\$1,000,000 per occurrence with \$2,000,000		
	' '	aggregate		
6.	Contractual liability	\$1,000,000 general aggregate (gen. agg.)		
7.	Explosion, Collapse, Subsidence	Excess Policy with limits at least \$2,000,000		
8.	Automobile liability	\$1,000,000 combined single limit each		
	Owned, hired, nonowned	accident-Owned, hired, nonowned		
9.				
10.	Genesee County named as an additional insured	d on other than workers' compensation via		
	endorsement. A copy of the endorsement must be included with the certificate.			
11.	Cancellation notice is to read:			
	Should any of the above described policies be ca	ancelled before the expiration date thereof, the		
	issuing insurer will mail 30 days written notice to the certificate holder named to the left or 10 day			
	notice for non-payment of premium.	·		
12.	The certificate must state bid number and title			
_				
	py of the insurance certificate with the Genese			
hold	er is required and must be attachment to the re	esponse to this proposal.		
	Bid	der's Statement		
I und	lerstand the insurance requirements and will comp	oly in full if awarded the contract.		
	Bidder	Signature		
	Diagoi	Cignataro		



#### ATTACHMENT B: LIST OF REFERENCES (3) RELATED TO SCOPE OF WORK FROM THE LAST 5 YEARS

Reference #1: Company/Municipality:			
Contact Person:			
Address:			
City:	State:	Zip:	
Telephone:	Fax:		
Email:	Proj	ect Timeline (Dates):	
Type of Project:			
Budget:			
Reference #2: Company/Municipality:			
Contact Person:		Title:	
Address:			
City:	State:	Zip:	
Telephone:	Fax:		
Email:	Proj	ect Timeline (Dates):	
Type of Project:			
Budget:			
Reference #3: Company/Municipality:			
Contact Person:		Title:	
Address:			
City:	State:	Zip:	
Telephone:	Fax:		
Email:	Proj	ect Timeline (Dates):	
Type of Project:			
Budget:			

#### ATTACHMENT C: CERTIFICATION FORM NOTE

THIS PAGE MUST BE COMPLETED AND INCLUDED WITH THE SUBMITTAL CERTIFICATION

The undersigned hereby certifies, on behalf of the Respondent named in this Certification (the "Respondent"), that the information provided in this RFP submittal to GCLBA is accurate and complete and I am duly authorized to submit same. I hereby certify that the Respondent has reviewed this RFP in its entirety and accepts its terms and conditions.

(Name of Respondent)	
Will be responding to this RFP.	
Will not be responding to this RFP, b	ut to remain on the Genesee County Land
Bank approved contractors list. (Pleas	se return only this form)
(Signature of Authorized Representative	
(Typed Name of Authorized Representative)	
(Title)	
(Date)	
Email:	Phone:
Federal Identification Number:	_License Number:
NAME OF AUTHORIZED REPRESATIVES FOR SUBCONTRA	CTORS:
(Typed Name of Subcontractor's Authorized Representation	ve) (Title)
(Typed Name of Subcontractor's Authorized Representation	ve) (Title)
Typed Name of Subcontractor's Authorized Representation	ve) (Title)

#### ATTACHMENT D: UNIT RATE PRICING BID COVERSHEET & BID TAB

Company Name:				
BID TENDER SUM	BID TENDER SUMMARY			
	LB 15-008: BID LIST #1	LB 15-008: BID LIST #2	LB 15-008: BID LIST #3	
BID AMOUNT	\$	\$		
Statement of Exp	orionco			
<u>Statement of Exp</u>	enence			
Years of Company	Experience:			
Vears of Individua	l Experience:			
Tears of marvidua	LAPETICITICS.			
Licenses, Certifica	tes, Accreditations held b	y firm and/or employees (F	Provide documentation):	
The qualification	of assigned project staff a	and subcontracts, including	g:	
Relevant n	rofessional and education	nal experience (Provide do	rumentation on attached	
sheet)	roressionar and education	iai experience (i rovide doc	differentiation on accadined	
•	ion of specific staff individ	luals with experience mana	aging demolition projects:	
			0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	

to projects described in the RFP.
pj waaanaaaa
Demonstration of Capacity
Number of demolition projects completed in a week period: ☐ 10 ☐ 15 ☐ 20 ☐ Other
Number of employees:
List of equipment (can attach list if need):
Subcontractor
Will you be using a sub-contractor?
Sub-contractor Authorized Representative:
Sub-Contractor Years of Experience:
Sub-Contractors License or Certification:
Sub-Contractor's Number of employees:
List of equipment (can attach list if need):

Identification of landfills and disposal sites who will participate in the project:		
I certify that I have the necessary equipment and	staffing available in order to complete the Scope o	
Work outlined in this bid. I certify that I have read	the Scope of Work included in this bid.	
Signed this day of		
(Name of Contractor/ Authorized Representative)		
(Signature of Contractor / Authorized Representat	ive)	
(Contractor Address)		
(Phone)	(Email)	

15-008

#### BID/TENDER FORM #LB 15-008

SUBMITTED TO: Genesee County Land Bank

452 S. Saginaw Street Flint, Michigan 48502

FOR: Invitation to Bid #LB 15-008 Demolition and Disposal of Residential Structures in the City of Flint & Genesee County:

DATE:	
NAME OF BIDDER:	
ADDRESS	
TELEPHONE:	

TO: Genesee County Land Bank Authority (hereinafter called "GCLBA")

#### Gentlemen:

The Bidder, in compliance with your invitation for bids for the demolition and disposal of Residential Structures having examined Bid #LB: 15-008 prepared by the Genesee County Land Bank, and other related documents and being familiar with site of proposed work, and with all conditions surrounding demolition of the listed property including availability of materials and labor, hereby propose to furnish all labor, materials, tools, equipment, machinery, equipment rental, transportation, superintendence, perform all work, provide all services, and to perform all work in accordance with Bid #LB: 15-008, within time set forth herein, at prices stated below. These prices are to cover all expenses incurred in performing work required under Scope of Work, of which this Bid/Tender is a part.

Successful bidder agrees to provide performance and payment bonds written by surety acceptable to GCLBA; made in favor of GCLBA as obligee. The Bidder recognizes that the GCLBA may award the bid packages separately and not as a total contract.

Adjustments to bid- In the event a structure or structures itemized on this bid is destroyed or substantially destroyed by fire or other calamity beyond its present condition as determined by the GCLBA, or environmental hazards are found, at any time prior to actual demolition, the Authority reserves the right to remove the structure from the bid; or in the event of bid award, to remove the structures(s) from the award and reduce the price by the Contractors' bid for that structure(s).

GCLBA reserves the right to cancel any project(s) that has been issued on a bid or entered into a contract if GCLBA has deemed project(s) infeasible and is unable to proceed with the demolition.

#### UNIT PRICE FOR DEMOLITION WORK

Removal and disposal of structures including foundation, basement walls, floors and footings, removal of approach/replacement of curbs, and installation of sidewalk as specified in the contract.

# NOTE: CIVIC PARK HISTORIC DISTRICT DEMOLITIONS HAVE ADDITIONAL FEDERAL REQUIREMENTS. ENSURE YOU HAVE THE CORRECT PROPERTY BEFORE BEGINNING DEMOLITION.

Civic Park Historic District is designated on the National Register of Historic Places. The GCLBA received approval to demolish only the 224 properties in this area that were deemed vacant and that had lost their historic integrity. Demolishing the wrong property in Civic Park Historic District could result in the GCLBA's demolition program being out of compliance with severe penalties from the State of Michigan. Fines and penalties for demolishing the wrong properties will be passed on to the contractor. The contractor is responsible for verification that the correct property is being demolished. The properties demolished in Civic Park Historic District may not be the most blighted structures so the contractor is warned to be extremely cautious about ensuring the right properties are being demolished. Photographs of properties taken during the inspection phase may not match the current property condition and address numbers may not be visible on the property. Proceed with caution.

15-008

BID LIST # - LB-15-008-1		<u>Contractor:</u>				
No.	Parcel Number	Property Address	<u>City</u>	<u>Zip</u> Code	<u>Funding</u>	<u>Demolition</u> <u>Bid Price</u>
1	40-02-402-007	2338 HUMBOLDT AVE	FLINT	48504	CDBG	
2	40-02-402-008	2334 HUMBOLDT AVE	FLINT	48504	CDBG	
3	40-02-403-020	2310 DELMAR AVE	FLINT	48504	CDBG	
4	40-02-253-033	1222 W RANKIN ST*	FLINT	48504	CDBG	
5	40-02-403-028	2325 FOREST HILL AVE	FLINT	48504	CDBG	
6	40-02-182-019	2513 HUMBOLDT AVE*	FLINT	48504	CDBG	
		2610 FOREST HILL			CDBG	
7	40-02-253-032	AVE*	FLINT	48504		

*DEMO AS	S ASBESTOS CONTAINING	
DEIVIO AS	ASDESTUS CUNTAINING	

TOTAL		
IUIAL		

BID LIST # - LB-15-008-2				Contrac	tor:	
No.	Parcel Number	Property Address	<u>City</u>	<u>Zip</u> Code	<u>Funding</u>	<u>Demolition Bid</u> <u>Price</u>
1	40-11-455-005	2205 CADILLAC ST	FLINT	48504	NSP2 Round 1	
2	40-12-103-003	631 WELCH BLVD	FLINT	48503	NSP2 Round 1	
3	40-12-103-014	1625 PONTIAC ST	FLINT	48503	NSP2 Round 1	
4	40-12-105-012	1620 SEMINOLE ST	FLINT	48503	NSP2 Round 1	
5	40-12-151-017	1529 STONE ST*	FLINT	48503	NSP2 Round 1	
6	40-12-252-003	1326 GARLAND ST	FLINT	48503	NSP2 Round 1	
7	40-13-281-003	817 W SECOND ST*	FLINT	48503	NSP2 Round 1	
8	40-13-281-006	805 W SECOND ST*	FLINT	48503	NSP2 Round 1	
9	40-14-126-008	2451 THOMAS ST	FLINT	48504	NSP2 Round 1	
10	40-14-158-018	3714 VAN BUREN AVE	FLINT	48503	NSP2 Round 1	
11	41-05-452-002	2106 MAPLEWOOD	FLINT	48506	NSP2 Round 1	
12	41-08-203-013	1706 ARLINGTON*	FLINT	48506	NSP2 Round 1	
13	41-17-101-015	909 BELMONT AVE	FLINT	48503	NSP2 Round 1	
14	41-17-307-010	1818 MAGNOLIA AVE	FLINT	48503	NSP2 Round 1	
15	41-17-357-027	2034 STANFORD AVE*	FLINT	48503	NSP2 Round 1	
16	41-17-358-007	2015 STANFORD AVE	FLINT	48503	NSP2 Round 1	
17	41-17-359-018	2002 HOWARD AVE	FLINT	48503	NSP2 Round 1	
18	41-17-376-002	1971 HOWARD	FLINT	48503	NSP2 Round 1	
19	41-17-377-002	2005 HOWARD AVE	FLINT	48503	NSP2 Round 1	
20	41-17-378-005	2013 AITKEN AVE	FLINT	48503	NSP2 Round 1	
21	41-17-380-005	2013 BLADES AVE	FLINT	48503	NSP2 Round 1	
22	41-17-381-029	2050 BURR BLVD	FLINT	48503	NSP2 Round 1	
23	41-17-381-033	1413 LIPPINCOTT BLVD	FLINT	48503	NSP2 Round 1	
24	41-17-404-002	2506 LAPEER RD	FLINT	48503	NSP2 Round 1	
25	41-17-404-003	2510 LAPEER RD	FLINT	48503	NSP2 Round 1	
26	41-18-284-020	825 BELMONT AVE	FLINT	48503	NSP2 Round 1	
27	41-18-332-003	110 E SEVENTH ST	FLINT	48502	NSP2 Round 1	
28	41-18-355-010	1214 STOCKSTON	FLINT	48503	NSP2 Round 1	
29	41-20-105-006	2111 CROCKER AVE	FLINT	48503	NSP2 Round 1	
30	41-20-107-013	2214 HOWARD AVE	FLINT	48503	NSP2 Round 1	
31	41-20-131-006	2109 BLADES AVE	FLINT	48503	NSP2 Round 1	
32	46-26-126-026	6901 FLEMING RD	FLINT	48504	NSP2 Round 1	
33	46-26-206-002	7000 ORANGE LANE*	FLINT	48054	NSP2 Round 1	
34	41-21-380-011	1801 ATHERTON RD	FLINT	48507	Private	

\*DEMO AS ASBESTOS CONTAINING

ΤΩΤΔΙ		

15-008

BID LIST # - LB-15-008-3**			Contractor:			
No.	Parcel Number	Property Address	<u>City</u>	<u>Zip</u> Code	<u>Funding</u>	<u>Demolition</u> <u>Bid Price</u>
1	40-02-181-017	2605 COLBY ST	FLINT	48504	HHF-5.3	
2	40-02-426-019	2313 MILBOURNE AVE	FLINT	48504	HHF-5.3	
3	40-02-429-003	713 W DAYTON ST	FLINT	48504	HHF-5.3	
4	40-02-429-016	2214 MT ELLIOTT AVE	FLINT	48504	HHF-5.3	
5	40-02-455-018	1901 FOREST HILL AVE	FLINT	48504	HHF-5.3	
6	40-02-456-006	1910 FOREST HILL AVE	FLINT	48504	HHF-5.3	
7	40-02-457-007	1910 LAWNDALE AVE	FLINT	48504	HHF-5.3	
8	40-02-476-019	2109 MILBOURNE AVE	FLINT	48504	HHF-5.3	
9	40-02-477-005	2132 MILBOURNE AVE	FLINT	48504	HHF-5.3	
10	40-02-477-009	2114 MILBOURNE AVE	FLINT	48504	HHF-5.3	
11	40-02-480-005	1902 PROCTOR AVE	FLINT	48504	HHF-5.3	
12	40-02-483-009	1802 MT ELLIOTT AVE	FLINT	48504	HHF-5.3	
13	46-35-230-019	5015 DUPONT ST	FLINT	48504	HHF-2.1	
14	40-02-481-021	1717 N CHEVROLET	FLINT	48504	HHF – 5.3	

TOTAL

<sup>\*\*</sup> A Notice to Proceed for Bid List LB-15-008-3 will be issued when the abatement of asbestos and hazardous materials is completed.

Bidder Name:
Bidder, if awarded a Contract, hereby agrees to commence work under this contract on or around Wednesday, June 12, 2015 contingent on the cut and plug of utilities – water & sewer, gas and electric; and to fully complete on or before Friday, July 17, 2015. All final grade work must be completed and final paperwork and payment requests must be submitted to the Demolition Program Manager by Friday, July 24, 2015.
Bidder understands that the GCLBA reserves right to reject any or all Bid/Tenders and to waive any informalities or irregularities herein.
In the event a structure or structures itemized on this bid is destroyed or substantially destroyed by fire or other calamity beyond its present condition as determined by the Land Bank, or environmental hazards are found, at any time prior to actual demolition, the GCLBA reserves the right to remove the structure from the bid; or in the event of bid award, to remove the structure(s) from the award and reduce the price by the Contractor's bid for that structure(s).
Upon notice of acceptance of this Bid/Tender, bidder will execute Contract Agreement and deliver properly executed insurance certificates, Performance and Payment Bonds to GCLBA within 10 days.
Bidder acknowledges receipt of following addenda:
If awarded a contract, bidder's surety will be (name of Surety Company).

#### **CERTIFICATION OF SITE VISIT**

Before submitting a proposal, each Bidder shall inspect the site of the proposed work to arrive at a clear understanding of the conditions under which the work is to be done. He will be held responsible for having compared the premises with the drawings and specifications, and to have satisfied himself as to all conditions affecting the execution of the work.

No allowance or extra compensation concerning any matter or thing about which the Bidder might have fully informed himself will be allowed. Additional quantities will not be compensated without the GCLBA's prior approval.

#### ADDRESS, LEGAL STATUS, AND SIGNATURE OF BIDDER

The undersigned does hereby designate the address, given below, as the legal address to which all notices, directions, or other communications may be served or mailed.

P.O. Box (if applicable)		
Street		
City	State	Zip Code
Phone	Fax	
The undersigned does hereby	declare that it has the legal	status checked below.
	Individual	
	Co-Partnership	
	Corporation Incorpo	orated under the laws and State
of		
NAME	ADDRESS	rs in this Bid Proposal are as follows:
This Bid Proposal is submitted	in the name of:	
(Name of Contractor)		
Ву		
Title		
Signed and sealed this	Day of	20
INSTRUCTIONS: Submit this	form to GCLBA. <b>END OF SECTION</b>	

5/4/15

15-008

## EXHIBIT 1 PROPERTY LIST FOR SOIL EROSION PERMIT/WAIVER

BID L	BID LIST # - LB-15-008-1						
No.	<u>Parcel Number</u>	Property Address	<u>City</u>	Zip Code	Funding		
1	40-02-402-007	2338 HUMBOLDT AVE	FLINT	48504	CDBG		
2	40-02-402-008	2334 HUMBOLDT AVE	FLINT	48504	CDBG		
3	40-02-403-020	2310 DELMAR AVE	FLINT	48504	CDBG		
4	40-02-253-033	1222 W RANKIN ST	FLINT	48504	CDBG		
5	40-02-403-028	2325 FOREST HILL AVE	FLINT	48504	CDBG		
6	40-02-182-019	2513 HUMBOLDT AVE	FLINT	48504	CDBG		
7	40-02-253-032	2610 FOREST HILL AVE	FLINT	48504	CDBG		

BID LIST # - LB-15-008-2				
No.	Parcel Number	Property Address		

<u>No.</u>	Parcel Number	Property Address	<u>City</u>	Zip Code	<u>Funding</u>
1	40-11-455-005	2205 CADILLAC ST	FLINT	48504	NSP2 Round 1
2	40-12-103-003	631 WELCH BLVD	FLINT	48503	NSP2 Round 1
3	40-12-103-014	1625 PONTIAC ST	FLINT	48503	NSP2 Round 1
4	40-12-105-012	1620 SEMINOLE ST	FLINT	48503	NSP2 Round 1
5	40-12-151-017	1529 STONE ST	FLINT	48503	NSP2 Round 1
6	40-12-252-003	1326 GARLAND ST	FLINT	48503	NSP2 Round 1
7	40-13-281-003	817 W SECOND ST	FLINT	48503	NSP2 Round 1
8	40-13-281-006	805 W SECOND ST	FLINT	48503	NSP2 Round 1
9	40-14-126-008	2451 THOMAS ST	FLINT	48504	NSP2 Round 1
10	40-14-158-018	3714 VAN BUREN AVE	FLINT	48503	NSP2 Round 1
11	41-05-452-002	2106 MAPLEWOOD	FLINT	48506	NSP2 Round 1
12	41-08-203-013	1706 ARLINGTON	FLINT	48506	NSP2 Round 1
13	41-17-101-015	909 BELMONT AVE	FLINT	48503	NSP2 Round 1
14	41-17-307-010	1818 MAGNOLIA AVE	FLINT	48503	NSP2 Round 1
15	41-17-357-027	2034 STANFORD AVE	FLINT	48503	NSP2 Round 1
16	41-17-358-007	2015 STANFORD AVE	FLINT	48503	NSP2 Round 1
17	41-17-359-018	2002 HOWARD AVE	FLINT	48503	NSP2 Round 1
18	41-17-376-002	1971 HOWARD	FLINT	48503	NSP2 Round 1
19	41-17-377-002	2005 HOWARD AVE	FLINT	48503	NSP2 Round 1
20	41-17-378-005	2013 AITKEN AVE	FLINT	48503	NSP2 Round 1
21	41-17-380-005	2013 BLADES AVE	FLINT	48503	NSP2 Round 1
22	41-17-381-029	2050 BURR BLVD	FLINT	48503	NSP2 Round 1
23	41-17-381-033	1413 LIPPINCOTT BLVD	FLINT	48503	NSP2 Round 1
24	41-17-404-002	2506 LAPEER RD	FLINT	48503	NSP2 Round 1
25	41-17-404-003	2510 LAPEER RD	FLINT	48503	NSP2 Round 1
26	41-18-284-020	825 BELMONT AVE	FLINT	48503	NSP2 Round 1
27	41-18-332-003	110 E SEVENTH ST	FLINT	48502	NSP2 Round 1
28	41-18-355-010	1214 STOCKSTON	FLINT	48503	NSP2 Round 1
29	41-20-105-006	2111 CROCKER AVE	FLINT	48503	NSP2 Round 1
30	41-20-107-013	2214 HOWARD AVE	FLINT	48503	NSP2 Round 1
31	41-20-131-006	2109 BLADES AVE	FLINT	48503	NSP2 Round 1
32	46-26-126-026	6901 FLEMING RD	FLINT	48504	NSP2 Round 1
33	46-26-206-002	7000 ORANGE LANE	FLINT	48054	NSP2 Round 1
34	41-21-380-011	1801 ATHERTON RD	FLINT	48507	Private

BID LIST # - LB-15-008-3			<u>Contractor:</u>		
No.	Parcel Number	Property Address	City Zip Fun		<u>Funding</u>
1	40-02-181-017	2605 COLBY ST	FLINT	48504	HHF-5.3
2	40-02-426-019	2313 MILBOURNE AVE	FLINT	48504	HHF-5.3
3	40-02-429-003	713 W DAYTON ST	FLINT	48504	HHF-5.3
4	40-02-429-016	2214 MT ELLIOTT AVE	FLINT	48504	HHF-5.3
5	40-02-455-018	1901 FOREST HILL AVE	FLINT	48504	HHF-5.3
6	40-02-456-006	1910 FOREST HILL AVE	FLINT	48504	HHF-5.3
7	40-02-457-007	1910 LAWNDALE AVE	FLINT	48504	HHF-5.3
8	40-02-476-019	2109 MILBOURNE AVE	FLINT	48504	HHF-5.3
9	40-02-477-005	2132 MILBOURNE AVE	FLINT	48504	HHF-5.3
10	40-02-477-009	2114 MILBOURNE AVE	FLINT	48504	HHF-5.3
11	40-02-480-005	1902 PROCTOR AVE	FLINT	48504	HHF-5.3
12	40-02-483-009	1802 MT ELLIOTT AVE	FLINT	48504	HHF-5.3
13	46-35-230-019	5015 DUPONT ST	FLINT	48504	HHF-2.1
14	40-02-481-021	1717 N Chevrolet Ave	Flint	48504	HHF – 5.3

15-008

ATTACHMENT E: Section 3 Clause and City of Flint and the U. S. Department Housing and Urban Development (HUD) Section 3 Business Certification Program Information

To become Section 3 Certified, bidders can use either Option A or Option B, as provided below:

Option A: City of Flint Section 3 Business Certification Program - Contact City of Flint's Department of Community and Economic Development at (810) 766-7436 for information regarding their Section 3 Business Certification Program. Download the following forms from the Genesee County Land Bank's website for the City of Flint's Section 3 Certification Program.

#### **City of Flint Section 3 Certification Program forms are as follows:**

- Certification for Resident Seeking Section 3 Training and Employment
- Mott Workforce Development Contact Information Sheet
- Certification for Business Concern Seeking Section 3 Preference in Contracting and Demonstration of Capacity
- Genesee County Land Bank Section 3 Reporting form (Program requirement regardless of contractors Section 3 status, all contractors must fill out this form with payment requests)

SUBMIT THESE FORMS TO THE CITY OF FLINT DEPARTMENT OF COMMUNITY AND ECONOMIC DEVELOPMENT TO BECOME SECTION 3 CERTIFIED

**Option B:** U. S. Department of Housing and Urban Development (HUD) - To become a Section 3 certified business, bidders are encouraged to access HUD's website at <a href="http://portal.hud.gov/hudportal/HUD?src=/section3businessregistry">http://portal.hud.gov/hudportal/HUD?src=/section3businessregistry</a>.

The website allows bidders to self-register as a Section 3 business by completing an on-line "Register for Section 3 Self Certification" form. Within two weeks of completing the form, HUD will either mail or email the bidder's Section 3 Certification forms. If needed, bidders can also, contact HUD at the following address, telephone number, and email address for additional information:

U.S. Department of Housing and Urban Development Economic Opportunity Division, Region V 451 Seventh Street, SW Room 5232 Washington, DC 20410 Bruce Bailey

Bruce.e.bailey@hud.gov
(202)402-6249

GENESEE COUNTY LAND BANK IS ACCEPTING LETTERS FROM THE U.S.

DEPARTMENT OF HOUSING AND URBAN DEVELOPMENT TO VERIFY SECTION 3

CERTIFICATION

#### SUBMISSION OF LOW-INCOME EMPLOYEE INFORMATION:

Bidders are required to submit the following information with their RFP regarding their low-income employees:

- a. List of low-income employees
- b. Date of hire
- c. Position

Samples of type of eligible Section 3 positions are as follows:

Construction: cement/masonry, demolition, electrical, engineering, fencing, heating, machine operation, painting, and surveying;

Administrative Management: accounting, payroll, research, bookkeeping, purchasing, and word processing;

Services: marketing, janitorial, photography, catering, landscaping, printing, computer/information, manufacturing, and transportation.

#### FY 2014 Median Family Income for Flint and Genesee County MSA - \$53,300

### Section 3 Maximum Income Limits

Number in Household	Extremely Low Income (30%)	Very-Low Income (50%)	Low Income (60%)
One Person	\$11,200	\$18,700	\$21,850
Two Person	\$12,800	\$21,350	\$25,000
Three Person	\$14,400	\$24,000	\$28,100
Four Person	\$16,000	\$26,650	\$31,200
Five Person	\$17,300	\$28,800	\$33,700
Six Person	\$18,600	\$30,950	\$36,200
Seven Person	\$19,850	\$33,050	\$38,700
Eight Person	\$21,150	\$35,200	\$41,200

#### SECTION 3 CLAUSE

All Section 3 covered contracts shall include the following clause (referred to as the "Section 3 Clause"):

- A. The work to be performed under this contract is subject to the requirements of Section 3 of the Housing and Urban Development Act of 1968, as amended, 12 U.S.C. 1701u (section 3). The purpose of section 3 is to ensure that employment and other economic opportunities generated by HUD assistance or HUD-assisted projects covered by section 3, shall, to the greatest extent feasible, be directed to low- and very low-income persons, particularly persons who are recipients of HUD assistance for housing.
- B. The parties to this contract agree to comply with HUD's regulations in 24 CFR Part 135, which implement section 3. As evidenced by their execution of this contract, the parties to this contract certify that they are under no contractual or other impediment that would prevent them from complying with the part 135 regulations.
- C. The contractor agrees to send to each labor organization or representative of workers with which the contractor has a collective bargaining agreement or other understanding, if any, a notice advising the labor organization or workers' representative of the contractor's commitments under this section 3 clause, and will post copies of the notice in conspicuous places at the work site where both employees and applicants for training and employment positions can see the notice. The notice shall describe the section 3 preference, shall set forth minimum number and job titles subject to hire, availability of apprenticeship and training positions, the qualifications for each; and the name and location of the person(s) taking applications for each of the positions; and the anticipated date the work shall begin.
- D. The contractor agrees to include this section 3 clause in every subcontract subject to compliance with regulations in 24 CFR Part 135, and agrees to take appropriate action, as provided in an applicable provision of the subcontract or in this section 3 clause, upon a finding that the subcontractor is in violation of the regulations in 24 CFR Part 135. The contractor will not subcontract with any subcontractor where the contractor has notice or knowledge that the subcontractor has been found in violation of the regulations in 24 CFR Part 135.
- E. The contractor will certify that any vacant employment positions, including training positions, that are filled (1) after the contractor is selected by before the contract is executed, and (2) with persons other than those to whom the regulations of 24 CFR part 135 require employment opportunities to be directed, were not filled to circumvent the contractor's obligations under 24 CFR part 135.
- F. Noncompliance with HUD's regulations in 24 CFR part 135 may result in sanctions, termination of this contract for default, and debarment or suspension from future HUD assisted contracts.

G. With respect to work performed in connection with section 3 covered Indian housing assistance, section 7(b) of the Indian Self-Determination and Education Assistance Act (25 U.S.C. 450e) also applies to the work to be performed under this contract. Section 7(b) requires that to the greatest extent feasible (i) preference in the award of contracts and subcontracts shall be given to Indian organizations and Indian-owned Economic Enterprises. Parties to this contract that are subject to the provisions of section 3 and section 7(b) agree to comply with section 3 to the maximum extent feasible, but not in derogation of compliance with section 7(b).

## ATTACHMENT F: CONFLICT OF INTEREST / NON-COLLUSION AFFIDAVIT

State of	<u>_</u> ;
	S.S.
County of	<u>:</u>
Ι,	of
(Name of Company/Firm)	
	s affidavit on behalf of my firm, its owner, directors and officers. I for the price(s) and the amount of the bid.
I state:	
with any other provider, and the cont	nership or individual has not prepared this proposal in collusion ents of this proposal as to prices, terms or conditions of said d by the undersigned nor by any employee or agent to any other of the official opening of this proposal.
	made to induce any firm or person to refrain from bidding on this in this bid, or to submit any intentionally high or noncompetitive or
	, its affiliates, subsidiaries,
have not in the last four years been co	not currently under investigation by any governmental agency and privided or found liable for any act prohibited by State or Federal biracy or collusion with respect to bidding on any public contract.
partially federally funded, and further	nership or individual is fully aware that this contract is wholly or , by submission of the bid or proposal that the individual or form erest with any public official, employee, agency, commission, or
I state that	understands and
(Name of my	Company/Firm)



1.

2.

3.

4.

Acknowledges that the above representations are material and important, and will be relied on by the Genesee County Land Bank Authority in awarding the contract(s) for which this bid is submitted. I understand and my firm understands that misstatements in this affidavit is and shall be treated as fraudulent concealment from the Genesee County Land Bank Authority of the true facts relating to the submission bids for this contract.

(Signature)		(Title)
(Company Name)	(Stree	et / P. O. Box)
(Company Telephone Number)	(City)	(State) (Zip)
NOTARIZATION SECTION		
Subscribed and sworn to before me this	Day of	, 20
Notary Public Signature	My Commission	Expires:



**SIGNATURE SECTION** 

### ATTACHMENT G: CERTIFICATION FORM OF BUSINESS ENTERPRISE

Company Name:
Business Enterprise Status:
Check all that apply: MBE WBE SBE
LBE DVBE OBE
Ethnicity of Owner (s):
Check all that apply: White Black Hispanic
Asian Native American
I undersigned, certify the above information to be accurate and is satisfied that the above compan meets the requirements for self-certification as an MBE, WBE, SBE, LBE, DVBE, and/or OBE.
Signed this day of,,
Contractor Name (please print)
Contractor Signature

(See other page for explanation)



#### **Explanation of Business Enterprise Status**

A Minority Business Enterprise (MBE) is a business entity which is at least 51% owned by one or more minorities who are citizens or lawful permanent residents of the United States and a member of a recognized ethnic or racial group.

A Women Business Enterprise (WBE) is a business entity at least 51% owned by one or more women who are citizens or lawful permanent residents of the United States.

An Other Business Enterprise (OBE) is any business which does not otherwise qualify as a Minority or Women Business Enterprise.

A Small Business Enterprise (SBE) is an independently owned and operated business; with 50 or fewer employees and net profits of 100,000 or less.

A Local Business Enterprise (LBE) is a business entity whose principal place of business is located within the boundaries of Genesee County.

A Disabled Veteran Business Enterprise (DVBE) is a business concern certified by the administering agency as meeting all of the following: 1) a veteran of the military, naval, or air service of the United States with a service-connected disability of at least 10 percent, and who is also a resident of California, 2) one or more disabled veterans own 51% percent of the firm, 3) the management and control of the daily business operations are by one or more disabled veterans, and 4) it is a sole proprietorship corporation or partnership with its home office located in the United States and is not a subsidiary of a foreign firm.



## Michigan Employers and the MEDC

...Working Together!

## **Community Ventures**

Michigan employers and the Michigan Economic Development Corporation .... a unique partnership to provide jobs for structurally unemployed individuals.

Here's how the wage incentive works for your full-time, permanent employees:

Community Ventures
Monthly Wage Incentive
\$500 x Number of
Employees

#### **Monthly Example**

\$10 x 160 hours

Monthly Wages
= \$1,600

\$1,600 - \$500 = \$1,100

Your Monthly Wage Cost = \$1,100

\*\*\*\*\*

## **Examples of Annual Grant Awards**

Grant amount your company could receive based on number of employees who are eligible for the Community Ventures program.

5 employees =	\$25,000
10 employees =	\$50,000
15 employees =	\$75,000
20 employees =	\$100,000
25 employees =	\$125,000
100 employees=	\$500,000

## **Advantages for Employers**

**Employer Wage Incentive** Under Community Ventures' guidelines, Michigan employers who agree to hire structurally unemployed people (from key target communities) in permanent, full-time positions will **receive a one-time** \$5,000 wage reimbursement incentive for each employee. The grant is paid in monthly installments.

Pre-Screened Talent Community Ventures is designed to ensure that both employers and companies are well-matched. Community Ventures works with the local Michigan Works agencies to provide job applicants who reside in target areas. In the Flint area the target areas are Flint, Burton, Mt. Morris, and Mt. Morris Township. Michigan Works will pre-screen applicants for you to interview.

**Employee Retention Services** Another key component of our program is the availability of **supportive services and resources** to help individuals who are hired at your company to remain successfully employed.

**Streamlined Process** Our wage reimbursement process is streamlined to make it as easy as possible for employers. We require a monthly wage verification form with copies of pay stubs for each employee and an invoice on your company's letterhead.

#### Contact

Valerie Jemerson, Project Coordinator-Flint Community Ventures 810-233-5627, extension 140 517-488-5101 (cell) jemersonv@michigan.org



## **APPENDICES**

- 1 SCOPE OF WORK
- 2 MDEQ NESHAP PROGRAM
- 3 MAP AND BOUNDARIES OF TARGET AREA
- 4 FEDERAL AND COUNTY REGULATIONS (PREVAILING WAGES)
- 5 SAMPLE CONTRACT

### APPENDIX 1B: SCOPE OF WORK/SUMMARY OF WORK

DEMOLITION OF RESIDENTIAL AND COMMERICIAL STRUCTURES

### **TABLE OF CONTENTS**

APPENDIX 1: SCOPE OF WORK/SUMMARY OF WORK	1
TABLE OF CONTENTS	1
APPENDIX 1: SCOPE OF WORK/SUMMARY OF WORK	2
SECTION 100 – SUMMARY OF WORK	2
SECTION 200- SOIL EROSION –SEDIMENTATION CONTROL	7
SECTION 300 – EARTHWORK	8
SECTION 400 – BUILDING DEMOLITION	14

### **APPENDIX 1: SCOPE OF WORK/SUMMARY OF WORK**

#### **SECTION 100 – SUMMARY OF WORK**

PART 1 - GENERAL INFORMATION

#### 1.1 DESCRIPTION

- A. This project consists of building and site demolition and disposal of buildings and basement/foundation, including backfill of the excavated area, secure all necessary permits (demolition, water/sewer cut, soil erosion and any other required by the local unit of government), and disconnect water and sewer utilities or cap wells and abandonment of septic tanks, if present, per Genesee County Health Department requirements.
- B. Asbestos and hazardous materials have been removed by others for structures identified in this bid (Unless identified in Request for Proposal (RFP) or deemed as an Ordered/Emergency demolition –See Section c). Contractor is responsible for removing non-friable Category I asbestos containing materials unless identified as have been previously removed. ACM ROOFING MATERIALS AND DRYWALL JOINT COMPOUND WITH <1% ACM COMPOSITE NOT ABATED FROM THIS LIST. WHERE APPLICABLE, ENSURE DEMOLITION ACTIVITIES ADHERE TO MIOSHA REGULATIONS. A licensed abatement company is not required to remove non-friable Category I asbestos containing material; however, a NESHAP Competent Person must be present on-site during the demolition/removal. The burden to conduct the requested work in accordance with all applicable laws and regulations is the responsibility of the contactor.
  - i. Contractor must submit 10-day NESHAP project notifications for ALL demolition projects including Ordered/Emergency Demolitions. NO EXCEPTIONS!
  - ii. Contractor must follow all State and Federal laws and requirements for the removal of all Asbestos Containing materials (ACMs) friable and non-friable.
- C. Ordered Demolitions Requirements per the Asbestos NESHAP for all Ordered demolitions (commonly referred to as emergency demolitions):
  - i. An Asbestos NESHAP trained person must be on site during the demolition

#### ii. ALL CONTRACTORS ARE REQUIRED TO HAVE A WATER TRUCK ON SITE.

- iii. Water must be used and all debris must be kept wet at all times (except when temperatures are below freezing- then records must be kept onsite of the temperature at the beginning, middle and end of each work day)
- iv. Wetted debris may be disposed of in bulk in lined and covered dumpsters. Signs must be posted during handling and loading of debris
- v. All debris must be disposed of as "friable asbestos" (RACM) at a Type II landfill and disposal records must be kept for 2 years.
- D. Ordered Demolitions Requirements per the Asbestos MIOSHA for all Ordered demolitions (commonly referred to as emergency demolitions):
  - Asbestos Abatement License and training is required is required for all employees on site of an Ordered/Emergency Demolition. Demolitions involving Class I or Class II ACM require a 40-hour trained competent person.

- E. Removal of non-friable/intact Class II materials requires workers to be trained 8 or more hours depending on number of Class II materials involved.
- F. There is one exception to this competent person training requirement involving flooring that is removed intact utilizing compliant work practices specified in Part 602 for these materials; 12 hours competent person training is required.
- G. Requirements of the work are contained in the Scope of Work and include cross-references to published information, which is not necessarily bound herewith.
- H. A description of the scope of work can be summarized as follows:
  - (1) Site and Building Demolition
    - (a) Locate property corners and lot lines to accurately set limits of demolition
    - (b) Site and building demolition, including the removal of structures, basements, footings, landscaping and walls, cut brush and deed and/or falling trees, asphalt, bituminous and/or concrete paving, and miscellaneous debris on the site
  - (2) Protection of Trees
    - (a) It shall be the responsibility of the Contractor to protect all trees of a diameter of 4" or greater that are located outside of five (5) feet from the structure being demolished. <u>UNLESS trees are in the way of the demolition or dead/rotten and/or are in jeopardy of falling.</u>
  - (3) Concrete Sidewalks/Drive Approach
    - (a) Access to the property for demolition work shall be limited to the driveway unless otherwise designated by the GCLBA's site manager. The Contractor shall be held responsible for the replacement of any sidewalks damaged during the project.
    - (b) Contractors shall make all efforts to protect sidewalks by using materials such as dirt, plywood, etc.
    - (c) It is the Contractors responsibility to take before and after pictures of sidewalks, drive approach and surrounding areas to document pre-existing condition. Replacement of damaged sidewalk or drive approach is not required; provided contractor's access is limited to the driveway unless otherwise approved by site manager and no further damage occurs. If contractor further damages sidewalk or approach making sidewalks and approach unsafe and/or creating trip hazards, Contractor must replace sidewalks.
    - (d) Concrete, asphalt and/or gravel driveways are to be removed with the exception of the approach. Approach will be defined as the first ten feet of the driveway or from the road to the sidewalk.
  - (4) Site Restoration
    - (a) Site restoration includes fill and compaction of all disturbed areas, seeding and mulch as specified in Section 200, Part 2 Products and Part 3 Execution.

- (b) Any areas disturbed by construction activities shall be re-graded and reseeded if necessary.
- (5) Except for items indicated to remain the GCLBA/OWNER'S property, demolished materials shall be become the Contractor's property and shall be removed from the site and disposed of legally.

#### I. Submittals

- i. Landfill receipts/waste manifests must be submitted to the Land Bank within 10 days with invoice at the completion of project.
- ii. All documentation must be submitted for each property/project individually.
- iii. Payments will not be processed without receipt of waste manifest documenting proper disposal of waste.
  - (1) Request for Payment Packet must include:
    - (a) Request for Final Payment
    - (b) Sworn Statement
    - (c) Waivers of Lien from yourself, as well as all subcontractors listed on Sworn Statement
    - (d) Invoice on Contractor's Letterhead
    - (e) Before and After Photographs of the site (labeled)
      - (i) Demolition (front, back left side, right side)
      - (ii) Abatement Documenting the removal of environmentally hazardous materials; uploaded to BOX.COM
    - (f) Before and after photos of sidewalks (Demolition)
    - (g) City or Township Winter-grade or Final inspection receipt as stated in contract and/or RFP
    - (h) If sub-contracting, you must provide proof that the sub-contractor is in compliance with the Michigan Workers' Disability Compensation Act requirements and appropriately licensed.
    - (i) Demolition Permit (Must be on site at start of demolition)
    - (j) Statement of confirmation that backfill and top soil is below MDEQ Direct Contact level and backup documentation (Lab results from soil sample for backfill and top soil) also provided prior to bring backfill and top soil on site.
    - (k) Field Report/Daily Log/Inventory Sheet with supporting paperwork:
      - (i) A copy of the disposal manifest and/or shipping papers used to dispose of materials/wastes from each disposal/recycling facility.

- (ii) A copy of the CFC recovery certificate signed and certified by the licensed CFC recovery professional.
- (iii) A copy of the scrap metal receipt for AST/USTs and other metals.
- (I) Seeding and Watering Report
- (m) Seed tags identifying correct seed used per specification Section 200, Part 2 Products
- (n) Certified Payroll

#### 1.2 WORK SCHEDULE

- A. Schedule work for most efficient operation. Coordinate with utility companies and/or local agencies to verify that shutting off and capping utility services (electrical, gas, cable, water, storm, sanitary sewer, etc.) has been completed prior to start of demolition.
- B. Immediately after contract award the General Contractor shall submit to the GCLBA for review a tentative schedule of completion dates and work plan for the above referenced work.
- C. Contractor shall notify the GCLBA's representative 72 hours in advance if a subcontractor is to be employed for the project and provide the subcontractor(s) company name, address, telephone & fax number, If not provided at time contract is signed.
- D. Furnish certificates of insurance which specifically set forth evidence of all coverage required of the contractor and subcontractor prior to commencement of work. Certificates shall be sent to the Genesee County Land Bank, 452 S. Saginaw Street, Flint, MI 48502. Furnish to the GCLBA copies of all endorsements that are subsequently issued amending coverage or limits.
- E. Completion dates are provided in the contract documents.

#### 1.3 CONTRACTOR USES OF PREMISES

- A. General: During the contract period the Contractor shall have full use of the lots occupied by the structures. The Contractor's use of the premises is limited only by the limits of the property and adjacent public right-of-ways if properly barricaded, and the access is as designated by the site manager.
- B. Used of the Site: Limit use of the premise to work in areas indicated. Confine operations to areas within contract limits.
  - (1) Driveways and Entrances: Keep driveways and entrances serving adjacent premises clear.
  - (2) Drive approaches located between the sidewalk and curb must be left as is.
  - (3) Any debris or sedimentation deposited in the road right-of-way shall be promptly removed by the Contractor at the Contractors expense. No sedimentation on the road will be allowed.
- C. Any areas disturbed by construction activities shall be re-graded and seeded if necessary.

D. Any asphalt, fallen trees, trash, debris and/or brush must be removed from site.

#### 1.4 ADJUSTMENTS TO BID

- A. In the event a structure or structures itemized
- B. on this bid is destroyed or substantially destroyed by fire or other calamity beyond its present condition as determined by the GCLBA, or environmental hazards are found, at any time prior to actual demolition, the Authority reserves the right to remove the structure from the bid; or in the event of bid award, to remove the structures(s) from the award and reduce the price by the Contractors' bid for that structure(s).

#### 1.5 USE OF CITY OF FLINT WATER

- A. Water truck must be on site at all times, provided by a contractor to water mist, temporary enclosures, and other suitable methods to limit the spread of dust and dirt. Comply with governing environmental protection regulations.
- B. The City of Flint is no longer providing Hydrant Meter "Rental" Agreements for the use of City water. Any contractor that is illegally using the City of Flint water/fire hydrants will be debarred by the Genesee County Land Bank.
- C. Adequately Wet- As defined in 40 CFR Part 61, Subpart M, sufficiently mix or penetrate with liquid to prevent the release of particulates from the source material. Continue wetting asbestos-containing material (ACM) if visible emissions are encountered during abatement activities. When uncertainties arise, continue wetting material until uncertainties diminish.
- D. Do not create hazardous or objectionable conditions, such as ice, flooding, and pollution, when using water.

#### 1.6 LIQUIDATED DAMAGES.

A. CONTRACTOR and the GCLBA recognize that time is of the essence for this Contract and that GCLBA will suffer financial loss if the Work is not completed within the times specified in the Term of Contract, plus any extensions thereof allowed in accordance of Contract. The parties also recognize the delays, expense, and difficulties involved in proving in a legal or arbitration proceeding the actual loss suffered by GCLBA if the Work is not completed on time. Accordingly, instead of requiring any such proof, GCLBA and CONTRACTOR agree that as liquidated damages for delay (but not as a penalty), CONTRACTOR shall pay GCLBA \$250.00 for each day that expires after the time specified in Notices to Proceed, as well as Term of Contract for Substantial Completion until the Work is substantially complete. After Substantial Completion, if CONTRACTOR shall neglect, refuse, or fail to complete the remaining Work within the Contract Time or any proper extension thereof granted by GCLBA, CONTRACTOR shall pay GCLBA \$250.00 for each day that expires after the time specified in the Term of Contract for completion and readiness for final payment until the Work is completed and ready for final payment. If the work

is not completed to the GCLBA's specifications, at the discretion of the GCLBA, the GCLBA will make the necessary repairs and decrease that amount from the Contractor's contracted amount.

#### 1.7 WARRANTY.

A. In addition to any other warranties set forth elsewhere in this Contract, CONTRACTOR warrants that Work performed and materials furnished under this Contract conform to the Contract requirements and as required in the ("Contract"), and are free of any defect of equipment, material or design furnished, or workmanship performed by CONTACTOR or any of its subcontractors or suppliers of any tier. Such warranty shall continue for a period of 1 year(s) from the date of final acceptance of the Work by Owner/Relevant Parties, or for such other greater period of time as may be specified in the ("Contract"). Under this warranty, CONTRACTOR shall remedy at its own expense any such failure to conform or any such defect. In addition, CONTRACTOR shall remedy at its own expense any damage to real or personal property owned or controlled by Owner/Relevant Parties when that damage is the result of CONTRACTOR's failure to conform to CONTRACTOR requirements or of any defect in equipment, material, workmanship or design furnished by CONTRACTOR. CONTRACTOR shall also restore any work damaged in fulfilling the terms of this Article.

#### 1.8 RE-INSPECTION FEE.

A. If the Contractor's work fails the GCLBA's inspection, the GCLBA will charge Contractor a \$75 per re-inspection fee.

#### **END OF SECTION 100**

#### **SECTION 200- SOIL EROSION - SEDIMENTATION CONTROL**

PART 1- GENERAL INFORMATION

#### 1.1 Related Documents

A. Drawings, reports, and general provisions of the contract, including General Conditions and other Division I specifications sects apply to this section.

#### 1.2 DESCRIPTION

A. Soil erosion permits are required for certain parcels. Contractor, at Contractor's expense, shall secure waivers and/or permits for soil erosion, demolition, utility cut/plug and/ or well/septic abandonment permits.

#### 1.3 SCHEDUILING

A. Control measures shall be constructed by the Contractor prior to the time demolition work starts and maintained throughout the demolition and site restoration work.

#### **PART 2 - PRODUCTS**

#### **2.1 SEED**

A. 100% Dutch white clover seed inoculated with Rhizobium bacteria – Strain B. Do not mix with annual rye or other grass seed. Seed tags must be submitted with payment request.

#### 2.2 MULCH

A. Mulch may be straw or wood fiber. **Do not leave twine from straw bales on lot, twine and other packaging must be disposed of off properly off site and is not considered mulch.** 

#### PART 3 - EXECUTION

#### 3.1 PERFORMANCE

#### A. General:

(1) Even though a specified erosion control measure is not called out on the plans, the contractor shall properly control and/or prevent all erosion caused by the Contractor's demolition operation.

#### B. Sediment Removal:

- (1) The Contractor shall take such steps as are necessary to assure the retention and removal of any sediment which enters an existing storm sewer.
- (2) If eroded material is allowed to enter a storm sewer system it shall be the Contractors responsibility to see that all catch basins and manholes are cleaned following demolition prior to receipt of final payment. Unless the Contractor can document positively to what extent an existing storm sewer system along the cleaning the system.
- (3) All eroded materials deposited in the street gutter as a result of this work shall be removed by the Contractor promptly at the Contractor's expense.

#### C. Restoration of Surface:

(1) Restoration is limited to backfill and compaction of disturbed areas. Final grading, seed and mulch shall be performed by the Contractor.

#### **END OF SECTION 200**

#### **SECTION 300 - EARTHWORK**

PART 1 - GENERAL

#### 1.1 RELATED DOCUMENTS

- A. Excavating, filling, and grading for this work includes, but is not necessarily limited to:
  - (1) Filling and backfilling to attain indicated grades

#### 1.2 PROJECT CONDITIONS

#### A. Dust Control

- (1) Water truck must be on site at all times provided by contractor. The Contractor shall use all means necessary to control dust on and near the work and on and near all offsite borrow areas if such dust is caused by the Contractor's operations during performance of the work or if it results from the condition in which the Contractor leaves the site.
- (2) All Surfaces shall be thoroughly moistened as required to prevent dust from being a nuisance to the public and adjacent properties

#### B. Protection

- (1) The Contractor shall use all means necessary to protect adjacent property before, during, and after demolition work.
- (2) In the event of damage, the Contractor shall immediately make all repairs and replacement necessary to the approval of the GCLBA Site Manager/Demolition Program Manager and at no additional costs to the GCLBA.

#### ii. Safety

(1) The Contractor is responsible for conducting operations in a safe and orderly manner and in conformance with Michigan P.A. 154.

#### iii. Permits

(1) SEE SECTION 200.1.2.A

#### 1.3 REFERENCES

- A. State of Michigan Department of Transportation (MDOT), 2012 Standard Specifications for Construction. Copies are available on the MDOT website: http://mdotwas1.mdot.state.mi.us/public/specbook/2012
- B. State of Michigan Department of Transportation Density Testing and Inspection Manual (2010), (copies available for review on MDOT website: http://www.michigan.gov/mdot/0,1607,7-151-9622\_11044\_39444---,00.html; copies are available for purchase from the Michigan Department of Transportation, Lansing, MI).

#### Part 2 - PRODUCTS

#### 2.1 FILL MATERIAL

- A. Content of fill material up to 18 inches from the surface. All fill material except MDOT Class II Granular Material (excluding blue clay), shall be subject to the approval of the Authority/Authority's Representative.
- B. Content of fill material from the 18 inch mark up to 6 inches from the surface: Use loamy material or a sandy clay (mined from the earth and not manufactured) to allow for proper drainage on the site.

- C. For Approved fill material, notify the GCLBA Representative in advance of the intention to import material, its location and the GCLBA's name, address and telephone number.
- D. Contractor must provide Statement of confirmation that backfill and top soil is below MDEQ Direct Contact level and backup documentation (Lab results from soil sample for backfill and top soil) also provided prior to bring backfill and top soil on site.

Provide analytical data or a certification from the borrow source documenting that all off-site materials to be used as backfill or fill is uncontaminated.

The following tests shall be performed for each separate borrow source of backfill material, to verify that it is free of contamination if certification is not provided:

- (1) Volatile Organics (Method 8260);
- (2) Semi-Volatile Organics (Method 8270); and
- (3) Pesticides/PCBs (Method 8080); and
- (4) Metal tests for arsenic, barium, cadmium, copper, lead, mercury, selenium, silver and zinc matter.
- E. Any fill material obtained from off-site sources shall be free from contamination. Contractor shall provide documentation from each source of fill verifying the fill to be free of contaminants prior to bringing on site.
- F. Fill materials shall be free of rocks or lumps larger than two (2) inches in greatest dimension.
- G. Pulverized building materials or debris shall not be used as fill material.
- H. Fill from off-site shall be from a commercial source or approved by the GCLBA's representative.

#### I. Top Soil

- a. Six (6) inches of screened top soil must be applied to each lot. (Topsoil must be free of asphalt, pulverized building materials and construction debris.)
- b. Contractor must use a one (1") inch or less screen to screen top soil.
- c. Pulverized building materials or debris shall not be used as fill material.
- d. Topsoil shall be sourced from a clean borrow source or supplier.
- e. Topsoil consisting of Friable Sandy Loam that can be pulverized under normal hand pressure may also be acceptable.
- f. Topsoil consisting of Sandy Clay Loams with the lowest possible clay proportion may also be acceptable.
- g. Conforming to ASTM D2487 Group Symbol SM.
- h. Free of roots, rocks larger than 1/2-inch, subsoil, debris, large weeds and foreign matter (including any construction rubble, or other man- made items).
- i. Screening: Single screened.
- j. Acidity range (pH) of 5.5 to 7.5.
- k. Containing minimum of 4 percent and maximum of 25 percent organic matter.
- I. Contractor must provide Statement of confirmation that backfill and top soil is below MDEQ Direct Contact level and backup documentation (Lab results from soil sample for top soil) also provided prior to bringing top soil on site.

 Provide analytical data or a certification from the borrow source documenting that all off-site materials to be used as topsoil is uncontaminated.

#### m. Top soil shall not be overly compacted.

#### **PART 3 - EXECUTION**

#### 3.1 PREPARATION

- A. Protect structures, utilities, sidewalks, pavements, and other facilities to remain from damage caused by settlement, lateral movement, undermining, washout, and other hazards created by earthwork operations.
- B. Provide erosion control measures to prevent erosion or displacement of soils and discharge of soil-bearing water runoff or airborne dust adjacent properties, drives and walkways.
- C. Protect existing trees to remain.

#### 3.2 DEWATERING

- A. Prevent surface water and subsurface or ground water from entering excavations, from ponding on prepared subgrades, or from flooding Project site and surrounding area.
- B. Protect subgrades from softening and damage by rain or water accumulation.

#### 3.3 EXCAVATION

- A. Explosives: Do not use explosives.
- B. Unclassified Excavation: Excavation is unclassified and includes excavation to required subgrade elevations regardless of the character of materials and obstructions encountered.

#### 3.4 STABILITY OF EXCAVATIONS

A. Comply with local codes, ordinances, and requirements of authorities having jurisdiction to maintain stable excavations.

#### 3.5 APPROVAL OF SUBGRADE

- A. Notify GCLBA's representative when excavations have reached required subgrade.
- B. When GCLBA's representative determines that unforeseen unsatisfactory soil is present, continue excavation and replace with compacted backfill or fill materials as directed.
- C. Reconstruct subgrades damaged by freezing temperatures, frost, rain, accumulated water, or construction activities, as directed by the GCLBA's representative.

#### 3.6 STORAGE OF SOIL MATERIALS

- A. Stockpile materials acceptable for backfill and fill soil materials, including, acceptable borrow materials. Stockpile soil materials without intermixing. Place, grade, and shape stockpiles to drain surface water. Cover to prevent wind-blown dust.
  - (1) Stockpile soil materials away from edge of excavations. Do not store within drip line of remaining trees.

#### 3.7 BACKFILL

- A. Backfill excavations promptly, but not before completing the following:
  - (1) Receipt of approval to proceed from local municipality building inspector.
  - (2) Acceptance of removals below finish grade.
  - (3) Removal of trash and debris from excavation.
  - (4) Removal of temporary shoring and bracing and sheeting

#### 3.8 FILL

- A. Preparation: Remove vegetation, topsoil, debris, wet and unsatisfactory soil materials, obstructions, and deleterious materials from ground surface prior to placing fills.
  - (1) Plow strip, or break up sloped surfaces steeper than 1 vertical to 4 horizontal so fill material will bond with existing surface.
- B. When subgrade or existing ground surface to receive fill has a density less than that required for fill, break up ground surface to depth required, pulverized, moisture-condition or aerate soil and re-compact to require density.
- C. Place fill in layers to an elevation of between 8" to 18" above adjacent undisturbed ground.

#### 3.9 MOISTURE CONTROL

- A. Uniformly moisten or aerate subgrade and each subsequent fill or back fill layer before compaction to within 2 percent of optimum moister content.
  - (1) Do not place backfill or fill material on surfaces that are muddy, frozen, or contain frost or ice.
  - (2) Remove and replace, or scarify and air-dry satisfactory soil material that is too wet to compact to specified density.

#### 3.10 COMPACTION

- A. Place backfill and fill materials in layers not more than 18 inches in loose depth. Contractor shall achieve compaction by reasonable means as determined by the Contractor. All methods of compaction shall be approved by the GCLBA's representative. Heavy equipment such as loaders, bulldozers, etc. may be used to achieve compaction if approved by the GCLBA's representative. If the compaction methods do not achieve the required compaction, then mechanical vibratory equipment shall be used.
- B. Topsoil shall not be heavily compacted. Use light-weight tractor for final grading to ensure topsoil does not become compacted.

#### 3.11 GRADING

- A. General: Uniformly grade areas to a smooth surface, free from irregular surface changes. Comply with compaction requirements and grade to cross sections, lines, and elevations indicated.
  - (1) Provide a smooth transition between existing adjacent grades and new grades.
  - (2) Cut out soft spots, fill low spots, and trim high spots to conform to required surface tolerances.
- B. Site Grading: Slope grades to direct water to the back of the lot, in order to prevent water and debris from more easily entering storm drains. Provide a uniform finished surface grade sloped at 2% minimum and 5% maximum. Match existing grade at adjacent property lines.

#### 3.12 SEEDING AND WATERING

- A. \*\*Note- Seeding and Watering Report as well as seed tags required for payment
- B. 100% Dutch white clover seed applied at a rate of rate of 2 oz. of seed per 1,000 sq. ft., placed upon six (6) inches of screened topsoil. Contractor must use a one (1") inch or less screen to screen top soil. (See Part 2 Products H Top Soil for specification) Prior to planting, seed must be inoculated with the correct strain of Rhizobium bacteria (Strain B). Use a cultipacker pulled by a light-weight tractor (do not use heavy equipment on the site that would compact the topsoil layer) to ensure seed has good contact with the soil. Plant seed ¼" deep. Mulch entire planting area to ensure proper moisture levels, removing bale string from the site.
- C. Contractor must demonstrate that the site has been watered within 7 days of the seeding date sufficient to allow for seed germination. Notify the Genesee County Land Bank of the date of seeding via email to: <a href="mailto:adunn@thelandbank.org">adunn@thelandbank.org</a>. Fill out Seeding and Watering Report. Contractors are encouraged to use weather forecasts to plan seeding that takes advantage of natural rainfall to germinate seed. Contractors are responsible for watering the site if there is no rainfall sufficient for germination in the 7 days after seeding.

#### 3.13 PROTECTION

- A. All trees of a diameter of 4" or greater located outside of five (5) feet from the structure to be demolished shall be protected. If such trees are damaged, the contractor shall replace damaged tree as directed by GCLBA/GCLBA's Representative.
- B. Protecting Graded Areas: Protect newly graded areas from traffic, freezing, and erosion. Keep free of trash and debris.
- C. Repair and re-establish grades to specified tolerances where completed or partially completed surfaces become eroded, rutted, settled or lose compaction due to subsequent construction operations or weather conditions.
  - (1) Scarify or remove and replace material to depth directed by the GCLBA's representative; reshape and re-compact at optimum moisture content to the required density.
- D. Settling: Where settling occurs during the Project correction period, remove finishing surfacing, backfill with additional approved material, compact, and reconstructing surfacing.

(1) Restore appearance, quality, and condition of finished surfacing to match adjacent work, and eliminate evidence of restoration to the greatest extent possible.

#### 3.14 DISPOSAL OF SURPLUS AND WASTE MATERIALS

A. Disposal: Remove surplus satisfactory soil and waste material, including unsatisfactory soil, trash, and debris, and legally dispose of it off the GCLBAs property.

#### 3.15 PAYMENT

A. The work of excavating, filling, and grading shall be included in the lump sum project costs. The work of grading shall include all labor, materials and equipment necessary for filling and compaction the subgrade prior to placing any improved surface. Any areas disturbed by construction activities shall be re-graded and reseeded if necessary.

#### **END OF SECTION 00300**

#### SECTION 400 - BUILDING DEMOLITION

PART 1 – GENERAL

#### 1.1 RELATED DOCUMENTS

A. Drawings and general provisions of the Contract, including General and Supplementary Condition and Division 1 Specifications Sections, apply to this section.

#### 1.2 SUMMARY

- A. This Section includes the following:
  - (1) Demolition and removal of building, basements, and foundations.
  - (2) Demolition and removal of site improvements, including but not limited to retaining walls, paving and foundation landscaping. Existing trees 4" in diameter, located outside of five (5) feet from the structure shall remain and be protected during demolition.
- B. Related Sections: The following contain requirements that relate to this Section.
  - (1) Division1 Section" Soil Erosion-Sedimentation Control".
  - (2) Division 2 Section "Excavating, Filling and Grading" for soil materials, excavating, backfilling, and site grading.

#### 1.3 DEFINITIONS

- A. Remove: Remove and legally dispose of items except those indicated to be reinstalled, salvaged or to remain the GCLBA's property.
- B. Existing to Remain: Protect items indicated to remain against damage during demolition.

#### 1.4 MATERIALS OWNERSHIP

A. Except for items or materials indicated to be reused, salvaged, or otherwise indicated to remain the GCLBA's property, demolished materials shall be become the Contractor's property and shall be removed from the site with further disposition at the Contractor's option.

#### 1.5 SUBMITTALS

- A. General: Submit each item in this Article according to the Conditions of the Contract & Division I Specifications sections, for information only, unless otherwise indicated.
- B. Proposed dust-control measures.
- C. Proposed noise control measures.
- D. Schedule of demolition activities indicating the following:
  - (1) Detailed sequence of demolition and removal work, with starting and ending dates for each activity.
- E. Inventory of items to be removed and salvaged.
- F. Landfill records for record purposes indicating receipt and acceptance of hazardous wastes by a landfill facility licensed to accept hazardous wastes.
- G. Seeding and Watering Report
- H. Seed tags from Dutch white clover seed

#### 1.6 QUALITY ASSURANCE

- A. Demolition Firm Requirements: Contractor shall have successfully completed demolition work similar to that indicated for this project.
- B. Regulatory Requirements: Comply with governing EPA, state and local notification regulations before starting demolition. Comply with hauling and disposal regulations of authorities having jurisdiction.

#### 1.7 PROJECT CONDITIONS

- A. Contractor is responsible to comply with any/all required demolition permits required by local authorities and ordinances.
- B. Buildings to be demolished will be vacated and their use discontinued before start of work.
- C. GCLBA assumes no responsibility for actual condition of the buildings to be demolished
  - (1) Conditions existing at time of inspection for bidding purpose will be maintained by GCLBA as far as practical.
- D. Storage or sale of removed items or materials on-site will not be permitted
- E. Landfill Disposal:
  - (1) Contractor shall supply GCLBA with a copy of landfill and disposal receipts.

PART 2-PRODUCTS (Not Applicable)

#### PART 3-EXECUTION

#### 3.1 EXAMINATION

- A. Survey existing conditions and correlate with requirements indicated to determine extent of demolition required.
- B. Survey the condition of the buildings to determine whether removing any element might result in a structural deficiency or unplanned collapse of any portion of the structure or adjacent structures during demolition.
- C. Perform surveys as the Work progress to detect hazards resulting from demolition activities.

#### 3.2 PREPARATION

- A. Drain, purge, otherwise remove, collect, and dispose of chemicals, gases, explosives, acids, flammables, or other dangerous materials before proceeding with demolition operations.
- B. If necessary, employ a certified, licensed exterminator to treat building and to control rodents and vermin before and during demolition operations.
- C. Conduct demolition operations and remove debris to ensure minimum interference with roads, streets, walks, and other adjacent occupied and used facilities.
  - i. Do not close or obstruct streets, walks, or other adjacent occupied or used facilities without permission from the GCLBA and authorities having jurisdiction. Provide alternate routes around closed or obstructed traffic ways if required by governing regulations.
- D. Conduct demolition operations to prevent inquiry to people and damage to adjacent buildings and facilities to remain. Ensure safe passage of people around demolition area.
  - i. Erect temporary protection such as walks, fences, railings, canopies, and covered passageways, where required by authorities having jurisdiction.
  - ii. Protection existing site improvements, appurtenances, and landscaping to remain.
  - iii. Erect a plainly visible fence around drip line of individual trees or around perimeter drip line of groups of trees to remain.

#### 3.3 EXPLOSIVES

A. Use of explosives will not be permitted.

#### 3.4 POLLUTION CONTROLS

Under the authority of Section 112 of the Clean Air Act, as amended, 42 U.S. C. 1857(C-7), the Administrator of the United States Environmental Protection Agency (EPA) promulgated National Emission Standards for Hazardous Air Pollutants on April 6, 1973, (38 F.R. 8820) Asbestos was designated a hazardous air pollutant, and standards were set for its use, and to control asbestos emissions. It was determined that one significant source of asbestos emissions was the demolition of certain buildings and structures.

Additionally, contractors are required under authority of Section 114 (a) to follow EPA personnel to freely enter any of your facilities or demolition sites, to review any records, inspect any demolition method, and sample or observe any omissions.

All demolition operations conducted by the Demolition Contractor are to be in compliance with application provisions of Section 112 of the Act and 40 C.F.R. Section 61.22(d).

In addition, Section 113(c)(1) of the Act(42 U.S.C. 1857 C-8(c)(1), provides that any person who knowingly fails or refuses to comply with any such order shall be punished by a fine of not more than \$25,000 per day of violation, or by imprisonment for not more than one year, or by both.

Finally, Section 113(c)(2) of the Act (42 U.S.C. 1857 C-8(c)(2), provides that any person who knowingly makes any false statement in any report required under the Act shall be punished, upon conviction, by a fine of not more than \$10,000 or by imprisonment for not more than six months, or by both.

- A. Use water mist, temporary enclosures, and other suitable methods to limit the spread of dust and dirt. Comply with governing environmental protection regulations.
  - i. Do not create hazardous or objectionable conditions, such as ice, flooding, and pollution, when using water.
- B. Remove and transport debris in a manner that will prevent spillage on adjacent surfaces and areas.
- C. Clean adjacent buildings and improvements of dust, dirt and debris caused by demolition operations. Return adjacent areas to condition existing before start of demolition.
- D. Contractor shall limit hours of operation to Monday through Friday during the hours of 7:00 a.m. to 6:00 p.m. Special hours of operation outside the normal hours must be approved by the GCLBA. Contractor shall limit noise pollution at all times to prevent objectionable conditions.

#### 3.5 DEMOLITION

- A. Building Demolition: Demolish buildings, structures, facilities, and other debris including brush and trees or logs, and completely remove from the site. Use methods required to complete Work within limitations of governing regulations and as follows:
  - (1) Locate demolition equipment throughout the building and remove debris and materials so as not to impose excessive loads on supporting walls, floors, or framing.
  - (2) Dispose of demolished items and materials promptly. On-site storage or sale of removed items is prohibited.
  - (3) Small buildings may be removed intact when permitted by the GCLBA'S representative and approved by authorities having jurisdiction.
  - (4) Break up and remove concrete slabs on grade, unless otherwise shown to remain.
  - (5) Remove air-conditioning equipment without releasing refrigerants.

- (6) Remove structural framing members to ground to avoid free fall and to prevent ground impact and dust generation.
- B. Below-Grade Construction: Demolish foundation walls and other below-grade construction, as follows:

#### **Basement Excavation**

- (1) Below grade structures foundation/basement floor shall be totally removed.
- C. Filling Below-Grade areas: Completely fill below-grade areas and voids resulting from demolition of buildings and pavements with soil materials according to requirements specified in Section 300 Earthwork.
- D. Damages: Promptly repair damages to adjacent facilities caused by demolition operations.
- E. Special Conditions

The Contractor shall preserve all surrounding buildings and property. Contractor should note the proximity of surrounding buildings. *Any* damage to surrounding buildings or property will be repaired by the Contractor at his expense.

#### 3.6 DISPOSAL OF DEMOLISHED MATERIALS

- A. General: Promptly dispose of demolished materials. Do not allow demolished materials to accumulate on-site.
- B. Burning: Do not burn demolished materials.
- C. Disposal: Transport demolished materials of GCLBA's property and legally dispose of them.
- D. Contractor shall supply GCLBA with a copy of all landfill and disposal receipt. All disposal receipts and waste manifests must by supplied to the GCLBA in a timely manner to insure payment will be paid in a timely manner.

#### 3.7 MEASUREMENT & PAYMENT

A. The work of Building Demolition shall not be paid for separately but shall be included in the lump sum of project costs.

#### **END OF SECTION 300**

# **Demolition- Final Grading Seeding and Watering Report**



		Contractor
		Contractor:
		Contact name:
		Contact Phone:
Demo	olition Site location:	
Demo	olition site street address:	City:
Parcel	el ID:	
Seedir	ing and Watering Checklist:	
Please	e see bid specifications and contract for	further details on seeding and watering requirements.+
	Emailed GCLBA staff on (date)	to notify GCLBA of scheduled seeding date
	Seeding date:	
	Type of seed:	
	Mulched applied and straw bale string	gs removed from site
	Seed tags attached to invoice	
	Watering date:	or dates of rain events (within 7 days of seeding date)
I herel	eby certify the above information to be a	ccurate.
(Contr	ractor)	
(Printe	red name)	<u> </u>
	•	Data
(signat	ature)	Date:



#### PART 201 GENERIC CLEANUP CRITERIA AND SCREENING LEVELS/PART 213 RISK-BASED SCREENING LEVELS

All criteria, unless otherwise noted, are expressed in units of parts per billion (ppb). One ppb is equivalent to 1 microgram per kilogram (ug/kg). Criteria with 6 or more digits are expressed in scientific notation. For example, 200,000 is presented as 2.0E+5. A footnote is designated by a letter in parentheses and is explained in the footnote pages that follow the criteria tables. When the risk-based criterion is less than the target detection limit (TDL), the TDL is listed as the criterion (§324.20120a(10)). In these cases, 2 numbers are present in the cell. The first number is the criterion (i.e., TDL), and the second number is the risk-based value.

			Groundwate	er Protection	Indoor Air	Ambient Air (Y) (C)			Contact	Csat	
Hazardous Substance	Chemical Abstract Service Number	Statewide Default Background Level	Residential Drinking Water Protection Criteria	Groundwater Surface Water Interface Protection Criteria	Soil Volatilization to Indoor Air Inhalation Criteria	Infinite Source Volatile Soil Inhalation Criteria (VSIC)	Finite VSIC for 5 Meter Source Thickness		Particulate Soil Inhalation Criteria	Direct Contact Criteria	Soil Saturation Concentration Screening Levels
Acenaphthene	83329	NA	3.00E+05	8,700	1.90E+08	8.10E+07	8.10E+07	8.10E+07	1.40E+10	4.10E+07	NA
Acenaphthylene	208968	NA	5,900	ID	1.60E+06	2.20E+06	2.20E+06	2.20E+06	2.30E+09	1.60E+06	NA
Acetaldehyde (I)	75070	NA	19,000	2,600	2.20E+05	1.70E+05	1.70E+05	2.80E+05	6.00E+08	2.90E+07	1.10E+08
Acetate	71501	NA	ID	(G)	ID	ID	ID	ID	ID	ID	ID
Acetic acid	64197	NA	84,000	(G)	NLV	NLV	NLV	NLV	1.70E+10	1.30E+08	6.50E+08
Acetone (I)	67641	NA	15,000	34,000	2.9E+8 (C)	1.30E+08	1.30E+08	1.90E+08	3.90E+11	2.30E+07	1.10E+08
Acetonitrile	75058	NA	2,800	NA	4.80E+06	1.60E+06	1.60E+06	2.10E+06	4.00E+09	4.30E+06	2.20E+07
Acetophenone	98862	NA	30,000	ID	1.2E+8 (C)	4.40E+07	4.40E+07	4.40E+07	3.30E+10	4.7E+7 (C)	1.10E+06
Acrolein (I)	107028	NA	2,400	NA	410	310	310	610	1.30E+06	3.60E+06	2.30E+07
Acrylamide	79061	NA	10	200 (X)	NLV	NLV	NLV	NLV	2.40E+06	1,900	NA
Acrylic acid	79107	NA	78,000	NA	2.40E+06	1.90E+05	2.30E+05	2.30E+05	6.70E+07	3.5E+7 (DD)	1.10E+08
Acrylonitrile (I)	107131	NA	100 (M); 52	100 (M); 40	6,600	5,000	5,100	10,000	4.60E+07	16,000	8.30E+06
Alachlor	15972608	NA	52	290 (X)	NLV	NLV	NLV	NLV	ID	93,000	NA
Aldicarb	116063	NA	60	NA	NLV	NLV	NLV	NLV	ID	2.30E+05	NA
Aldicarb sulfone	1646884	NA	200 (M); 40	NA	NLV	NLV	NLV	NLV	ID	2.50E+05	NA
Aldicarb sulfoxide	1646873	NA	200(M); 80	NA	NLV	NLV	NLV	NLV	ID	2.90E+05	NA
Aldrin	309002	NA	NLL	NLL	1.30E+06	58,000	58,000	58,000	6.40E+05	1,000	NA
Aluminum (B)	7429905	6.90E+06	1,000	NA	NLV	NLV	NLV	NLV	ID	5.0E+7 (DD)	NA
Ammonia	7664417	NA	ID	(CC)	ID	ID	ID	ID	6.70E+09	ID	1.00E+07
t-Amyl methyl ether (TAME)	994058	NA	3,900	NA	58,000	3.40E+05	7.60E+05	1.80E+06	4.10E+09	2.9E+7 (C)	4.40E+05
Aniline	62533	NA	1,100	330 (M); 80	NLV	NLV	NLV	NLV	6.70E+07	3.30E+05	4.50E+06
Anthracene	120127	NA	41,000	ID	1.0E+9 (D)	1.40E+09	1.40E+09	1.40E+09	6.70E+10	2.30E+08	NA
Antimony	7440360	NA	4,300	94,000 (X)	NLV	NLV	NLV	NLV	1.30E+07	1.80E+05	NA
Arsenic	7440382	5,800	4,600	4,600	NLV	NLV	NLV	NLV	7.20E+05	7,600	NA
Asbestos (BB)	1332214	NA	NLL	NLL	NLV	NLV	NLV	NLV	1.0E+7 (M); 68 000	ID	NA
Atrazine	1912249	NA	60	150	NLV	NLV	NLV	NLV	ID	71,000 (DD)	NA
Azobenzene	103333	NA	4,200	ID	6.10E+06	6.30E+05	6.30E+05	6.30E+05	1.00E+08	1.40E+05	NA

December 30,2013 Page 1 of 11



#### PART 201 GENERIC CLEANUP CRITERIA AND SCREENING LEVELS/PART 213 RISK-BASED SCREENING LEVELS

All criteria, unless otherwise noted, are expressed in units of parts per billion (ppb). One ppb is equivalent to 1 microgram per kilogram (ug/kg). Criteria with 6 or more digits are expressed in scientific notation. For example, 200,000 is presented as 2.0E+5. A footnote is designated by a letter in parentheses and is explained in the footnote pages that follow the criteria tables. When the risk-based criterion is less than the target detection limit (TDL), the TDL is listed as the criterion (§324.20120a(10)). In these cases, 2 numbers are present in the cell. The first number is the criterion (i.e., TDL), and the second number is the risk-based value.

			Groundwater Protection		Indoor Air	Ambient Air (Y) (C)				Contact	Csat
Hazardous Substance	Chemical Abstract Service Number	Statewide Default Background Level	Residential Drinking Water Protection Criteria	Groundwater Surface Water Interface Protection Criteria	Soil Volatilization to Indoor Air Inhalation Criteria	Infinite Source Volatile Soil Inhalation Criteria (VSIC)		Finite VSIC for 2 Meter Source Thickness	Particulate Soil Inhalation Criteria	Direct Contact Criteria	Soil Saturation Concentration Screening Levels
Barium (B)	7440393	75,000	1.30E+06	(G)	NLV	NLV	NLV	NLV	3.30E+08	3.70E+07	NA
Benzene (I)	71432	NA	100	4,000 (X)	1,600	13,000	34,000	79,000	3.80E+08	1.80E+05	4.00E+05
Benzidine	92875	NA	1,000 (M); 6.0	1,000 (M); 6.0	NLV	NLV	NLV	NLV	46,000	1,000 (M); 23	NA
Benzo(a)anthracene (Q)	56553	NA	NLL	NLL	NLV	NLV	NLV	NLV	ID	20,000	NA
Benzo(b)fluoranthene (Q)	205992	NA	NLL	NLL	ID	ID	ID	ID	ID	20,000	NA
Benzo(k)fluoranthene (Q)	207089	NA	NLL	NLL	NLV	NLV	NLV	NLV	ID	2.00E+05	NA
Benzo(g,h,i)perylene	191242	NA	NLL	NLL	NLV	NLV	NLV	NLV	8.00E+08	2.50E+06	NA
Benzo(a)pyrene (Q)	50328	NA	NLL	NLL	NLV	NLV	NLV	NLV	1.50E+06	2,000	NA
Benzoic acid	65850	NA	6.40E+05	NA	NLV	NLV	NLV	NLV	ID	9.90E+08	NA
Benzyl alcohol	100516	NA	2.00E+05	NA	NLV	NLV	NLV	NLV	3.30E+11	3.2E+8 (C)	5.80E+06
Benzyl chloride	100447	NA	150	NA	6,300	14,000	14,000	17,000	6.20E+07	48,000	2.30E+05
Beryllium	7440417	NA	51,000	(G)	NLV	NLV	NLV	NLV	1.30E+06	4.10E+05	NA
bis(2-Chloroethoxy)ethane	112265	NA	ID	ID	NLV	NLV	NLV	NLV	ID	ID	2.70E+06
bis(2-Chloroethyl)ether (I)	111444	NA	100	100 (M); 20	8,300	3,800	3,800	3,800	9.40E+06	13,000	2.20E+06
bis(2-Ethylhexyl)phthalate	117817	NA	NLL	NLL	NLV	NLV	NLV	NLV	7.00E+08	2.80E+06	1.00E+07
Boron (B)	7440428	NA	10,000	1.4E+5 (X)	NLV	NLV	NLV	NLV	ID	4.8E+7 (DD)	NA
Bromate	15541454	NA	200	800 (X)	NLV	NLV	NLV	NLV	ID	17,000	NA
Bromobenzene (I)	108861	NA	550	NA	3.10E+05	4.50E+05	4.50E+05	4.50E+05	5.30E+08	5.40E+05	7.60E+05
Bromodichloromethane	75274	NA	1,600 (W)	ID	1,200	9,100	9,700	19,000	8.40E+07	1.10E+05	1.50E+06
Bromoform	75252	NA	1,600 (W)	ID	1.50E+05	9.00E+05	9.00E+05	9.00E+05	2.80E+09	8.20E+05	8.70E+05
Bromomethane	74839	NA	200	700	860	11,000	57,000	1.40E+05	3.30E+08	3.20E+05	2.20E+06
n-Butanol (I)	71363	NA	19,000	2.00E+05	NLV	NLV	NLV	NLV	2.30E+10	2.9E+7 (C)	8.70E+06
2-Butanone (MEK) (I)	78933	NA	2.60E+05	44,000	5.4E+7 (C)	2.90E+07	2.90E+07	3.50E+07	6.70E+10	1.2E+8 (C, DD)	2.70E+07
n-Butyl acetate	123864	NA	11,000	NA	5.6E+7 (C)	1.10E+08	2.60E+08	3.20E+08	4.70E+11	1.7E+7 (C)	1.10E+06
t-Butyl alcohol	75650	NA	78,000	NA	3.1E+8 (C)	9.70E+07	2.00E+08	2.00E+08	1.30E+11	1.2E+8 (C)	1.10E+08
Butyl benzyl phthalate	85687	NA	2.2E+6 (C)	1.2E+5 (X)	NLV	NLV	NLV	NLV	4.70E+10	3.6E+7 (C)	3.10E+05
n-Butylbenzene	104518	NA	1,600	ID	ID	ID	ID	ID	2.00E+09	2.50E+06	1.00E+07

December 30,2013 Page 2 of 11



#### PART 201 GENERIC CLEANUP CRITERIA AND SCREENING LEVELS/PART 213 RISK-BASED SCREENING LEVELS

All criteria, unless otherwise noted, are expressed in units of parts per billion (ppb). One ppb is equivalent to 1 microgram per kilogram (ug/kg). Criteria with 6 or more digits are expressed in scientific notation. For example, 200,000 is presented as 2.0E+5. A footnote is designated by a letter in parentheses and is explained in the footnote pages that follow the criteria tables. When the risk-based criterion is less than the target detection limit (TDL), the TDL is listed as the criterion (§324.20120a(10)). In these cases, 2 numbers are present in the cell. The first number is the criterion (i.e., TDL), and the second number is the risk-based value.

			Groundwater Protection		Indoor Air		Ambient Air (Y) (C)				Csat
Hazardous Substance	Chemical Abstract Service Number	Statewide Default Background Level	Residential Drinking Water Protection Criteria	Groundwater Surface Water Interface Protection Criteria	Soil Volatilization to Indoor Air Inhalation Criteria	Infinite Source Volatile Soil Inhalation Criteria (VSIC)		Finite VSIC for 2 Meter Source Thickness	Particulate Soil Inhalation Criteria	Direct Contact Criteria	Soil Saturation Concentration Screening Levels
sec-Butylbenzene	135988	NA	1,600	ID	ID	ID	ID	ID	4.00E+08	2.50E+06	1.00E+07
t-Butylbenzene (I)	98066	NA	1,600	ID	ID	ID	ID	ID	6.70E+08	2.50E+06	1.00E+07
Cadmium (B)	7440439	1,200	6,000	(G,X)	NLV	NLV	NLV	NLV	1.70E+06	5.50E+05	NA
Camphene (I)	79925	NA	ID	NA	3,700	1.50E+05	9.10E+05	2.20E+06	5.30E+09	ID	NA
Caprolactam	105602	NA	1.20E+05	NA	NLV	NLV	NLV	NLV	6.70E+08	5.3E+7 (DD)	NA
Carbaryl	63252	NA	14,000	NA	ID	ID	ID	ID	ID	2.20E+07	NA
Carbazole	86748	NA	9,400	1,100	NLV	NLV	NLV	NLV	6.20E+07	5.30E+05	NA
Carbofuran	1563662	NA	800	NA	NLV	NLV	NLV	NLV	ID	1.10E+06	NA
Carbon disulfide (I,R)	75150	NA	16,000	ID	76,000	1.30E+06	7.90E+06	1.90E+07	4.70E+10	7.2E+6 (C, DD)	2.80E+05
Carbon tetrachloride	56235	NA	100	900 (X)	190	3,500	12,000	28,000	1.30E+08	96,000	3.90E+05
Chlordane (J)	57749	NA	NLL	NLL	1.10E+07	1.20E+06	1.20E+06	1.20E+06	3.10E+07	31,000	NA
Chloride	16887006	NA	5.00E+06	(X)	NLV	NLV	NLV	NLV	ID	5.0E+5 (F)	NA
Chlorobenzene (I)	108907	NA	2,000	500	1.20E+05	7.70E+05	9.90E+05	2.10E+06	4.70E+09	4.3E+6 (C)	2.60E+05
p-Chlorobenzene sulfonic acid	98668	NA	1.50E+05	ID	ID	ID	ID	ID	ID	2.30E+08	ID
1-Chloro-1,1-difluoroethane	75683	NA	3.00E+05	NA	2.9E+6 (C)	7.90E+07	5.60E+08	1.40E+09	3.30E+12	4.7E+8 (C)	9.60E+05
Chloroethane	75003	NA	8,600	22,000 (X)	2.9E+6 (C)	3.00E+07	1.20E+08	2.80E+08	6.70E+11	2.6E+6 (C)	9.50E+05
2-Chloroethyl vinyl ether	110758	NA	ID	NA	ID	ID	ID	ID	ID	ID	1.90E+06
Chloroform	67663	NA	1,600 (W)	7,000	7,200	45,000	1.20E+05	2.70E+05	1.30E+09	1.20E+06	1.50E+06
Chloromethane (I)	74873	NA	5,200	ID	2,300	40,000	4.10E+05	1.00E+06	4.90E+09	1.6E+6 (C)	1.10E+06
4-Chloro-3-methylphenol	59507	NA	5,800	280	NLV	NLV	NLV	NLV	ID	4.50E+06	NA
beta-Chloronaphthalene	91587	NA	6.20E+05	NA	ID	ID	ID	ID	ID	5.60E+07	NA
2-Chlorophenol	95578	NA	900	360	4.30E+05	9.60E+05	9.60E+05	9.60E+05	1.20E+09	1.40E+06	1.90E+07
o-Chlorotoluene (I)	95498	NA	3,300	ID	2.70E+05	1.20E+06	2.90E+06	6.30E+06	4.70E+09	4.5E+6 (C)	5.00E+05
Chlorpyrifos	2921882	NA	17,000	1,500	130	4,600	23,000	55,000	1.30E+08	1.10E+07	NA
Chromium (III) (B,H)	16065831	18,000 (total)	1.0E+9 (D)	(G,X)	NLV	NLV	NLV	NLV	3.30E+08	7.90E+08	NA
Chromium (VI)	18540299	NA	30,000	3,300	NLV	NLV	NLV	NLV	2.60E+05	2.50E+06	NA
Chrysene (Q)	218019	NA	NLL	NLL	ID	ID	ID	ID	ID	2.00E+06	NA

December 30,2013 Page 3 of 11



#### PART 201 GENERIC CLEANUP CRITERIA AND SCREENING LEVELS/PART 213 RISK-BASED SCREENING LEVELS

All criteria, unless otherwise noted, are expressed in units of parts per billion (ppb). One ppb is equivalent to 1 microgram per kilogram (ug/kg). Criteria with 6 or more digits are expressed in scientific notation. For example, 200,000 is presented as 2.0E+5. A footnote is designated by a letter in parentheses and is explained in the footnote pages that follow the criteria tables. When the risk-based criterion is less than the target detection limit (TDL), the TDL is listed as the criterion (§324.20120a(10)). In these cases, 2 numbers are present in the cell. The first number is the criterion (i.e., TDL), and the second number is the risk-based value.

			Groundwater Protection		Indoor Air		Ambient	Air (Y) (C)		Contact	Csat
Hazardous Substance	Chemical Abstract Service Number	Statewide Default Background Level	Residential Drinking Water Protection Criteria	Groundwater Surface Water Interface Protection Criteria	Soil Volatilization to Indoor Air Inhalation Criteria	Infinite Source Volatile Soil Inhalation Criteria (VSIC)		Finite VSIC for 2 Meter Source Thickness	Particulate Soil Inhalation Criteria	Direct Contact Criteria	Soil Saturation Concentration Screening Levels
Cobalt	7440484	6,800	800	2,000	NLV	NLV	NLV	NLV	1.30E+07	2.60E+06	NA
Copper (B)	7440508	32,000	5.80E+06	(G)	NLV	NLV	NLV	NLV	1.30E+08	2.00E+07	NA
Cyanazine	21725462	NA	200	1,100 (X)	NLV	NLV	NLV	NLV	ID	14,000	NA
Cyanide (P,R)	57125	390 (total)	4,000	100	NLV	NLV	NLV	NLV	2.50E+05	12,000	NA
Cyclohexanone	108941	NA	5.20E+06	NA	17,000	1.00E+06	1.10E+07	2.70E+07	6.70E+10	1.0E+9 (C,D)	2.20E+08
Dacthal	1861321	NA	50,000	NA	NLV	NLV	NLV	NLV	ID	2.30E+06	NA
Dalapon	75990	NA	4,000	NA	NLV	NLV	NLV	NLV	ID	1.90E+07	5.90E+07
4-4'-DDD	72548	NA	NLL	NLL	NLV	NLV	NLV	NLV	4.40E+07	95,000	NA
4-4'-DDE	72559	NA	NLL	NLL	NLV	NLV	NLV	NLV	3.20E+07	45,000	NA
4-4'-DDT	50293	NA	NLL	NLL	NLV	NLV	NLV	NLV	3.20E+07	57,000	NA
Decabromodiphenyl ether	1163195	NA	1.40E+05	NA	1.0E+9 (D)	8.60E+07	8.60E+07	8.60E+07	2.30E+09	3.80E+06	NA
Di-n-butyl phthalate	84742	NA	9.6E+5 (C)	11,000	NLV	NLV	NLV	NLV	3.30E+09	2.7E+7 (C)	7.60E+05
Di(2-ethylhexyl) adipate	103231	NA	1.3E+7 (C)	ID	NLV	NLV	NLV	NLV	9.20E+09	1.5E+7 (C, DD)	9.60E+05
Di-n-octyl phthalate	117840	NA	1.00E+08	ID	NLV	NLV	NLV	NLV	3.10E+10	6.90E+06	1.40E+08
Diacetone alcohol (I)	123422	NA	ID	NA	NLV	NLV	NLV	NLV	1.60E+11	ID	1.10E+08
Diazinon	333415	NA	95	72	NLV	NLV	NLV	NLV	ID	12,000 (DD)	3.10E+05
Dibenzo(a,h)anthracene (Q)	53703	NA	NLL	NLL	NLV	NLV	NLV	NLV	ID	2,000	NA
Dibenzofuran	132649	NA	ID	1,700	2.00E+06	1.30E+05	1.30E+05	1.30E+05	6.70E+06	ID	NA
Dibromochloromethane	124481	NA	1,600 (W)	ID	3,900	24,000	24,000	33,000	1.30E+08	1.10E+05	6.10E+05
Dibromochloropropane	96128	NA	10 (M); 4.0	ID	220	260	260	260	5.60E+05	4,400 (C)	1,200
Dibromomethane	74953	NA	1,600	NA	ID	ID	ID	ID	ID	2.5E+6 (C)	2.00E+06
Dicamba	1918009	NA	4,400	NA	NA	NLV	NLV	NLV	ID	3.40E+06	NA
1,2-Dichlorobenzene	95501	NA	14,000	280	1.1E+7 (C)	3.90E+07	3.90E+07	5.20E+07	1.00E+11	1.9E+7 (C)	2.10E+05
1,3-Dichlorobenzene	541731	NA	170	680	26,000	79,000	79,000	1.10E+05	2.00E+08	2.0E+5 (C)	1.70E+05
1,4-Dichlorobenzene	106467	NA	1,700	360	19,000	77,000	77,000	1.10E+05	4.50E+08	4.00E+05	NA
3,3'-Dichlorobenzidine	91941	NA	2,000 (M); 28	2,000 (M); 7.4	NLV	NLV	NLV	NLV	6.50E+06	6,600	NA
Dichlorodifluoromethane	75718	NA	95,000	ID	9.00E+05	5.30E+07	5.50E+08	1.40E+09	3.30E+12	5.2E+7 (C)	1.00E+06

December 30,2013 Page 4 of 11



#### PART 201 GENERIC CLEANUP CRITERIA AND SCREENING LEVELS/PART 213 RISK-BASED SCREENING LEVELS

All criteria, unless otherwise noted, are expressed in units of parts per billion (ppb). One ppb is equivalent to 1 microgram per kilogram (ug/kg). Criteria with 6 or more digits are expressed in scientific notation. For example, 200,000 is presented as 2.0E+5. A footnote is designated by a letter in parentheses and is explained in the footnote pages that follow the criteria tables. When the risk-based criterion is less than the target detection limit (TDL), the TDL is listed as the criterion (§324.20120a(10)). In these cases, 2 numbers are present in the cell. The first number is the criterion (i.e., TDL), and the second number is the risk-based value.

			Groundwater Protection		Indoor Air		Ambient	Air (Y) (C)		Contact	Csat
Hazardous Substance	Chemical Abstract Service Number	Statewide Default Background Level	Residential Drinking Water Protection Criteria	Groundwater Surface Water Interface Protection Criteria	Soil Volatilization to Indoor Air Inhalation Criteria	Infinite Source Volatile Soil Inhalation Criteria (VSIC)	Finite VSIC for 5 Meter Source Thickness	Finite VSIC for 2 Meter Source Thickness	Particulate Soil Inhalation Criteria	Direct Contact Criteria	Soil Saturation Concentration Screening Levels
1,1-Dichloroethane	75343	NA	18,000	15,000	2.30E+05	2.10E+06	5.90E+06	1.40E+07	3.30E+10	2.7E+7 (C)	8.90E+05
1,2-Dichloroethane (I)	107062	NA	100	7,200 (X)	2,100	6,200	11,000	26,000	1.20E+08	91,000	1.20E+06
1,1-Dichloroethylene (I)	75354	NA	140	2,600	62	1,100	5,300	13,000	6.20E+07	2.00E+05	5.70E+05
cis-1,2-Dichloroethylene	156592	NA	1,400	12,000	22,000	1.80E+05	4.20E+05	9.90E+05	2.30E+09	2.5E+6 (C)	6.40E+05
trans-1,2-Dichloroethylene	156605	NA	2,000	30,000 (X)	23,000	2.80E+05	8.30E+05	2.00E+06	4.70E+09	3.8E+6 (C)	1.40E+06
2,6-Dichloro-4-nitroaniline	99309	NA	44,000	NA	NLV	NLV	NLV	NLV	ID	6.80E+07	NA
2,4-Dichlorophenol	120832	NA	1,500	330 (M); 220	NLV	NLV	NLV	NLV	5.10E+09	6.6E+5 (DD)	1.80E+06
2,4-Dichlorophenoxy acetic acid	94757	NA	1,400	4,400	NLV	NLV	NLV	NLV	6.70E+09	2.50E+06	NA
1,2-Dichloropropane (I)	78875	NA	100	4,600 (X)	4,000	25,000	50,000	1.10E+05	2.70E+08	1.40E+05	5.50E+05
1,3-Dichloropropene	542756	NA	170	180 (X)	1,000	18,000	68,000	1.60E+05	7.80E+08	10,000	6.20E+05
Dichlorovos	62737	NA	50 (M); 32	NA	NLV	NLV	NLV	NLV	3.30E+07	10,000	2.20E+06
Dicyclohexyl phthalate	84617	NA	ID	NA	ID	ID	ID	ID	ID	ID	NA
Dieldrin	60571	NA	NLL	NLL	1.40E+05	19,000	19,000	19,000	6.80E+05	1,100	NA
Diethyl ether	60297	NA	200	ID	2.8E+7 (C)	8.50E+07	1.50E+08	3.40E+08	8.00E+11	1.1E+8 (C)	7.40E+06
Diethyl phthalate	84662	NA	1.10E+05	2,200	NLV	NLV	NLV	NLV	3.30E+09	1.7E+8 (C)	7.40E+05
Diethylene glycol monobutyl ether	112345	NA	1,800	NA	NLV	NLV	NLV	NLV	1.30E+09	2.70E+06	1.10E+08
Diisopropyl ether	108203	NA	600	ID	6.7E+5 (C)	3.40E+05	7.60E+05	1.80E+06	4.10E+09	9.2E+5 (C)	1,300
Diisopropylamine (I)	108189	NA	110	NA	5.50E+06	6.20E+06	6.20E+06	7.30E+06	1.30E+10	1.70E+05	6.70E+06
Dimethyl phthalate	131113	NA	1.5E+6 (C)	NA	NLV	NLV	NLV	NLV	3.30E+09	1.0E+9 (C,D)	7.90E+05
N,N-Dimethylacetamide	127195	NA	3,600	82,000 (X)	NLV	NLV	NLV	NLV	ID	5.60E+06	1.10E+08
N,N-Dimethylaniline	121697	NA	320	NA	1.70E+05	1.50E+05	1.50E+05	1.50E+05	2.60E+08	5.00E+05	8.00E+05
Dimethylformamide (I)	68122	NA	14,000	NA	NLV	NLV	NLV	NLV	2.00E+09	2.20E+07	1.10E+08
2,4-Dimethylphenol	105679	NA	7,400	7,600	NLV	NLV	NLV	NLV	4.70E+09	1.10E+07	NA
2,6-Dimethylphenol	576261	NA	330 (M); 88	NA	NLV	NLV	NLV	NLV	1.30E+08	1.40E+05	NA
3,4-Dimethylphenol	95658	NA	330 (M); 200	500	NLV	NLV	NLV	NLV	2.30E+08	3.20E+05	NA
Dimethylsulfoxide	67685	NA	4.40E+06	3.80E+06	NLV	NLV	NLV	NLV	1.30E+09	1.0E+9 (C,D)	1.80E+07
2,4-Dinitrotoluene	121142	NA	430	NA	NLV	NLV	NLV	NLV	1.60E+07	48,000	NA

December 30,2013 Page 5 of 11



#### PART 201 GENERIC CLEANUP CRITERIA AND SCREENING LEVELS/PART 213 RISK-BASED SCREENING LEVELS

All criteria, unless otherwise noted, are expressed in units of parts per billion (ppb). One ppb is equivalent to 1 microgram per kilogram (ug/kg). Criteria with 6 or more digits are expressed in scientific notation. For example, 200,000 is presented as 2.0E+5. A footnote is designated by a letter in parentheses and is explained in the footnote pages that follow the criteria tables. When the risk-based criterion is less than the target detection limit (TDL), the TDL is listed as the criterion (§324.20120a(10)). In these cases, 2 numbers are present in the cell. The first number is the criterion (i.e., TDL), and the second number is the risk-based value.

·			Groundwater Protection		Indoor Air		Ambient	Air (Y) (C)		Contact	Csat
Hazardous Substance	Chemical Abstract Service Number	Statewide Default Background Level	Residential Drinking Water Protection Criteria	Groundwater Surface Water Interface Protection Criteria	Soil Volatilization to Indoor Air Inhalation Criteria	Infinite Source Volatile Soil Inhalation Criteria (VSIC)	Finite VSIC for 5 Meter Source Thickness	Finite VSIC for 2 Meter Source Thickness	Particulate Soil Inhalation Criteria	Direct Contact Criteria	Soil Saturation Concentration Screening Levels
Dinoseb	88857	NA	300	200 (M); 43	NLV	NLV	NLV	NLV	2.70E+08	66,000 (DD)	1.40E+05
1,4-Dioxane (I)	123911	NA	1,700	56,000 (X)	NLV	NLV	NLV	NLV	5.70E+08	5.30E+05	9.70E+07
Diquat	85007	NA	400	400	NLV	NLV	NLV	NLV	ID	5.00E+05	NA
Diuron	330541	NA	620	NA	NLV	NLV	NLV	NLV	4.70E+08	9.70E+05	NA
Endosulfan (J)	115297	NA	NLL	NLL	ID	ID	ID	ID	ID	1.40E+06	NA
Endothall	145733	NA	NLL	NLL	NLV	NLV	NLV	NLV	2.30E+09	3.80E+06	NA
Endrin	72208	NA	NLL	NLL	NLV	NLV	NLV	NLV	ID	65,000	NA
Epichlorohydrin (I)	106898	NA	100	NA	64,000	31,000	31,000	35,000	6.70E+07	8,900	7.30E+06
Ethanol (I)	64175	NA	3.80E+07	ID	NLV	NLV	NLV	NLV	1.30E+12	1.0E+9 (C.D.DD)	1.10E+08
Ethyl acetate (I)	141786	NA	1.30E+05	NA	3.8E+7 (C)	4.90E+07	4.90E+07	9.80E+07	2.10E+11	2.0E+8 (C)	7.50E+06
Ethyl-tert-butyl ether (ETBE)	637923	NA	980	ID	5.40E+05	1.90E+06	4.50E+06	1.10E+07	2.50E+10	ID	6.50E+05
Ethylbenzene (I)	100414	NA	1,500	360	87,000	7.20E+05	1.00E+06	2.20E+06	1.00E+10	2.2E+7 (C)	1.40E+05
Ethylene dibromide	106934	NA	20 (M); 1.0	110 (X)	670	1,700	1,700	3,300	1.40E+07	92	8.90E+05
Ethylene glycol	107211	NA	3.00E+05	3.8E+6 (X)	NLV	NLV	NLV	NLV	6.70E+10	4.5E+8 (C)	1.10E+08
Ethylene glycol monobutyl ether	111762	NA	74,000	NA	7.40E+05	1.80E+07	1.50E+08	3.60E+08	8.70E+11	1.1E+8 (C)	4.10E+07
Fluoranthene	206440	NA	7.30E+05	5,500	1.0E+9 (D)	7.40E+08	7.40E+08	7.40E+08	9.30E+09	4.60E+07	NA
Fluorene	86737	NA	3.90E+05	5,300	5.80E+08	1.30E+08	1.30E+08	1.30E+08	9.30E+09	2.70E+07	NA
Fluorine (soluble fluoride) (B)	7782414	NA	40,000	ID	NLV	NLV	NLV	NLV	ID	9.0E+6 (DD)	NA
Formaldehyde	50000	NA	26,000	2,400	12,000	13,000	23,000	52,000	2.40E+08	4.10E+07	6.00E+07
Formic acid (I,U)	64186	NA	2.00E+05	ID	1.50E+06	2.10E+05	1.40E+05	1.40E+05	1.30E+08	3.2E+8 (C)	1.10E+08
1-Formylpiperidine	2591868	NA	1,600	NA	ID	ID	ID	ID	ID	2.50E+06	1.00E+07
Gentian violet	548629	NA	300	NA	NLV	NLV	NLV	NLV	ID	96,000	NA
Glyphosate	1071836	NA	NLL	NLL	NLV	NLV	NLV	NLV	ID	1.1E+7 (DD)	NA
Heptachlor	76448	NA	NLL	NLL	3.50E+05	62,000	62,000	62,000	2.40E+06	5,600	NA
Heptachlor epoxide	1024573	NA	NLL	NLL	NLV	NLV	NLV	NLV	1.20E+06	3,100	NA
n-Heptane	142825	NA	4.6E+7 (C)	NA	1.5E+6 (C)	2.10E+07	4.40E+07	1.00E+08	2.30E+11	9.9E+8 (C)	2.40E+05
Hexabromobenzene	87821	NA	5,400	ID	ID	ID	ID	ID	ID	1.10E+06	NA

December 30,2013 Page 6 of 11



#### PART 201 GENERIC CLEANUP CRITERIA AND SCREENING LEVELS/PART 213 RISK-BASED SCREENING LEVELS

All criteria, unless otherwise noted, are expressed in units of parts per billion (ppb). One ppb is equivalent to 1 microgram per kilogram (ug/kg). Criteria with 6 or more digits are expressed in scientific notation. For example, 200,000 is presented as 2.0E+5. A footnote is designated by a letter in parentheses and is explained in the footnote pages that follow the criteria tables. When the risk-based criterion is less than the target detection limit (TDL), the TDL is listed as the criterion (§324.20120a(10)). In these cases, 2 numbers are present in the cell. The first number is the criterion (i.e., TDL), and the second number is the risk-based value.

cases, 2 nambers are pres	Groundwater Protection		Indoor Air	Ambient Air (Y) (C)				Contact	Csat		
Hazardous Substance	Chemical Abstract Service Number	Statewide Default Background Level	Residential Drinking Water Protection Criteria	Groundwater Surface Water Interface Protection Criteria	Soil Volatilization to Indoor Air Inhalation Criteria	Infinite Source Volatile Soil Inhalation Criteria (VSIC)		Finite VSIC for 2 Meter Source Thickness		Direct Contact Criteria	Soil Saturation Concentration Screening Levels
Hexachlorobenzene (C-66)	118741	NA	1,800	350	41,000	17,000	17,000	17,000	6.80E+06	8,900	NA
Hexachlorobutadiene (C-46)	87683	NA	26,000	91	1.30E+05	1.30E+05	1.30E+05	1.30E+05	1.40E+08	1.00E+05	3.50E+05
alpha-Hexachlorocyclohexane	319846	NA	18	ID	30,000	12,000	22,000	25,000	1.70E+06	2,600	NA
beta-Hexachlorocyclohexane	319857	NA	37	ID	NLV	NLV	NLV	NLV	5.90E+06	5,400	NA
Hexachlorocyclopentadiene (C-56)	77474	NA	3.20E+05	ID	30,000	50,000	50,000	50,000	1.30E+07	2.3E+6 (C)	7.20E+05
Hexachloroethane	67721	NA	430	1,800 (X)	40,000	5.50E+05	9.30E+05	9.30E+05	2.30E+08	2.30E+05	NA
n-Hexane	110543	NA	1.8E+5 (C)	NA	5.1E+5 (C)	3.00E+06	3.20E+06	6.20E+06	1.30E+10	9.2E+7 (C)	44,000
2-Hexanone	591786	NA	20,000	ID	9.90E+05	1.10E+06	1.10E+06	1.40E+06	2.70E+09	3.2E+7 (C)	2.50E+06
Indeno(1,2,3-cd) pyrene (Q)	193395	NA	NLL	NLL	NLV	NLV	NLV	NLV	ID	20,000	NA
Iron (B)	7439896	1.20E+07	6,000	NA	NLV	NLV	NLV	NLV	ID	1.60E+08	NA
Isobutyl alcohol (I)	78831	NA	46,000	NA	2.3E+8 (C)	7.90E+07	7.90E+07	7.90E+07	1.00E+11	7.2E+7 (C)	8.90E+06
Isophorone	78591	NA	15,000	26,000 (X)	NLV	NLV	NLV	NLV	1.20E+10	4.8E+6 (C)	2.40E+06
Isopropyl alcohol (I)	67630	NA	9,400	1.1E+6 (X)	NLV	NLV	NLV	NLV	1.50E+10	1.40E+07	1.10E+08
Isopropyl benzene	98828	NA	91,000	3,200	4.0E+5 (C)	1.70E+06	1.70E+06	2.80E+06	5.80E+09	2.5E+7 (C)	3.90E+05
Lead (B)	7439921	21,000	7.00E+05	(G,X)	NLV	NLV	NLV	NLV	1.00E+08	4.00E+05	NA
Lindane	58899	NA	20 (M); 7.0	20 (M); 1.1	ID	ID	ID	ID	ID	8,300	NA
Lithium (B)	7439932	9,800	3,400	8,800	NLV	NLV	NLV	NLV	2.30E+09	4.2E+6 (DD)	NA
Magnesium (B)	7439954	NA	8.00E+06	NA	NLV	NLV	NLV	NLV	6.70E+09	1.0E+9 (D)	NA
Manganese (B)	7439965	4.40E+05	1,000	(G,X)	NLV	NLV	NLV	NLV	3.30E+06	2.50E+07	NA
Mercury (Total) (B,Z)	Varies	130	1,700	50 (M); 1.2	48,000	52,000	52,000	52,000	2.00E+07	1.60E+05	NA
Methane	74828	NA	ID	NA	8.4E+6 ug/m3 (GG)	ID	ID	ID	ID	ID	ID
Methanol	67561	NA	74,000	1.2E+7 (C)	3.7E+7 (C)	3.10E+07	4.40E+07	9.60E+07	2.20E+11	1.1E+8 (C)	3.10E+06
Methoxychlor	72435	NA	16,000	NA	ID	ID	ID	ID	ID	1.90E+06	NA
2-Methoxyethanol (I)	109864	NA	150	NA	NLV	NLV	NLV	NLV	1.30E+09	2.30E+05	1.10E+08
2-Methyl-4-chlorophenoxyacetic acid	94746	NA	390	NA	NLV	NLV	NLV	NLV	ID	2.30E+05	NA
2-Methyl-4,6-dinitrophenol	534521	NA	830 (M); 400	NA	NLV	NLV	NLV	NLV	1.30E+08	79,000	NA
N-Methyl-morpholine (I)	109024	NA	400	NA	NLV	NLV	NLV	NLV	ID	6.10E+05	1.10E+08

December 30,2013 Page 7 of 11



#### PART 201 GENERIC CLEANUP CRITERIA AND SCREENING LEVELS/PART 213 RISK-BASED SCREENING LEVELS

All criteria, unless otherwise noted, are expressed in units of parts per billion (ppb). One ppb is equivalent to 1 microgram per kilogram (ug/kg). Criteria with 6 or more digits are expressed in scientific notation. For example, 200,000 is presented as 2.0E+5. A footnote is designated by a letter in parentheses and is explained in the footnote pages that follow the criteria tables. When the risk-based criterion is less than the target detection limit (TDL), the TDL is listed as the criterion (§324.20120a(10)). In these cases, 2 numbers are present in the cell. The first number is the criterion (i.e., TDL), and the second number is the risk-based value.

			Groundwater Protection		Indoor Air	Ambient Air (Y) (C)			Contact	Csat	
Hazardous Substance	Chemical Abstract Service Number	Statewide Default Background Level	Residential Drinking Water Protection Criteria	Groundwater Surface Water Interface Protection Criteria	Soil Volatilization to Indoor Air Inhalation Criteria	Infinite Source Volatile Soil Inhalation Criteria (VSIC)	Finite VSIC for 5 Meter Source Thickness	Finite VSIC for 2 Meter Source Thickness	Particulate Soil Inhalation Criteria	Direct Contact Criteria	Soil Saturation Concentration Screening Levels
Methyl parathion	298000	NA	46	NA	NLV	NLV	NLV	NLV	ID	56,000	NA
4-Methyl-2-pentanone (MIBK) (I)	108101	NA	36,000	ID	3.7E+7 (C)	4.50E+07	4.50E+07	6.70E+07	1.40E+11	5.6E+7 (C)	2.70E+06
Methyl-tert-butyl ether (MTBE)	1634044	NA	800	1.4E+5 (X)	9.9E+6 (C)	2.50E+07	3.90E+07	8.70E+07	2.00E+11	1.50E+06	5.90E+06
Methylcyclopentane (I)	96377	NA	ID	NA	92,000	2.30E+06	8.20E+06	2.00E+07	4.70E+10	ID	3.50E+05
4,4'-Methylene-bis-2- chloroaniline (MBOCA)	101144	NA	NLL	NLL	NLV	NLV	NLV	NLV	8.40E+07	6,800	NA
Methylene chloride	75092	NA	100	30,000 (X)	45,000	2.10E+05	5.90E+05	1.40E+06	6.60E+09	1.30E+06	2.30E+06
2-Methylnaphthalene	91576	NA	57,000	4,200	2.70E+06	1.50E+06	1.50E+06	1.50E+06	6.70E+08	8.10E+06	NA
Methylphenols (J)	1319773	NA	7,400	1,000 (M); 600	NLV	NLV	NLV	NLV	6.70E+09	1.10E+07	NA
Metolachlor	51218452	NA	4,800	300	NLV	NLV	NLV	NLV	ID	1.5E+6 (C, DD)	4.40E+05
Metribuzin	21087649	NA	3,600	NA	ID	ID	ID	ID	ID	9.60E+06	NA
Mirex	2385855	NA	NLL	NLL	ID	ID	ID	ID	ID	9,600	NA
Molybdenum (B)	7439987	NA	1,500	64,000 (X)	NLV	NLV	NLV	NLV	ID	2.60E+06	NA
Naphthalene	91203	NA	35,000	730	2.50E+05	3.00E+05	3.00E+05	3.00E+05	2.00E+08	1.60E+07	NA
Nickel (B)	7440020	20,000	1.00E+05	(G)	NLV	NLV	NLV	NLV	1.30E+07	4.00E+07	NA
Nitrate (B,N)	14797558	NA	2.0E+5 (N)	ID	NLV	NLV	NLV	NLV	ID	ID	NA
Nitrite (B,N)	14797650	NA	20,000 (N)	NA	NLV	NLV	NLV	NLV	ID	ID	NA
Nitrobenzene (I)	98953	NA	330 (M); 68	3,600 (X)	91,000	54,000	54,000	54,000	4.70E+07	1.00E+05	4.90E+05
2-Nitrophenol	88755	NA	400	ID	NLV	NLV	NLV	NLV	ID	6.30E+05	NA
n-Nitroso-di-n-propylamine	621647	NA	330 (M); 100	NA	NLV	NLV	NLV	NLV	1.60E+06	1,200	1.50E+06
N-Nitrosodiphenylamine	86306	NA	5,400	NA	NLV	NLV	NLV	NLV	2.20E+09	1.70E+06	NA
Oxamyl	23135220	NA	4,000	NA	NLV	NLV	NLV	NLV	ID	8.60E+06	NA
Oxo-hexyl acetate	88230357	NA	1,500	NA	ID	ID	ID	ID	5.40E+09	2.30E+06	1.00E+07
Pendimethalin	40487421	NA	1.10E+06	NA	NLV	NLV	NLV	NLV	ID	4.60E+07	NA
Pentachlorobenzene	608935	NA	29,000	9,500	ID	ID	ID	ID	ID	3.2E+5 (C)	1.90E+05
Pentachloronitrobenzene	82688	NA	37,000	NA	1.20E+05	2.30E+05	2.30E+05	2.30E+05	3.30E+08	1.70E+06	NA
Pentachlorophenol	87865	NA	22	(G,X)	NLV	NLV	NLV	NLV	1.00E+08	90,000	NA
Pentane	109660	NA	ID	NA	9.7E+5 (C)	3.70E+07	3.10E+08	5.80E+08	1.20E+12	ID	2.40E+05

December 30,2013 Page 8 of 11



#### PART 201 GENERIC CLEANUP CRITERIA AND SCREENING LEVELS/PART 213 RISK-BASED SCREENING LEVELS

All criteria, unless otherwise noted, are expressed in units of parts per billion (ppb). One ppb is equivalent to 1 microgram per kilogram (ug/kg). Criteria with 6 or more digits are expressed in scientific notation. For example, 200,000 is presented as 2.0E+5. A footnote is designated by a letter in parentheses and is explained in the footnote pages that follow the criteria tables. When the risk-based criterion is less than the target detection limit (TDL), the TDL is listed as the criterion (§324.20120a(10)). In these cases, 2 numbers are present in the cell. The first number is the criterion (i.e., TDL), and the second number is the risk-based value.

			Groundwater Protection		Indoor Air	Ambient Air (Y) (C)			Contact	Csat	
Hazardous Substance	Chemical Abstract Service Number	Statewide Default Background Level	Residential Drinking Water Protection Criteria	Groundwater Surface Water Interface Protection Criteria	Soil Volatilization to Indoor Air Inhalation Criteria	Infinite Source Volatile Soil Inhalation Criteria (VSIC)	Finite VSIC for 5 Meter Source Thickness	Finite VSIC for 2 Meter Source Thickness	Particulate Soil Inhalation Criteria	Direct Contact Criteria	Soil Saturation Concentration Screening Levels
2-Pentene (I)	109682	NA	ID	NA	ID	ID	ID	ID	ID	ID	2.20E+05
Phenanthrene	85018	NA	56,000	2,100	2.80E+06	1.60E+05	1.60E+05	1.60E+05	6.70E+06	1.60E+06	NA
Phenol	108952	NA	88,000	9,000	NLV	NLV	NLV	NLV	4.00E+10	4.0E+7 (C, DD)	1.20E+07
Phenytoin	57410	NA	830	4300 (X)	NLV	NLV	NLV	NLV	2.20E+08	1.00E+05	NA
Phosphorus (Total)	7723140	NA	1.30E+06	(EE)	NLV	NLV	NLV	NLV	6.70E+07	1.0E+9 (D)	NA
Phthalic acid	88993	NA	2.80E+05	NA	NLV	NLV	NLV	NLV	ID	4.3E+8 (C)	1.70E+06
Phthalic anhydride	85449	NA	3.00E+05	NA	NLV	NLV	NLV	NLV	ID	4.7E+8 (C)	1.10E+06
Picloram	1918021	NA	10,000	920	NLV	NLV	NLV	NLV	ID	1.60E+07	NA
Piperidine	110894	NA	64	NA	NLV	NLV	NLV	NLV	9.30E+09	99,000	1.20E+08
Polybrominated biphenyls (J)	67774327	NA	NLL	NLL	NLV	NLV	NLV	NLV	ID	1,200	NA
Polychlorinated biphenyls (PCBs) (J,T)	1336363	NA	NLL	NLL	3.00E+06	2.40E+05	7.90E+06	7.90E+06	5.20E+06	(T)	NA
Prometon	1610180	NA	4,900	NA	NLV	NLV	NLV	NLV	ID	5.00E+06	NA
Propachlor	1918167	NA	1,900	NA	NLV	NLV	NLV	NLV	ID	2.90E+06	NA
Propazine	139402	NA	4,000	NA	NLV	NLV	NLV	NLV	ID	6.10E+06	NA
Propionic acid	79094	NA	2.40E+05	ID	NLV	NLV	NLV	NLV	2.00E+10	3.8E+8 (C)	1.10E+08
Propyl alcohol (I)	71238	NA	28,000	NA	NLV	NLV	NLV	NLV	4.90E+10	1.3E+7 (DD)	1.10E+08
n-Propylbenzene (I)	103651	NA	1,600	ID	ID	ID	ID	ID	1.30E+09	2.50E+06	1.00E+07
Propylene glycol	57556	NA	3.00E+06	5.80E+06	NLV	NLV	NLV	NLV	4.00E+11	1.0E+9 (C,D)	1.10E+08
Pyrene	129000	NA	4.80E+05	ID	1.0E+9 (D)	6.50E+08	6.50E+08	6.50E+08	6.70E+09	2.90E+07	NA
Pyridine (I)	110861	NA	400	NA	1,100	8,200	40,000	97,000	2.30E+08	2.3E+5 (C)	37,000
Selenium (B)	7782492	410	4,000	400	NLV	NLV	NLV	NLV	1.30E+08	2.60E+06	NA
Silver (B)	7440224	1,000	4,500	100 (M); 27	NLV	NLV	NLV	NLV	6.70E+06	2.50E+06	NA
Silvex (2,4,5-TP)	93721	NA	3,600	2,200	NLV	NLV	NLV	NLV	ID	1.70E+06	NA
Simazine	122349	NA	80	340	NLV	NLV	NLV	NLV	ID	1.20E+06	NA
Sodium	17341252	NA	4.60E+06	NA	NLV	NLV	NLV	NLV	ID	1.0E+9 (D)	NA
Sodium azide	26628228	NA	1,800	1,000	ID	ID	ID	ID	ID	2.70E+06	NA
Strontium (B)	7440246	NA	92,000	4.20E+05	NLV	NLV	NLV	NLV	ID	3.30E+08	NA

December 30,2013 Page 9 of 11



#### **TABLE 2. SOIL: RESIDENTIAL**

#### PART 201 GENERIC CLEANUP CRITERIA AND SCREENING LEVELS/PART 213 RISK-BASED SCREENING LEVELS

All criteria, unless otherwise noted, are expressed in units of parts per billion (ppb). One ppb is equivalent to 1 microgram per kilogram (ug/kg). Criteria with 6 or more digits are expressed in scientific notation. For example, 200,000 is presented as 2.0E+5. A footnote is designated by a letter in parentheses and is explained in the footnote pages that follow the criteria tables. When the risk-based criterion is less than the target detection limit (TDL), the TDL is listed as the criterion (§324.20120a(10)). In these cases, 2 numbers are present in the cell. The first number is the criterion (i.e., TDL), and the second number is the risk-based value.

			Groundwate	er Protection	Indoor Air		Ambient	Air (Y) (C)		Contact	Csat
Hazardous Substance	Chemical Abstract Service Number	Statewide Default Background Level	Residential Drinking Water Protection Criteria	Groundwater Surface Water Interface Protection Criteria	Soil Volatilization to Indoor Air Inhalation Criteria	Infinite Source Volatile Soil Inhalation Criteria (VSIC)	Finite VSIC for 5 Meter Source Thickness	Finite VSIC for 2 Meter Source Thickness	Particulate Soil Inhalation Criteria	Direct Contact Criteria	Soil Saturation Concentration Screening Levels
Styrene	100425	NA	2,700	2,100 (X)	2.50E+05	9.70E+05	9.70E+05	1.40E+06	5.50E+09	4.00E+05	5.20E+05
Sulfate	14808798	NA	5.00E+06	NA	NLV	NLV	NLV	NLV	ID	ID	NA
Tebuthiuron	34014181	NA	10,000	NA	NLV	NLV	NLV	NLV	ID	4.6E+6 (DD)	NA
2,3,7,8-Tetrabromodibenzo-p-dioxin (O)	50585416	NA	NLL	NLL	NLV	NLV	NLV	NLV	(O)	(O)	NA
1,2,4,5-Tetrachlorobenzene	95943	NA	1.50E+06	3,400 (X)	5.80E+05	2.30E+05	2.30E+05	2.30E+05	6.70E+07	7.70E+07	NA
2,3,7,8-Tetrachlorodibenzo-p-dioxin (O)	1746016	NA	NLL	NLL	NLV	NLV	NLV	NLV	71 (O)	0.09 (O)	NA
1,1,1,2-Tetrachloroethane	630206	NA	1,500	ID	6,200	36,000	54,000	1.00E+05	4.20E+08	4.8E+5 (C)	4.40E+05
1,1,2,2-Tetrachloroethane	79345	NA	170	1,600 (X)	4,300	10,000	10,000	14,000	5.40E+07	53,000	8.70E+05
Tetrachloroethylene	127184	NA	100	1,200 (X)	11,000	1.70E+05	4.80E+05	1.10E+06	2.70E+09	2.0E+5 (C)	88,000
Tetrahydrofuran	109999	NA	1,900	2.2E+5 (X)	1.30E+06	1.30E+07	6.70E+07	1.60E+08	3.90E+11	2.90E+06	1.20E+08
Tetranitromethane	509148	NA	ID	NA	500(M); 110	500 (M); 51	ID	ID	2.10E+05	ID	ID
Thallium (B)	7440280	NA	2,300	4,200 (X)	NLV	NLV	NLV	NLV	1.30E+07	35,000	NA
Toluene (I)	108883	NA	16,000	5,400	3.3E+5 (C)	2.80E+06	5.10E+06	1.20E+07	2.70E+10	5.0E+7 (C)	2.50E+05
p-Toluidine	106490	NA	660 (M); 300	NA	NLV	NLV	NLV	NLV	1.00E+08	94,000	1.20E+06
Toxaphene	8001352	NA	24,000	8,200	NLV	NLV	NLV	NLV	9.70E+06	20,000	NA
Triallate	2303175	NA	95,000	NA	ID	ID	ID	ID	ID	2.9E+6 (C)	2.50E+05
Tributylamine	102829	NA	7,800	ID	5.80E+05	6.00E+05	6.00E+05	6.00E+05	4.70E+08	7.90E+05	3.70E+06
1,2,4-Trichlorobenzene	120821	NA	4,200	5,900 (X)	9.6E+6 (C)	2.80E+07	2.80E+07	2.80E+07	2.50E+10	9.9E+5 (DD)	1.10E+06
1,1,1-Trichloroethane	71556	NA	4,000	1,800	2.50E+05	3.80E+06	1.20E+07	2.80E+07	6.70E+10	5.0E+8 (C)	4.60E+05
1,1,2-Trichloroethane	79005	NA	100	6,600 (X)	4,600	17,000	21,000	44,000	1.90E+08	1.80E+05	9.20E+05
Trichloroethylene	79016	NA	100	4,000 (X)	1,000	11,000	25,000	57,000	1.30E+08	1.1E+5 (DD)	5.00E+05
Trichlorofluoromethane	75694	NA	52,000	NA	2.8E+6 (C)	9.20E+07	6.30E+08	1.50E+09	3.80E+12	7.9E+7 (C)	5.60E+05
2,4,5-Trichlorophenol	95954	NA	39,000	NA	NLV	NLV	NLV	NLV	2.30E+10	2.30E+07	NA
2,4,6-Trichlorophenol	88062	NA	2,400	330 (M); 100	NLV	NLV	NLV	NLV	1.00E+09	7.10E+05	NA
1,2,3-Trichloropropane	96184	NA	840	NA	4,000	9,200	9,200	11,000	2.00E+07	1.3E+6 (C)	8.30E+05
1,1,2-Trichloro-1,2,2- trifluoroethane	76131	NA	9.0E+6 (C)	1,700	5.1E+6 (C)	1.80E+08	8.80E+08	2.10E+09	5.10E+12	1.0E+9 (C,D)	5.50E+05
Triethanolamine	102716	NA	74,000	NA	NLV	NLV	NLV	NLV	3.30E+09	1.10E+08	1.10E+08

December 30,2013 Page 10 of 11



#### **TABLE 2. SOIL: RESIDENTIAL**

#### PART 201 GENERIC CLEANUP CRITERIA AND SCREENING LEVELS/PART 213 RISK-BASED SCREENING LEVELS


All criteria, unless otherwise noted, are expressed in units of parts per billion (ppb). One ppb is equivalent to 1 microgram per kilogram (ug/kg). Criteria with 6 or more digits are expressed in scientific notation. For example, 200,000 is presented as 2.0E+5. A footnote is designated by a letter in parentheses and is explained in the footnote pages that follow the criteria tables. When the risk-based criterion is less than the target detection limit (TDL), the TDL is listed as the criterion (§324.20120a(10)). In these cases, 2 numbers are present in the cell. The first number is the criterion (i.e., TDL), and the second number is the risk-based value.


			Groundwate	er Protection	Indoor Air		Ambient	Air (Y) (C)		Contact	Csat
Hazardous Substance	Chemical Abstract Service Number	Statewide Default Background Level	Residential Drinking Water Protection Criteria	Groundwater Surface Water Interface Protection Criteria	Soil Volatilization to Indoor Air Inhalation Criteria	Infinite Source Volatile Soil Inhalation Criteria (VSIC)	Finite VSIC for 5 Meter Source Thickness		Particulate Soil Inhalation Criteria	Direct Contact Criteria	Soil Saturation Concentration Screening Levels
Triethylene glycol	112276	NA	86,000	NA	NLV	NLV	NLV	NLV	ID	3.9E+7 (C,DD)	1.10E+05
3-Trifluoromethyl-4-nitrophenol	88302	NA	1.10E+05	NA	NLV	NLV	NLV	NLV	ID	4.1E+7 (DD)	NA
Trifluralin	1582098	NA	1.90E+05	NA	ID	ID	ID	ID	ID	2.00E+06	NA
2,2,4-Trimethyl pentane	540841	NA	ID	NA	1.1E+5 (C)	5.20E+06	3.90E+07	9.60E+07	2.30E+11	ID	19,000
2,4,4-Trimethyl-2-pentene (I)	107404	NA	ID	NA	ID	ID	ID	ID	ID	ID	56,000
1,2,4-Trimethylbenzene (I)	95636	NA	2,100	570	4.3E+6 (C)	2.10E+07	5.00E+08	5.00E+08	8.20E+10	3.2E+7 (C)	1.10E+05
1,3,5-Trimethylbenzene (I)	108678	NA	1,800	1,100	2.6E+6 (C)	1.60E+07	3.80E+08	3.80E+08	8.20E+10	3.2E+7 (C)	94,000
Triphenyl phosphate	115866	NA	1.5E+6 (C)	NA	NLV	NLV	NLV	NLV	ID	3.6E+7 (C)	1.10E+05
tris(2,3-Dibromopropyl)phosphate	126727	NA	930	ID	82,000 (C)	18,000	18,000	18,000	5.90E+06	4,400	27,000
Urea	57136	NA	ID	NA	NLV	NLV	NLV	NLV	ID	ID	NA
Vanadium	7440622	NA	72,000	4.30E+05	NLV	NLV	NLV	NLV	ID	7.5E+5 (DD)	NA
Vinyl acetate (I)	108054	NA	13,000	NA	7.90E+05	1.70E+06	2.60E+06	5.80E+06	1.30E+10	5.8E+6 (C,DD)	2.40E+06
Vinyl chloride	75014	NA	40	260 (X)	270	4,200	30,000	73,000	3.50E+08	3,800	4.90E+05
White phosphorus (R)	12185103	NA	2.2	NA	NLV	NLV	NLV	NLV	ID	2,300 (DD)	NA
Xylenes (I)	1330207	NA	5,600	820	6.3E+6 (C)	4.60E+07	6.10E+07	1.30E+08	2.90E+11	4.1E+8 (C)	1.50E+05
Zinc (B)	7440666	47,000	2.40E+06	(G)	NLV	NLV	NLV	NLV	ID	1.70E+08	NA

December 30,2013 Page 11 of 11


# <u>APPENDIX - 3A - MAPS OF PROPOSED TARGET AREAS</u>


# **MBEG Approved Demolitions**





# Map 4: Out-County Hardest Hit Fund Strategic Demolitions APPENDIX 3C Out-County Hardest Hit Demo Area Municipal Boundaries Stanley **Out-County Hardest Hit Demos (118)** Land Bank Owned (95) Treasurer Owned (20) City of Burton (3) Schools Old Coldwater .Coldwater Reinvestment Neighborhods (6 demos) Tipping Point Neighborhoods (33 demos) Buffer Area (79 demos) Mt Morris Township Austin-Home Industrial Stewart -Richfield Pasadena -eith Dayton Broadway -Davison City of Flint -Robert-T-Longway Tushing W 1/69/Center W-1-69/Dort= Lapeer Flint Township Corunna . Oakle \ Atherton :W:1:69=E:1:69: Bristol Judd 0.65 0.325 0.65 1.3 1.95 ANDBANK Miles





# APPENDIX 2: MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY – NESHAP PROGRAM

# A. NOTIFICATION OF INTENT TO RENOVATE/DEMOLISH – ONE STOP SUBMITTAL INSTRUCTIONS

The Department of Environmental Quality is pleased to announce the ability to submit the **Notification** of Intent to Renovate/Demolish form on-line. You will be able to submit electronically by accessing and using the Michigan Business One Stop site. We have made enhancements to help better serve you. To get started click the following link:

#### http://www.michigan.gov/business

If you are a new user you will need to register. This is a one-time registration for your business. Instructions with graphics are attached. For questions with navigation call the toll free # for Michigan Business One Stop Customer Assistance Center is 1.877.766.1779 (M - F, 7 am - 6 pm).

You will now see the following page.



#### From here you can:

- Access One Stop tutorials
- Take the One Stop tour
- Try the One Stop simulator

For new users, you will need to register for a One Stop identification and password. This process can be started by clicking on the GO button under the Start & Register section.

For registered users with a user ID and password (or after registering) you can enter your user ID and password in the provided entry fields and click the GO button under the Registered User section.

Your final step is to register your business by clicking on the GO button under the For Business section.



Follow the instructions to register your business in One Stop. This is a onetime process that you may need your papers and documents from creating your business.

Asbestos NESHAP Program Technical Programs Unit Michigan DEQ-Air Quality Division



# **NOTICE TO ALL CONTRACTORS**

Representatives of the City of Flint and the Genesee County Land Bank met Tuesday, November 5, 2013 with representatives from the local landfills, MIOSHA, and MDEQ. The following notice outlines several important compliance issues that were discussed in that meeting. Please be advised that upon signing a contract with the Genesee County Land Bank, you will be considered to be in receipt of this memorandum. It will further be assumed that your organization has read and understood the outlined issues, and agreed to comply with the outlined actions to be taken in response.

- 1) **NOTIFICATIONS** to the State for an ordered demo must include the language "structurally unsound and in imminent danger of collapse" and must be certified by a qualified government official. Several of you have some emergency/ordered structures that you have not yet notified for. I will be preparing a new letter for you to include in your notification and contacting you each individually.
- 2) **LICENSING**: Per MIOSHA, only contractors that are licensed under the company name can perform ordered demos, which are to be presumed to contain friable asbestos. A state issued accreditation card for asbestos work is not an asbestos abatement contractors license as defined by PA 135 of 1986 Asbestos Abatement Contractors Licensing Act. Any contractor demolishing a structure that is presumed to be containing must follow MIOSHA regulations in the demolition process (i.e. have masks, suits, HEPA vacuums, showers, etc.) on site. For clarification and assistance with compliance, please contact Scott Thelen at MIOSHA (contact information to follow).
- 3) **ABATEMENT:** As far as MIOSHA is concerned, an ordered demolition qualifies as Class I abatement work as asbestos is still literally being removed from the site.
- 4) **SURVEYS**: Contractors must have a copy of a completed (asbestos) survey on site at all times for all demos, unless the structure is an ordered demolition and presumed to contain friable asbestos. In which case, the contractor must meet the requirements mentioned above. I would further note that all manifests associated with ordered demolitions need to clearly state "friable asbestos."
- 5) **TRANSITE** siding will be sampled and removed regardless if it is an ordered demolition or regular demolition in accordance to NESHAP and MIOSHA regulations. The only exception for transite is if the building is deemed structurally unsafe to remove it will be demolished as asbestos containing.
- 6) **WETTING**: NESHAP has guidelines and waivers regarding wetting of ordered demos in temperatures below 32 degrees (including daily temperature logs); MIOSHA however, never waives a requirement and informed us that demos will still need to be wetted for worker safety in the winter months. Mr. Thelen suggested there are some methods of compliance to avoid the hazard caused be freezing (i.e. mixing water with agents that stop it from freezing). He can be contacted for further information regarding compliance. Be aware that whatever method you use to mitigate the freezing hazard will have to remain compliant with other environmental regulations.

- 7) **BURNT TO THE FOUNDATION:** Structures that have been burned to the foundation, and thus are "totally destroyed by fire" ARE subject to NESHAP regulations when doing demolition. This means that waste generated in the demolition of structures burnt to the foundation **does** have to be disposed of as RACM. MIOSHA regulations also apply.
- 8) **NON-FRIABLES**: While on site, per MIOSHA, non-friable ACMs (which are not regulated by NESHAP) must be treated as containing. However, for transportation and disposal purposes, non-friables can be disposed of as regular C & D.
- 9) **WASTE DISPOSAL**: Waste manifests from the contractors and the dump tickets from the landfills must match, with all friable and non-friable asbestos clearly and correctly identified on the waste manifest <u>and</u> dump ticket. Finally, contractors are required to notify landfills in advance when planning to bring Regulated Asbestos Containing Materials (RACM) for disposal.
- 10) **FINAL INSPECTIONS/CERTIFICATIONS:** Please note that City inspectors will not issue any final certifications for a parcel that has dead/burned trees or debris (including tires, pipes, etc) remaining. Further, each contractor is expected to take every precaution necessary to protect sidewalks during demolition. Should the concrete sidewalk be significantly damaged, the contractor will be expected to repair the damage before a final certification is issued.

Finally, please review the specifications for backfill, seed, and straw. Backfill must not contain debris such as bricks or asphalt. Topsoil, seed, and sufficient straw needs to be laid in order to receive a final certification. If a parcel does not receive a final certification on the first inspection, the contractor will need to address all identified issues and call for an additional inspection. <u>Each additional inspection will be subject to an additional inspection fee as determined by the City of Flint fee schedule</u>.

Should you have any questions or need any assistance in complying with the regulations, please contact asap:

- Jessica Magro of the Michigan Department of Environmental Quality regarding NESHAP at 517-284-6781
- Scott Thelen of Michigan Occupational Safety and Health Administration regarding MIOSHA at 517-322-5789

Be sure to contact the appropriate landfill regarding delivery of RACM for disposal prior to showing up on site.

# **APPENDIX 4 - FEDERAL AND COUNTY REGULATIONS**

- 1. Federal Labor Standard Provisions
- 2. Equal Opportunity Clause (Executive Order 11246)
- 3. Genesee County Prevailing Wage Policy

U.S. Department of Housing and Urban Development

Office of Labor Relations

#### **Applicability**

The Project or Program to which the construction work covered by this contract pertains is being assisted by the United States of America and the following Federal Labor Standards Provisions are included in this Contract pursuant to the provisions applicable to such Federal assistance.

A. 1. (i) Minimum Wages. All laborers and mechanics employed or working upon the site of the work will be paid unconditionally and not less often than once a week, and without subsequent deduction or rebate on any account (except such payroll deductions as are permitted by regulations issued by the Secretary of Labor under the Copeland Act (29 CFR Part 3), the full amount of wages and bona fide fringe benefits (or cash equivalents thereof) due at time of payment computed at rates not less than those contained in the wage determination of the Secretary of Labor which is attached hereto and made a part hereof, regardless of any contractual relationship which may be alleged to exist between the contractor and such laborers and mechanics. Contributions made or costs reasonably anticipated for bona fide fringe benefits under Section I(b)(2) of the Davis-Bacon Act on behalf of laborers or mechanics are considered wages paid to such laborers or mechanics, subject to the provisions of 29 CFR 5.5(a)(1)(iv); also, regular contributions made or costs incurred for more than a weekly period (but not less often than quarterly) under plans, funds, or programs, which cover the particular weekly period, are deemed to be constructively made or incurred during such weekly period.

Such laborers and mechanics shall be paid the appropriate wage rate and fringe benefits on the wage determination for the classification of work actually performed, without regard to skill, except as provided in 29 CFR 5.5(a)(4). Laborers or mechanics performing work in more than one classification may be compensated at the rate specified for each classification for the time actually worked therein: Provided, That the employer's payroll records accurately set forth the time spent in each classification in which work is performed. The wage determination (including any additional classification and wage rates conformed under 29 CFR 5.5(a)(1)(ii) and the Davis-Bacon poster (WH-1321) shall be posted at all times by the contractor and its subcontractors at the site of the work in a prominent and accessible, place where it can be easily seen by the workers.

- (ii) (a) Any class of laborers or mechanics which is not listed in the wage determination and which is to be employed under the contract shall be classified in conformance with the wage determination. HUD shall approve an additional classification and wage rate and fringe benefits therefor only when the following criteria have been met:
- (1) The work to be performed by the classification requested is not performed by a classification in the wage determination; and
- (2) The classification is utilized in the area by the construction industry; and
- (3) The proposed wage rate, including any bona fide fringe benefits, bears a reasonable relationship to the wage rates contained in the wage determination.
- **(b)** If the contractor and the laborers and mechanics to be employed in the classification (if known), or their representatives, and HUD or its designee agree on the classification and wage rate (including the amount designated for fringe benefits where

appropriate), a report of the action taken shall be sent by HUD or its designee to the Administrator of the Wage and Hour Division, Employment Standards Administration, U.S. Department of Labor, Washington, D.C. 20210. The Administrator, or an authorized representative, will approve, modify, or disapprove every additional classification action within 30 days of receipt and so advise HUD or its designee or will notify HUD or its designee within the 30-day period that additional time is necessary. (Approved by the Office of Management and Budget under OMB control number 1215-0140.)

- (c) In the event the contractor, the laborers or mechanics to be employed in the classification or their representatives, and HUD or its designee do not agree on the proposed classification and wage rate (including the amount designated for fringe benefits, where appropriate), HUD or its designee shall refer the questions, including the views of all interested parties and the recommendation of HUD or its designee, to the Administrator for determination. The Administrator, or an authorized representative, will issue a determination within 30 days of receipt and so advise HUD or its designee or will notify HUD or its designee within the 30-day period that additional time is necessary. (Approved by the Office of Management and Budget under OMB Control Number 1215-0140.)
- (d) The wage rate (including fringe benefits where appropriate) determined pursuant to subparagraphs (1)(ii)(b) or (c) of this paragraph, shall be paid to all workers performing work in the classification under this contract from the first day on which work is performed in the classification.
- (iii) Whenever the minimum wage rate prescribed in the contract for a class of laborers or mechanics includes a fringe benefit which is not expressed as an hourly rate, the contractor shall either pay the benefit as stated in the wage determination or shall pay another bona fide fringe benefit or an hourly cash equivalent thereof.
- (iv) If the contractor does not make payments to a trustee or other third person, the contractor may consider as part of the wages of any laborer or mechanic the amount of any costs reasonably anticipated in providing bona fide fringe benefits under a plan or program, Provided, That the Secretary of Labor has found, upon the written request of the contractor, that the applicable standards of the Davis-Bacon Act have been met. The Secretary of Labor may require the contractor to set aside in a separate account assets for the meeting of obligations under the plan or program. (Approved by the Office of Management and Budget under OMB Control Number 1215-0140.)
- 2. Withholding. HUD or its designee shall upon its own action or upon written request of an authorized representative of the Department of Labor withhold or cause to be withheld from the contractor under this contract or any other Federal contract with the same prime contractor, or any other Federally-assisted contract subject to Davis-Bacon prevailing wage requirements, which is held by the same prime contractor so much of the accrued payments or advances as may be considered necessary to pay laborers and mechanics, including apprentices, trainees and helpers, employed by the contractor or any subcontractor the full amount of wages required by the contract. In the event of failure to pay any laborer or mechanic, including any apprentice, trainee or helper, employed or working on the site of the work, all or part

of the wages required by the contract, HUD or its designee may, after written notice to the contractor, sponsor, applicant, or owner, take such action as may be necessary to cause the suspension of any further payment, advance, or guarantee of funds until such violations have ceased. HUD or its designee may, after written notice to the contractor, disburse such amounts withheld for and on account of the contractor or subcontractor to the respective employees to whom they are due. The Comptroller General shall make such disbursements in the case of direct Davis-Bacon Act contracts.

- 3. (i) Payrolls and basic records. Payrolls and basic records relating thereto shall be maintained by the contractor during the course of the work preserved for a period of three years thereafter for all laborers and mechanics working at the site of the work. Such records shall contain the name, address, and social security number of each such worker, his or her correct classification, hourly rates of wages paid (including rates of contributions or costs anticipated for bona fide fringe benefits or cash equivalents thereof of the types described in Section I(b)(2)(B) of the Davis-bacon Act), daily and weekly number of hours worked, deductions made and actual wages paid. Whenever the Secretary of Labor has found under 29 CFR 5.5 (a)(1)(iv) that the wages of any laborer or mechanic include the amount of any costs reasonably anticipated in providing benefits under a plan or program described in Section I(b)(2)(B) of the Davis-Bacon Act, the contractor shall maintain records which show that the commitment to provide such benefits is enforceable, that the plan or program is financially responsible, and that the plan or program has been communicated in writing to the laborers or mechanics affected, and records which show the costs anticipated or the actual cost incurred in providing such benefits. Contractors employing apprentices or trainees under approved programs shall maintain written evidence of the registration of apprenticeship programs and certification of trainee programs, the registration of the apprentices and trainees, and the ratios and wage rates prescribed in the applicable programs. (Approved by the Office of Management and Budget under OMB Control Numbers 1215-0140 and 1215-0017.)
- (ii) (a) The contractor shall submit weekly for each week in which any contract work is performed a copy of all payrolls to HUD or its designee if the agency is a party to the contract, but if the agency is not such a party, the contractor will submit the payrolls to the applicant sponsor, or owner, as the case may be, for transmission to HUD or its designee. The payrolls submitted shall set out accurately and completely all of the information required to be maintained under 29 CFR 5.5(a)(3)(i). This information may be submitted in any form desired. Optional Form WH-347 is available for this purpose and may be purchased from the Superintendent of Documents (Federal Stock Number 029-005-00014-1), U.S. Government Printing Office, Washington, DC 20402. The prime contractor is responsible for the submission of copies of payrolls by all subcontractors. (Approved by the Office of Management and Budget under OMB Control Number 1215-0149.)
- **(b)** Each payroll submitted shall be accompanied by a "Statement of Compliance," signed by the contractor or subcontractor or his or her agent who pays or supervises the payment of the persons employed under the contract and shall certify the following:
- (1) That the payroll for the payroll period contains the information required to be maintained under 29 CFR 5.5 (a)(3)(i) and that such information is correct and complete;
- (2) That each laborer or mechanic (including each helper, apprentice, and trainee) employed on the contract during the payroll

- period has been paid the full weekly wages earned, without rebate, either directly or indirectly, and that no deductions have been made either directly or indirectly from the full wages earned, other than permissible deductions as set forth in 29 CFR Part 3;
- (3) That each laborer or mechanic has been paid not less than the applicable wage rates and fringe benefits or cash equivalents for the classification of work performed, as specified in the applicable wage determination incorporated into the contract.
- (c) The weekly submission of a properly executed certification set forth on the reverse side of Optional Form WH-347 shall satisfy the requirement for submission of the "Statement of Compliance" required by subparagraph A.3.(ii)(b).
- (d) The falsification of any of the above certifications may subject the contractor or subcontractor to civil or criminal prosecution under Section 1001 of Title 18 and Section 231 of Title 31 of the United States Code.
- (iii) The contractor or subcontractor shall make the records required under subparagraph A.3.(i) available for inspection, copying, or transcription by authorized representatives of HUD or its designee or the Department of Labor, and shall permit such representatives to interview employees during working hours on the job. If the contractor or subcontractor fails to submit the required records or to make them available, HUD or its designee may, after written notice to the contractor, sponsor, applicant or owner, take such action as may be necessary to cause the suspension of any further payment, advance, or guarantee of funds. Furthermore, failure to submit the required records upon request or to make such records available may be grounds for debarment action pursuant to 29 CFR 5.12.

#### 4. Apprentices and Trainees.

(i) Apprentices. Apprentices will be permitted to work at less than the predetermined rate for the work they performed when they are employed pursuant to and individually registered in a bona fide apprenticeship program registered with the U.S. Department of Labor, Employment and Training Administration, Office of Apprenticeship Training, Employer and Labor Services, or with a State Apprenticeship Agency recognized by the Office, or if a person is employed in his or her first 90 days of probationary employment as an apprentice in such an apprenticeship program, who is not individually registered in the program, but who has been certified by the Office of Apprenticeship Training, Employer and Labor Services or a State Apprenticeship Agency (where appropriate) to be eligible for probationary employment as an apprentice. The allowable ratio of apprentices to journeymen on the job site in any craft classification shall not be greater than the ratio permitted to the contractor as to the entire work force under the registered program. Any worker listed on a payroll at an apprentice wage rate, who is not registered or otherwise employed as stated above, shall be paid not less than the applicable wage rate on the wage determination for the classification of work actually performed. In addition, any apprentice performing work on the job site in excess of the ratio permitted under the registered program shall be paid not less than the applicable wage rate on the wage determination for the work actually performed. Where a contractor is performing construction on a project in a locality other than that in which its program is registered, the ratios and wage rates (expressed in percentages of the journeyman's hourly rate) specified in the contractor's or subcontractor's registered program shall be observed. Every apprentice must be paid at not less than the rate specified in the registered program for the apprentice's level of progress, expressed as a percentage of the journeymen hourly rate specified in the applicable wage determination. Apprentices shall be paid fringe benefits in accordance with the provisions of the apprenticeship program. If the apprenticeship program does not specify fringe benefits, apprentices must be paid the full amount of fringe benefits listed on the wage determination for the applicable classification. If the Administrator determines that a different practice prevails for the applicable apprentice classification, fringes shall be paid in accordance with that determination. In the event the Office of Apprenticeship Training, Employer and Labor Services, or a State Apprenticeship Agency recognized by the Office, withdraws approval of an apprenticeship program, the contractor will no longer be permitted to utilize apprentices at less than the applicable predetermined rate for the work performed until an acceptable program is approved.

- (ii) Trainees. Except as provided in 29 CFR 5.16, trainees will not be permitted to work at less than the predetermined rate for the work performed unless they are employed pursuant to and individually registered in a program which has received prior approval, evidenced by formal certification by the U.S. Department of Labor, Employment and Training Administration. The ratio of trainees to journeymen on the job site shall not be greater than permitted under the plan approved by the Employment and Training Administration. Every trainee must be paid at not less than the rate specified in the approved program for the trainee's level of progress, expressed as a percentage of the journeyman hourly rate specified in the applicable wage determination. Trainees shall be paid fringe benefits in accordance with the provisions of the trainee program. If the trainee program does not mention fringe benefits, trainees shall be paid the full amount of fringe benefits listed on the wage determination unless the Administrator of the Wage and Hour Division determines that there is an apprenticeship program associated with the corresponding journeyman wage rate on the wage determination which provides for less than full fringe benefits for apprentices. Any employee listed on the payroll at a trainee rate who is not registered and participating in a training plan approved by the Employment and Training Administration shall be paid not less than the applicable wage rate on the wage determination for the work actually performed. In addition, any trainee performing work on the job site in excess of the ratio permitted under the registered program shall be paid not less than the applicable wage rate on the wage determination for the work actually performed. In the event the Employment and Training Administration withdraws approval of a training program, the contractor will no longer be permitted to utilize trainees at less than the applicable predetermined rate for the work performed until an acceptable program is approved.
- (iii) Equal employment opportunity. The utilization of apprentices, trainees and journeymen under 29 CFR Part 5 shall be in conformity with the equal employment opportunity requirements of Executive Order 11246, as amended, and 29 CFR Part 30.
- **5. Compliance with Copeland Act requirements.** The contractor shall comply with the requirements of 29 CFR Part 3 which are incorporated by reference in this contract
- **6. Subcontracts.** The contractor or subcontractor will insert in any subcontracts the clauses contained in subparagraphs 1 through 11 of this paragraph A and such other clauses as HUD or its designee may by appropriate instructions require, and a copy of the applicable prevailing wage decision, and also a clause requiring the subcontractors to include these clauses in any lower tier subcontracts. The prime contractor shall be responsible for the compliance by any subcontractor or lower tier subcontractor with all the contract clauses in this paragraph.

- **7. Contract termination; debarment.** A breach of the contract clauses in 29 CFR 5.5 may be grounds for termination of the contract and for debarment as a contractor and a subcontractor as provided in 29 CFR 5.12.
- **8.** Compliance with Davis-Bacon and Related Act Requirements. All rulings and interpretations of the Davis-Bacon and Related Acts contained in 29 CFR Parts 1, 3, and 5 are herein incorporated by reference in this contract
- **9. Disputes concerning labor standards.** Disputes arising out of the labor standards provisions of this contract shall not be subject to the general disputes clause of this contract. Such disputes shall be resolved in accordance with the procedures of the Department of Labor set forth in 29 CFR Parts 5, 6, and 7. Disputes within the meaning of this clause include disputes between the contractor (or any of its subcontractors) and HUD or its designee, the U.S. Department of Labor, or the employees or their representatives.
- 10. (i) Certification of Eligibility. By entering into this contract the contractor certifies that neither it (nor he or she) nor any person or firm who has an interest in the contractor's firm is a person or firm ineligible to be awarded Government contracts by virtue of Section 3(a) of the Davis-Bacon Act or 29 CFR 5.12(a)(1) or to be awarded HUD contracts or participate in HUD programs pursuant to 24 CFR Part 24.
- (ii) No part of this contract shall be subcontracted to any person or firm ineligible for award of a Government contract by virtue of Section 3(a) of the Davis-Bacon Act or 29 CFR 5.12(a)(1) or to be awarded HUD contracts or participate in HUD programs pursuant to 24 CFR Part 24.
- (iii) The penalty for making false statements is prescribed in the U.S. Criminal Code, 18 U.S.C. 1001. Additionally, U.S. Criminal Code, Section 1 01 0, Title 18, U.S.C., "Federal Housing Administration transactions", provides in part: "Whoever, for the purpose of . . . influencing in any way the action of such Administration..... makes, utters or publishes any statement knowing the same to be false..... shall be fined not more than \$5,000 or imprisoned not more than two years, or both."
- 11. Complaints, Proceedings, or Testimony by Employees. No laborer or mechanic to whom the wage, salary, or other labor standards provisions of this Contract are applicable shall be discharged or in any other manner discriminated against by the Contractor or any subcontractor because such employee has filed any complaint or instituted or caused to be instituted any proceeding or has testified or is about to testify in any proceeding under or relating to the labor standards applicable under this Contract to his employer.
- **B.** Contract Work Hours and Safety Standards Act. The provisions of this paragraph B are applicable only where the amount of the prime contract exceeds \$100,000. As used in this paragraph, the terms "laborers" and "mechanics" include watchmen and guards.
- (1) Overtime requirements. No contractor or subcontractor contracting for any part of the contract work which may require or involve the employment of laborers or mechanics shall require or permit any such laborer or mechanic in any workweek in which he or she is employed on such work to work in excess of 40 hours in such workweek unless such laborer or mechanic receives compensation at a rate not less than one and one-half times the basic rate of pay for all hours worked in excess of 40 hours in such workweek.
- (2) Violation; liability for unpaid wages; liquidated damages. In the event of any violation of the clause set forth in subpara-

- graph (1) of this paragraph, the contractor and any subcontractor responsible therefor shall be liable for the unpaid wages. In addition, such contractor and subcontractor shall be liable to the United States (in the case of work done under contract for the District of Columbia or a territory, to such District or to such territory), for liquidated damages. Such liquidated damages shall be computed with respect to each individual laborer or mechanic, including watchmen and guards, employed in violation of the clause set forth in subparagraph (1) of this paragraph, in the sum of \$10 for each calendar day on which such individual was required or permitted to work in excess of the standard workweek of 40 hours without payment of the overtime wages required by the clause set forth in sub paragraph (1) of this paragraph.
- (3) Withholding for unpaid wages and liquidated damages. HUD or its designee shall upon its own action or upon written request of an authorized representative of the Department of Labor withhold or cause to be withheld, from any moneys payable on account of work performed by the contractor or subcontractor under any such contract or any other Federal contract with the same prime contract, or any other Federally-assisted contract subject to the Contract Work Hours and Safety Standards Act which is held by the same prime contractor such sums as may be determined to be necessary to satisfy any liabilities of such contractor or subcontractor for unpaid wages and liquidated damages as provided in the clause set forth in subparagraph (2) of this paragraph.
- (4) Subcontracts. The contractor or subcontractor shall insert in any subcontracts the clauses set forth in subparagraph (1) through (4) of this paragraph and also a clause requiring the subcontractors to include these clauses in any lower tier subcontracts. The prime contractor shall be responsible for compliance by any subcontractor or lower tier subcontractor with the clauses set forth in subparagraphs (1) through (4) of this paragraph.
- **C.** Health and Safety. The provisions of this paragraph C are applicable only where the amount of the prime contract exceeds \$100,000.
- (1) No laborer or mechanic shall be required to work in surroundings or under working conditions which are unsanitary, hazardous, or dangerous to his health and safety as determined under construction safety and health standards promulgated by the Secretary of Labor by regulation.
- (2) The Contractor shall comply with all regulations issued by the Secretary of Labor pursuant to Title 29 Part 1926 and failure to comply may result in imposition of sanctions pursuant to the Contract Work Hours and Safety Standards Act, 40 USC 3701 et seq.
- (3) The Contractor shall include the provisions of this paragraph in every subcontract so that such provisions will be binding on each subcontractor. The Contractor shall take such action with respect to any subcontract as the Secretary of Housing and Urban Development or the Secretary of Labor shall direct as a means of enforcing such provisions.

# EQUAL OPPORTUNITY CLAUSE (EXECUTIVE ORDER 11246)

"During the performance of this contract, the contractor agrees as follows:

- "(1) The contractor will not discriminate against any employee or applicant for Employment because of race, creed, color, or national origin. The contractor will take affirmative action to ensure that applicants are employed, and that employees are treated during employment, without regard to their race, creed, color, or national origin. Such action shall include, but not be limited to the following: employment, upgrading, demotion, or transfer; recruitment or recruitment advertising; layoff or termination; rates of pay or other forms of compensation; and selection for training, including apprenticeship. The contractor agrees to post in conspicuous places, available to employees and applicants for employment, notices to be provided by the contracting officer setting forth the provisions of this nondiscrimination clause.
- "(2) The contractor will, in all solicitations or advertisements for employees placed by or on behalf of the contractor, state that all qualified applicants will receive consideration for employment without regard to race, creed, color, or national origin.
- "(3) The contractor will send to each labor union or representative of workers with which he has a collective bargaining agreement or other contract or understanding, a notice, to be provided by the agency contracting officer, advising the labor union or workers' representative of the contractor's commitments under Section 202 of Executive Order No. 11246 of September 24, 1965, and shall post copies of the notice in conspicuous places available to employees and applicants for employment.
- "(4) The contractor will comply with all provisions of Executive Order No. 11246 of Sept. 24, 1965, and of the rules, regulations, and relevant orders of the Secretary of Labor.
- "(5) The contractor will furnish all information and reports required by Executive Order No. 11246 of September 24, 1965, and by the rules, regulations, and orders of the Secretary of Labor, or pursuant thereto, and will permit access to his books, records, and accounts by the contracting agency and the Secretary of Labor for purposes of investigation to ascertain compliance with such rules, regulations, and orders.
- "(6) In the event of the contractor's noncompliance with the nondiscrimination clauses of this contract or with any of such rules, regulations, or orders, this contract may be cancelled, terminated or suspended in whole or in part and the contractor may be declared ineligible for further Government contracts in accordance with procedures authorized in Executive Order No. 11246 of Sept 24, 1965, and such other sanctions may be imposed and remedies invoked as provided in Executive Order No. 11246 of September 24, 1965, or by rule, regulation, or order of the Secretary of Labor, or as otherwise provided by law.
- "(7) The contractor will include the provisions of Paragraphs (1) through (7) in every subcontract or purchase order unless exempted by rules, regulations, or orders of the Secretary of Labor issued pursuant to Section 204 of Executive Order No. 11246 of Sept. 24, 1965, so that such provisions will be binding upon each subcontractor or vendor. The contractor will take such action with respect to any subcontract or purchase order as the contracting agency may direct as a means of enforcing such provisions including sanctions for noncompliance: Provided, however, That in the event the contractor becomes involved in, or is threatened with, litigation with a subcontractor or vendor as a result of such direction by the contracting agency, the contractor may request the United States to enter into such litigation to protect the interests of the United States."

#### GENSESEE COUNTY POLICIES PREVAILING WAGE POLICY

- 1. Every contract executed with the County of Genesee or with a contracting agent must contain express terms as follows:
- a. That the rates of wages and fringe benefits to be paid to each class of construction mechanics by the contractor and all of his subcontractors, on the project which is the subject of the contract, shall not be less than the wage and fringe benefits currently prevailing in the County of Genesee.
- b. That the contractor and all of his subcontractors shall not discriminate against any employee or applicant for employment with respect to hire, tenure, terms, conditions, or privileges of employment because of race, color, religion, national origin, ancestry, sex, or age.
- 2. Each contracting agent, before awarding any contract, shall determine the schedule of prevailing wages and fringe benefits for all classes of construction mechanics called for in the contract. Such wages and fringe benefits shall be those prevailing in the County of Genesee, on projects of a character similar to that being contracted, under collective agreements or understandings between bona fide organizations or construction mechanics and their employers. Such agreements and understandings, to meet the requirements of this section, shall not be controlled in any way by either an employee or employer organization. Such schedule of prevailing rates or wages and fringe benefits shall be made a part of the specifications for the work to be performed. Such schedule may be the minimum wage and fringe benefit scale for Genesee County compiled and published by the Building and Construction Trades Department of the AFL-CIO.
- 3. Every contractor shall keep posted on the construction site, in a conspicuous place, a copy of all prevailing wage and fringe benefit rates prescribed in the contract and shall keep an accurate record showing the names and occupation of, and actual wages and benefits paid to, each construction mechanic employed by him in connection with said contract.
- 4. If the contractor or subcontractor is in default in the performance of the covenants set forth in paragraph 1 above, the contracting agent shall proceed to enforce said covenants, and upon the failure of the contractor or subcontractor to abide by said covenants, the contracting agent shall proceed with its remedies as provided by state and federal law.
- 5. Any interested party may challenge the performance of the contractor or subcontractor of the covenants of paragraph 2 above by filing a written complaint with the contracting agent. The contracting agent shall then conduct an investigation, which may include a public hearing, to determine whether it will proceed as provided in paragraph 4 above.
- 6. As used herein,
- a. "Contracting agent" means any officer, board, commission, or organization which receives directly or indirectly monies or properties from or on behalf of the County of Genesee, including without limitation a lessee or sub-lessee of land owned by Genesee County.

- b. "Contract" means any agreement, as a result of competitive Proposals or otherwise, for new construction, alteration, repair, installation, painting, decorating, completion, demolition, conditioning, reconditioning, or improvement of public buildings, works, bridges, highways or roads, which is to be performed in Genesee County and either on County of Genesee property or financed by or through the County of Genesee.
- c. "Construction mechanic" means any skilled or unskilled mechanic, laborer, worker, helper, assistant, apprentice or driver, but shall not include executive, administrative, professional, office, or custodial employees, and shall not include Genesee County employees who are working pursuant to a collective bargaining agreement between said County and a bona fide labor organization.
- 7. Contracts which contain provisions requiring the payment of prevailing wages as determined by the United States Secretary of Labor pursuant to the Federal Davis-Bacon Act (United States Code, title 40, section 276a et seq.) or which contain provisions requiring the payment of prevailing wages as determined by the Department of Labor pursuant to P.A. 166 of 1965, as amended, MCL 408.551 et seq., or which contain minimum wage schedules which are the same as prevailing wages in the locality as determined by collective bargaining agreements or understandings between bona fide organizations or construction mechanics and their employers, are exempt from the provisions of this resolution.
- 8. Any lease of property owned by Genesee County shall include a provision that new construction, alteration, repair, installation, painting, decorating, completion, demolition, conditioning, reconditioning, or improvement of buildings, works, bridges, highways, or roads on such property shall be considered work on public buildings, works, bridges, highways, or roads, within the meaning or provision 6(b) of this resolution and that the lessee or any sub-lessee will be bound by the provisions of this resolution.
- 9. It is the intent of this Board of Commissioners that every contracting agent shall adopt the preceding paragraphs of this resolution.
- 10. The Genesee County Purchasing Agent, the Genesee County Controller, and the Genesee County Chief Engineer, are hereby directed to effectuate this resolution, on behalf of this Board, within their respective spheres of responsibility.
- 11. The Genesee County Clerk is hereby directed to forward to each Genesee County board, commission, elected official, agency, and department, a copy of this resolution and a notation of the adoption of same.
- 12. The previous resolution of this Board concerning payment of prevailing wages, as adopted on June 23, 1969, and as set forth as pages 337 through 339 of the compiled 1969 Proceedings of this Board, is hereby rescinded."

### **2015 Prevailing Wage Rates for State Funded Projects**

# For Informational Purposes Only Not For Use In Contract

### **Genesee County**

#### Page 1 of 24

Name Description			Straight Hourly	Time and a Half	Double Time	Overtime Provision
Asbestos & Lead Abatemen	t Laborer					
Asbestos & Lead Abatement 4 ten hour days @ straight tim Saturday, must be consecutiv	ne allowed Monday-	MLDC	\$40.25	\$53.64	\$67.03	нннхххх
Asbestos & Lead Abatemen	t, Hazardous Material H	andler				
Asbestos and Lead Abatemer Handler	nt, Hazardous Material	AS207	\$40.25	\$53.58	\$66.90	HHHXXXX
4 ten hour days @ straight tim Saturday, must be consecutiv						
Boilermaker						
Boilermaker		BO169	\$54.70	\$81.08	\$107.45	HHHHHHD
	Apprentic	ce Rates:				
	Apprention  1st 6 mon		\$40.31	\$59.49	\$78.67	
		iths	\$40.31 \$41.45	\$59.49 \$61.21	\$78.67 \$80.95	
	1st 6 mon	nths				
	1st 6 mon 2nd 6 mor	nths nths	\$41.45	\$61.21	\$80.95	
	1st 6 mon 2nd 6 mon 3rd 6 mon	nths nths nths	\$41.45 \$42.57	\$61.21 \$62.88	\$80.95 \$83.19	
	1st 6 mon 2nd 6 mon 3rd 6 mon 4th 6 mon	nths nths nths nths	\$41.45 \$42.57 \$43.69	\$61.21 \$62.88 \$64.57	\$80.95 \$83.19 \$85.43	
	1st 6 mon 2nd 6 mon 3rd 6 mon 4th 6 mon 5th 6 mon	nths nths nths nths nths nths	\$41.45 \$42.57 \$43.69 \$44.81	\$61.21 \$62.88 \$64.57 \$66.24	\$80.95 \$83.19 \$85.43 \$87.67	

For Informational Purposes Only Not For Use In Contract

County: Genesee

#### Page 2 of 24

Classification Name Description		Straight Hourly	Time and a Half	Double Time	Overtime Provision
Bricklayer					
Brick, Block, Stone, Artificial Masonry, Mark and Pointing Cleaning and Caulking Make up day allowed Comment 4 10s allowed M-F	ole Masonry, BR9-12-BL ; Saturday make up day	\$48.04	\$62.87	\$77.70	ннннннрү
	Apprentice Rates:				
0 - 749 hours		\$36.18	\$45.08	\$53.98	
	750 - 1,499 hours	\$37.66	\$47.30	\$56.94	
	1,500 - 2,249 hours	\$39.14	\$49.52	\$59.90	
	2,250 - 2,999 hours	\$40.62	\$51.74	\$62.86	
	3,000 - 3,749 hours	\$42.11	\$53.98	\$65.84	
	3,750 - 4,499 hours	\$43.59	\$56.20	\$68.80	
	4,500 - 5,249 hours	\$45.07	\$58.42	\$71.76	
	5,250 - 6,000 hours	\$46.56	\$60.65	\$74.74	
Carpenter					
Carpet and Resilient Floor Layer, (does not installation of prefabricated formica & parqu which is to be paid carpenter rate)		\$49.21	\$70.18	\$91.14	X X H X X X X D Y
	Apprentice Rates:				
	1st 6 months	\$24.23	\$32.71	\$41.18	
	2nd 6 months	\$28.25	\$38.73	\$49.22	
	3rd 6 months	\$30.35	\$41.88	\$53.42	
	4th 6 months	\$32.44	\$45.02	\$57.60	
	5th 6 months	\$34.54	\$48.17	\$61.80	
	6th 6 months	\$36.63	\$51.31	\$65.98	
	7th 6 months	\$38.74	\$54.48	\$70.20	
	8th 6 months	\$40.82	\$57.59	\$74.36	
Carpenter, Acoustical Ceiling Tile Erector,	Piledriver CA706F	\$42.97	\$55.13	\$67.29	ХХНННННОМ
	Apprentice Rates:				
	1st year	\$33.24	\$40.53	\$47.83	
	2nd year	\$35.67	\$44.18	\$52.69	
	3rd year	\$36.89	\$46.01	\$55.13	
	4th year	\$39.32	\$49.65	\$59.99	

For Informational Purposes Only Not For Use In Contract

County: Genesee

#### Page 3 of 24

<u>Classification</u> Name Description		Straight Hourly	Time and a Half	Double Time	Overtime Provision
Cement Finisher					
Cement Finisher - 4 10s allowed M-F	BR9-12-CF	\$42.56	\$55.96	\$69.35	XXHXXXHD
	Apprentice Rates:				
	0-749 hours	\$33.18	\$41.89	\$50.59	
	750-1499 hours	\$34.52	\$43.89	\$53.27	
	1500-2249 hours	\$35.86	\$45.91	\$55.95	
	2250-2999 hours	\$37.20	\$47.91	\$58.63	
	3000-3749 hours	\$38.54	\$49.93	\$61.31	
	3750-4499 hours	\$39.88	\$51.93	\$63.99	
Cement Mason					
Cement Mason	PL16-6	\$38.46	\$51.25	\$64.04	ннннннр
Saturday inclement weather make up day hours for inclement weather make up sha straight rate unless over 40 hours worked.  Make up day allowed Comment	all be paid				
Finday of Saturd	Apprentice Rates:				
	1st year	\$29.51	\$37.82	\$46.14	
	2nd year	\$32.06	\$41.65	\$51.24	
	3rd year	\$34.62	\$45.49	\$56.36	
Drywall	,				
Finisher-hand finishing	PT-1052-DF	\$36.27	\$48.83	\$61.39	X X H X X X H D
The regular weekly work schedule may conconsecutive days, Monday thru Saturday may be scheduled for work missed conclement weather.	onsist of 4 10s day. A make-up				
Make up day allowed					
	Apprentice Rates:				
	1st year	\$23.71	\$29.99	\$36.27	
	2nd year, 1st 6 months	\$26.22	\$33.75	\$41.29	
	2nd year, 2nd 6 months	\$28.73	\$37.52	\$46.31	
		\$31.25	\$41.30	\$51.35	
	3rd year, 1st 6 months	ψ31.23	Ψ+1.50	ψο1.00	

For Informational Purposes Only Not For Use In Contract

County: Genesee

#### Page 4 of 24

<u>Classification</u> Name Description			Straight Hourly	Time and a Half	Double Time	Overtime Provision
Electrician						
Lineman/Technician outside utility and command high voltage pipe type cable work and e underground.		EC-876	\$47.05	\$68.11	\$89.17	ннннннрү
Four 10s allowed Monday-Thursday with Frior Tuesday-Friday with Monday makeup.	day makeup					
	Apprentice F	Rates:				
	1st period		\$30.20	\$42.69	\$55.26	
	2nd period		\$32.32	\$46.02	\$59.70	
	3rd period		\$34.42	\$49.16	\$63.90	
	4th period		\$36.53	\$52.33	\$68.12	
	5th period		\$38.63	\$55.47	\$72.32	
	6th period		\$40.74	\$58.64	\$76.54	
	7th period		\$42.84	\$61.79	\$80.74	
Inside Wireman 4 10s allowed as consecutive days, M-Th or	T-F	EC-948-IW	\$54.09	\$77.49	\$100.89	H H H H H H D Y
	Apprentice F	Rates:				
	1st period		\$17.86	\$24.02	\$30.17	
	2nd period		\$19.92	\$27.10	\$34.29	
	3rd period		\$21.97	\$30.18	\$38.39	
	4th period		\$26.07	\$36.33	\$46.59	
	5th period		\$30.18	\$42.50	\$54.81	
	6th period		\$34.28	\$48.65	\$63.01	
Sound and Communication Installer/Technic Four 10s may be worked Monday-Thursday Friday.		EC-948-SC	\$39.81	\$56.16	\$72.51	нннннннрү
	Apprentice F	Rates:				
	1st year		\$13.23	\$18.80	\$24.36	
	2nd year		\$16.02	\$22.99	\$29.94	
	3rd year		\$19.34	\$28.09	\$36.83	
	4th year		\$22.25	\$32.45	\$42.65	

For Informational Purposes Only Not For Use In Contract

County: Genesee

#### Page 5 of 24

<u>Classification</u> Name Description		Straight Hourly	Time and a Half	Double Time	Overtime Provision
Elevator Constructor					
Elevator Constructor Mechanic	EL-85	\$70.77	5	\$116.32	D D D D D D D
Comment 4 tens allowed	M-TH				
	Apprentice Rates:				
	1st year	\$50.27		\$75.32	
	2nd year	\$54.83		\$84.44	
	3rd year	\$57.10		\$88.98	
	4th year	\$61.66		\$98.10	
Glazier					
Glazier 4 tens allowed on consecutive days	GL-826	\$43.53	\$58.26	\$72.98	нннннн
	Apprentice Rates:				
	1st 6 months	\$31.04	\$39.87	\$48.71	
	2nd 6 months	\$32.60	\$42.17	\$51.74	
	3rd 6 months	\$34.17	\$44.48	\$54.79	
	4th 6 months	\$35.73	\$46.78	\$57.82	
	5th 6 months	\$37.28	\$49.06	\$60.84	
	6th 6 months	\$38.84	\$51.35	\$63.87	
	7th 6 months	\$40.40	\$53.65	\$66.90	
	8th 6 months	\$41.97	\$55.96	\$69.95	
Heat and Frost Insulator					
Spray Insulation	AS25S	\$20.14	\$29.14		ннннннн

For Informational Purposes Only Not For Use In Contract

County: Statewide

#### Page 6 of 24

<u>Classification</u> Name Description			Straight Hourly	Time and a Half	Double Time	Overtime Provision
Heat and Frost Insulator and A	sbestos Worker					
Heat and Frost Insulator and Ask 4 ten hour work days shall be eitl Thursday or Tuesday thru Friday	ner Monday thru	AS47	\$44.40	\$58.76	\$73.12	ннннннрү
Make up day allowed Comme Friday fo	nt or missed time during M-	Th 4 ten schedule				
	Apprentice					
	1st year		\$25.78	\$32.96	\$40.14	
	2nd year		\$29.50	\$38.11	\$46.73	
	3rd year		\$33.22	\$43.27	\$53.32	
	4th year		\$36.95	\$48.44	\$59.93	
	5th year		\$40.68	\$53.61	\$66.53	
Ironworker						
Fence, Sound Barrier & Guardra Exterior Signage work Four ten hour work days may be Saturday.			\$34.65	\$46.65	\$58.65	X X H X X X H D Y
	Apprentice	Rates:				
	60% Level		\$24.25	\$31.45	\$38.65	
	65% Level		\$25.55	\$33.35	\$41.15	
	70% Level		\$26.86	\$35.26	\$43.66	
	75% Level		\$28.15	\$37.15	\$46.15	
	80% Level		\$29.45	\$39.05	\$48.65	
	85% Level		\$30.75	\$40.95	\$51.15	
Siding, Glazing, Curtain Wall 4 tens may be worked Monday th time.		IR-25-GZ2	\$46.41	\$58.07	\$69.73	XXHHHHDDY
Make up day allowed Comme Friday	nt					
	Apprentice	Rates:				
	Level 1		\$29.48	\$36.09	\$42.68	
	Level 2		\$31.59	\$38.83	\$46.05	
	Level 3		\$33.71	\$41.58	\$49.44	
	Level 4		\$35.83	\$44.33	\$52.82	
	Level 5		\$37.94	\$47.07	\$56.20	
	Level 6		\$40.06	\$49.82	\$59.58	

For Informational Purposes Only Not For Use In Contract

County: Genesee

#### Page 7 of 24

<u>Classification</u> Name Description		Straight Hourly	Time and a Half	I Double Time	Overtime Provision
Pre-engineered Metal Work	IR-25-PE-Z1	\$45.24	\$55.53	\$65.81	X X H X X X X D
Make up day allowed Comment					
4 tens allowe	d M-Th with Saturday make up day				
	Apprentice Rates:				
	1st Year	\$26.11	\$31.58	\$37.06	
	3rd 6 month period	\$28.23	\$34.46	\$40.68	
	4th 6 month period	\$30.36	\$37.35	\$44.33	
	5th 6 month period	\$32.48	\$40.21	\$47.95	
	6th 6 month period	\$34.61	\$43.99	\$53.37	
Reinforced Iron Work	IR-25-RF	\$55.36	\$82.91	\$110.45	HHDHDDD
Make up day allowed					
	Apprentice Rates:				
	Level 1	\$36.01	\$53.89	\$71.75	
	Level 2	\$38.38	\$57.43	\$76.49	
	Level 3	\$40.74	\$60.98	\$81.21	
	Level 4	\$43.28	\$64.78	\$86.29	
	Level 5	\$45.81	\$68.59	\$91.35	
	Level 6	\$48.35	\$72.39	\$96.43	
Rigging Work	IR-25-RIG	\$61.33	\$91.67	\$122.00	нннннн
	Apprentice Rates:				
	Level 1& 2	\$36.63	\$54.59	\$72.55	
	Level 3	\$39.46	\$58.84	\$78.21	
	Level 4	\$42.28	\$63.07	\$83.85	
	Level 5	\$45.11	\$67.31	\$89.51	
	Level 6	\$47.94	\$71.56	\$95.17	
Decking 4 tens may be worked Monday thru Th	IR-25-SD	\$53.29	\$79.63	\$105.96	ХХННННОС

4 tens may be worked Monday thru Thursday @ straight time. If bad weather, Friday may be a make up day. If holiday celebrated on a Monday, 4 10s may be worked Tuesday thru Friday. Work in excess of 12 hours per day must be paid @ double time.

Make up day allowed Comment

Friday for 4 tens M-Th Saturday for 5 eights M-F

For Informational Purposes Only Not For Use In Contract

County: Genesee

#### Page 8 of 24

Classification Name Description		Straight Hourly	Time and a Half	Double Time	Overtime Provision
Structural, ornamental, welder and pre-cast 4 tens may be worked Monday thru Thursda time. If bad weather, Friday may be a make holiday celebrated on a Monday, 4 10s may Tuesday thru Friday. Work in excess of 12 must be paid @ double time.	up day. If be worked	\$61.46	\$91.84	\$122.21	ннннннооү
Make up day allowed					
	Apprentice Rates:				
	Levels 1 & 2	\$36.05	\$54.01	\$71.97	
	Level 3	\$38.88	\$58.26	\$77.63	
	Level 4	\$41.70	\$62.49	\$83.27	
	Level 5	\$44.53	\$66.73	\$88.93	
	Level 6	\$47.36	\$70.98	\$94.59	
	Level 7	\$50.18	\$75.20	\$100.23	
	Level 8	\$53.01	\$79.46	\$105.89	
Industrial Door erection & construction	IR-25-STR-D	\$42.02	\$62.68	\$83.33	HHHHHDDY

Make up day allowed Comment

Friday for bad weather when 4 tens scheduled for M-Th. If holiday celebrated on M, 4 tens may be worked T-F. Work in excess of 12 hours per day must be paid @ double time.

For Informational Purposes Only Not For Use In Contract

County: Genesee

#### Page 9 of 24

<u>Classification</u> Name Description		Straight Hourly	Time and a Half	Double Time	Overtime Provision
Laborer					
Carpenter tender, mason tender, cement finisher tender, plasterer tender, signal man & top man (sewer work), watchman, tunnel mucker, jackhammer & air spade operator, tunnel man (concrete shoveler, car pusher) bottom man (sewer work), windlass operator (caisson work), demolition laborer, morter mixer, air, electric, gas tool operator, pump operator (all 3" pumps and below), air & electric bush hammers, concrete gas buggy, concrete saw operator, crock and pipe layers (conduit & vitrified tile, except 4" drain tile around buildings), & Caisson work inside building.  Cleaning and clearing of all debris, including wire brushing of windows, scraping of floors, removal of surplus material from all fixtures within confines of structure and cleaning all debris in building and construction area. The general cleanup, including sweeping, cleaning, washdown and wiping of construction facility, equipment and furnishings and removal and loading or burning of all debris including crates, boxes, packaging waste material. Washing and cleaning of walls, partitions, ceilings, windows, bathrooms, kitchens, laboratory, and all fixtures and facilities therein. Cleanup, mopping, washing, waxing and polishing or dusting of all floors or areas.		\$35.24	\$46.44	\$57.64	XXHHHHHDY
A four-ten workweek may be worked Monday thru Thursday or Tuesday thru Friday.					
Make up day allowed Comment					
Saturday					
Apprentice I	Rates:				
0-1,000 work	hours	\$29.64	\$38.04	\$46.44	
1,001-2,000	work hours	\$30.76	\$39.72	\$48.68	
2,001-3,000	work hours	\$31.88	\$41.40	\$50.92	
3,001-4,000	work hours	\$34.12	\$44.76	\$55.40	

For Informational Purposes Only Not For Use In Contract

County: Genesee

#### Page 10 of 24

	ification			•	Time and	Double	
Name	Description			Hourly	a Half	Time	Overtime Provision
Laborer -	Hazardous						
preparation removal, substance equipment laborer per handling,	aborer - performing work in conjurt on and other preliminary work prior handling, or containment of hazard es not requiring use of personal protect it required by state or federal regul erforming work in conjunction with or containment of hazardous wast of personal protective equipment	to actual dous waste otective lations; or a the removal, e substances	LHAZ-Z7-A	\$35.24	\$49.96	\$64.68	ннннннрү
Make u	o day allowed Comment						
	4 10s allowed M-Tr		nent weather makeup day F	riday			
		Apprentice R	Rates:				
		0-1,000 work	hours	\$29.64	\$41.56	\$53.48	
		1,001-2,000 v	work hours	\$30.76	\$43.24	\$55.72	
		2,001-3,000 v	work hours	\$31.88	\$44.92	\$57.96	
		3,001-4,000 v	work hours	\$34.12	\$48.28	\$62.44	
removal, substance equipmer	aborer - performing work in conjur handling, or containment of hazard es when the use of personal protec it levels "A", "B" or "C" is required. p day allowed Comment	lous waste	LHAZ-Z7-B	\$36.24	\$51.46	\$66.68	H H H H H H D Y
	4 10s allowed M-Th	n or T-F; inclem	nent weather makeup day F	riday			
		Apprentice F	Rates:				
		0-1,000 work	hours	\$30.39	\$42.68	\$54.98	
		1,001-2,000 v	work hours	\$31.56	\$44.44	\$57.32	
		2,001-3,000 v	work hours	\$32.73	\$46.20	\$59.66	
		3,001-4,000 v	work hours	\$35.07	\$49.70	\$64.34	
Laborer	Jnderground - Tunnel, Shaft & C	aisson					
	Funnel, shaft and caisson laborer, an, hog house tender, testing man n.		LAUCT-Z2-1	\$35.67	\$47.07	\$58.47	X X X X X X X X Y Y
		Apprentice F	Rates:				
		0-1,000 work	hours	\$30.52	\$39.35	\$48.17	
		1,001-2,000 v	work hours	\$31.55	\$40.90	\$50.23	
		2,001-3,000 v		\$32.58	\$42.44	\$52.29	
		3,001-4,000 v		\$34.64	\$45.53	\$56.41	
		,		*			

For Informational Purposes Only Not For Use In Contract

County: Genesee

#### Page 11 of 24

Classification  Name Description			Straight Hourly	Time and a Half	Double Time	Overtime Provision
Class II - Manhole, headwall, catch basin bu bricklayer tender, mortar man, material mixe erector, and guard rail builder		LAUCT-Z2-2	\$35.76	\$47.21	\$58.65	X X X X X X X D Y
	Apprentice	Rates:				
	0-1,000 wor	k hours	\$30.58	\$39.44	\$48.29	
	1,001-2,000	work hours	\$31.62	\$41.00	\$50.37	
	2,001-3,000	work hours	\$32.66	\$42.56	\$52.45	
	3,001-4,000	work hours	\$34.72	\$45.65	\$56.57	
Class III - Air tool operator (jack hammer man hammer man and grinding man), first bottom bottom man, cage tender, car pusher, carrie concrete man, concrete form man, concrete cement invert laborer, cement finisher, conc conveyor man, floor man, gasoline and elect operator, gunnite man, grout operator, welded dinky man, inside lock tender, pea gravel op man, outside lock tender, scaffold man, top switch man, track man, tugger man, utility man, winch operator, pipe jacking man, wag air track operator and concrete saw operator h.p.).	n man, secon r man, repair man, rete shoveler tric tool er, heading verator, pump signal man, ian, vibrator ion drill and	,	\$35.86	\$47.36	\$58.85	X X X X X X D Y
	Apprentice	Rates:				
	0-1,000 wor	k hours	\$30.66	\$39.56	\$48.45	
	1,001-2,000	work hours	\$31.70	\$41.12	\$50.53	
	2,001-3,000	work hours	\$32.74	\$42.68	\$52.61	
	3,001-4,000	work hours	\$34.82	\$45.80	\$56.77	
Class IV - Tunnel, shaft and caisson mucker liner plate man, long haul dinky driver and w			\$36.02	\$47.60	\$59.17	X X X X X X X D Y
	Apprentice	Rates:				
	0-1,000 wor	k hours	\$30.78	\$39.74	\$48.69	
	1,001-2,000	work hours	\$31.83	\$41.32	\$50.79	
	2,001-3,000	work hours	\$32.88	\$42.89	\$52.89	
	3,001-4,000	work hours	\$34.97	\$46.02	\$57.07	

For Informational Purposes Only Not For Use In Contract

County: Genesee

#### Page 12 of 24

<u>Classification</u> Name Description			Straight Hourly	Time and a Half	Double Time	Overtime Provision
Class V - Tunnel, shaft and caisson miner keyboard operator, power knife operator, ror mesh man (e.g. wire mesh, steel mats,	einforced steel	LAUCT-Z2-5	\$36.28	\$47.99	\$59.69	X X X X X X X D Y
	Apprentice	Rates:				
	0-1,000 wor	k hours	\$30.98	\$40.04	\$49.09	
	1,001-2,000	work hours	\$32.04	\$41.63	\$51.21	
	2,001-3,000	work hours	\$33.10	\$43.22	\$53.33	
	3,001-4,000	work hours	\$35.22	\$46.40	\$57.57	
Class VI - Dynamite man and powder mar	l.	LAUCT-Z2-6	\$36.59	\$48.45	\$60.31	X X X X X X X D Y
	Apprentice	Rates:				
	0-1,000 wor	k hours	\$31.21	\$40.38	\$49.55	
	1,001-2,000	work hours	\$32.28	\$41.99	\$51.69	
	2,001-3,000	work hours	\$33.36	\$43.61	\$53.85	
	3,001-4,000	work hours	\$35.51	\$46.84	\$58.15	
Class VII - Restoration laborer, seeding, seplanting, cutting, mulching and topsoil grade restoration of property such as replacing newood chips, planter boxes and flagstones.	ding and the nail boxes,	LAUCT-Z2-7	\$28.86	\$36.86	\$44.85	XXXXXXX
	Apprentice	Rates:				
	0-1,000 wor	k hours	\$25.41	\$31.68	\$37.95	
	1,001-2,000	work hours	\$26.10	\$32.72	\$39.33	
	2,001-3,000	work hours	\$26.79	\$33.76	\$40.71	
	3,001-4,000	work hours	\$28.17	\$35.82	\$43.47	
Landscape Laborer						
Landscape Specialist includes air, gas, an equipment operator, skidsteer (or equivale sprinkler installer on landscaping work who sodding, planting, cutting, trimming, backfi grading or maintenance of landscape projections.	nt), lawn ere seeding, lling, rough	LLAN-Z1-A	\$28.58	\$39.49	\$50.39	X X H X X X H D Y
Sundays paid at time & one half. Holidays time.	paid at double	•				

For Informational Purposes Only Not For Use In Contract

County: Genesee

#### Page 13 of 24

Classification Name Description		Straight Hourly	Time and a Half	Double Time	Overtime Provision
Skilled Landscape Laborer: sma lawn sprinkler installers' tender, n driver when seeding, sodding, pla backfilling, rough grading or main projects occurs Sundays paid at time & one half. time.	naterial mover, truck anting, cutting, trimming, taining of landscape	\$24.36	\$33.16	\$41.95	X X H X X X H D
Marble, Mosaic, Tile and Terraz	zo Setter				
Marble, Mosaic, Tile and Terrazz M-F	Setter - 4 10s allowed BR9-12-TL	\$41.45	\$54.28	\$67.10	ннннннр
	Apprentice Rates:				
	0-749 hours	\$32.47	\$40.80	\$49.14	
	750-1499 hours	\$33.75	\$42.72	\$51.70	
	1500-2249 hours	\$35.04	\$44.66	\$54.28	
	2250-2999 hours	\$36.32	\$46.58	\$56.84	
	3000-3749 hours	\$37.60	\$48.50	\$59.40	
	3750-4499 hours	\$38.88	\$50.42	\$61.96	
Operating Engineer					
Class C- Regular equipment ope derrick, scraper dozer, grader, fro mechanic, head grease man, cor hydro excavators	int end loader, hoist, job	\$49.55	\$63.42	\$77.29	ннннннр
Four 10 hour days may be sched or Tuesday-Friday. Work not per Monday-Thursday may be sched	formed due to weather,				
	Apprentice Rates:				
	0 - 999 hours	\$40.33	\$50.04	\$59.75	
	1,000 - 1,999 hours	\$41.71	\$52.11	\$62.51	
	2,000 - 2,999 hours	\$43.10	\$54.19	\$65.29	
	3,000 - 3,999 hours	\$44.49	\$56.28	\$68.07	
	4,000 - 4,999 hours	\$45.88	\$58.37	\$70.85	
	5,000 - 5,999 hours	\$47.26	\$60.43	\$73.61	

For Informational Purposes Only Not For Use In Contract

County: Genesee

#### Page 14 of 24

Classification Name Description			Straight Hourly	Time and a Half	Double Time	Overtime Provision
Class D- Air tugger (single operator, sweeping machine similar equipment, elevators operating engineer), and for	e, winch truck, Bob Cat and s (when operated by an	EN-324-BH2D	\$44.75	\$56.22	\$67.69	НННННННОҮ
	scheduled Monday-Thursday ot performed due to weather, scheduled on Friday.					
Class E- Pump 6" or over, v boom truck (non-swinging), screed, concrete wire saw 2 concrete breaker	end dumps and laser/power	EN-324-BH2E	\$44.15	\$55.32	\$66.49	нннннннрү
	scheduled Monday-Thursday ot performed due to weather, scheduled on Friday.					
	elder, generators, conveyors, an, and fork truck 20' or less lift	EN-324-BH2F	\$41.70	\$51.65	\$61.59	ННННННОҮ
	scheduled Monday-Thursday ot performed due to weather, scheduled on Friday.					
Class G- Oiler, fireman and	heater operator	EN-324-BH2G	\$40.00	\$49.10	\$58.19	H H H H H H D Y
	scheduled Monday-Thursday ot performed due to weather, scheduled on Friday.					
Class A- Crane w/ main Boo	om & Jib 220' or longer	EN-OSA	\$50.90	\$65.45	\$79.99	H H H H H H D Y
or Tuesday-Friday. Work u	scheduled Monday-Thursday nabled to be performed due to may be scheduled on Friday.					
Class A- Crane w/ main Bo	om & Jib 300' or longer	EN-OSA3	\$52.40	\$67.70	\$82.99	ннннннрү
or Tuesday-Friday. Work u	scheduled Monday-Thursday nabled to be performed due to may be scheduled on Friday.					
Class A- Crane w/ main Boo	om & Jib 400' or longer	EN-OSA4	\$53.90	\$69.95	\$85.99	ННННННОҮ
	scheduled Monday-Thursday ot performed due to weather, scheduled on Friday.					

# For Informational Purposes Only Not For Use In Contract

County: Genesee

#### Page 15 of 24

<u>Classifi</u> Name [	cation Description			Straight Hourly	Time and a Half	Double Time	Overtime Provision
	ane Operator with mer cranes, gantry cra	ain boom and jib 140' or ne, whirley derrick	EN-OSB	\$50.65	\$65.07	\$79.49	ННННННОҮ
or Tuesday-	-Friday. Work unabl	duled Monday-Thursday ed to be performed due to be scheduled on Friday.					
Operating I	Engineer - DIVER						
Diver/Wet T	ender/Tender/Rov F	ilot/Rov Tender	GLF D	\$52.80	\$79.20	\$105.60	нннннном
Operating I	Engineer - Marine C	Construction					
Diver/Wet T	ender, Engineer (hy	draulic dredge)	GLF-1	\$65.00	\$84.85	\$104.70	ХХНННННОҮ
Holiday pay	= \$124.55 per hour,	wages & fringes					
Make up o	day allowed						
Subdivis	sion of county	all Great Lakes, islands the	erein, & connecting & tributa	ary waters			
Mechanic/W		n or over Tug Operator, jineer (hydraulic dredge), iver Tender	GLF-2	\$63.50	\$82.60	\$101.70	ХХННННН ДҮ
	= \$120.80 per hour, day allowed	wages & fringes					
<u>Subdivis</u>	sion of county	All Great Lakes, islands th	erein, & connecting & tributa	ary waters			
 Friction, Lat	<del></del>	License Certification	GLF-2B	\$64.50	\$84.10	\$103.70	X X H H H H H D Y
Holiday pay	= \$123.30						
Make up o	day allowed						
Subdivis	sion of county	All Great Lakes, islands, th	nerein, & connecting & tribut	ary waters			
of Crane (ov	ver 50 ton capacity) ug/Launch Operator,	hineryman, Maintenance or Backhoe (115,000 lbs Loader, Dozer on Barge,	GLF-3	\$59.30	\$76.30	\$93.30	ХХНННННОҮ
Holiday pay	= \$110.30 per hour	wages & fringes					
Make up o	day allowed						
 <u>Subdivis</u>	sion of county	All Great Lakes, islands th	erein, & connecting & tributa	ary waters			
equipment u	units or more), Off Reer, & Crane Mainten	chineryman/Fireman), (4 boad Trucks, Deck Hand, ance 50 ton capacity and r less, Assistant Tug	GLF-4	\$53.60	\$67.75	\$81.90	X X H H H H H D Y
Holiday pay	= \$96.05 per hour,	wages & fringes					
Make up o	day allowed						
Subdivis	sion of county	All Great Lakes, islands th	erein, & connecting & tributa	ary waters			

# For Informational Purposes Only Not For Use In Contract

County: Statewide

#### Page 16 of 24

Classification  Name Description			Straight Hourly	Time and a Half	Double Time	Overtime Provis
Operating Engineer St	teel Work					
Forklift, 1 Drum Hoist		EN-324-ef	\$58.16	\$76.37	\$94.58	HHDHHHD
Make up day allowed	Comment					
	4 10s allowed M-Th wit	th Friday makeup day because of ba	ad weather			
Crane w/ 120' boom or	longer	EN-324-SW120	\$60.86	\$80.42	\$99.98	HHDHHHD
Make up day allowed	Comment					
	4 10s allowed M-Th with	th Friday makeup day because of ba	ad weather			
Crane w/ 120' boom or	longer w/ Oiler	EN-324-SW120-O	\$61.86	\$81.92	\$101.98	HHDHHHD
Make up day allowed	Comment					
	4 10s allowed M-Th with	th Friday makeup day because of ba	ad weather			
Crane w/ 140' boom or	longer	EN-324-SW140	\$62.04	\$82.19	\$102.34	ннрнннр
Make up day allowed	Comment					
	4 10s allowed M-Th with	th Friday makeup day because of ba	ad weather			
Crane w/ 140' boom or	longer W/ Oiler	EN-324-SW140-O	\$63.04	\$83.69	\$104.34	ннднннд
Make up day allowed	Comment					
	4 10s allowed M-Th with	th Friday makeup day because of ba	ad weather			
Boom & Jib 220' or long	ger	EN-324-SW220	\$62.31	\$82.60	\$102.88	HHDHHHD
Make up day allowed	Comment					
	4 10s allowed M-Th wit	th Friday makeup day because of ba	ad weather			
Crane w/ 220' boom or	longer w/ Oiler	EN-324-SW220-O	\$63.31	\$84.10	\$104.88	ннднннд
Make up day allowed	Comment					
	4 10s allowed M-Th with	th Friday makeup day because of ba	ad weather			
Boom & Jib 300' or long	ger	EN-324-SW300	\$63.81	\$84.85	\$105.88	ннрнннр
Make up day allowed	Comment					
	4 10s allowed M-Th with	th Friday makeup day because of ba	ad weather			
Crane w/ 300' boom or	longer w/ Oiler	EN-324-SW300-O	\$64.81	\$86.35	\$107.88	нноннно
Make up day allowed	Comment					
	4 10s allowed M-Th wit	th Friday makeup day because of ba	ad weather			
Boom & Jib 400' or long	ger	EN-324-SW400	\$65.31	\$87.10	\$108.88	ннрнннр
Make up day allowed	Comment					
	4 10s allowed M-Th wit	th Friday makeup day because of ba	ad weather			
Crane w/ 400' boom or	longer w/ Oiler	EN-324-SW400-O	\$66.31	\$88.60	\$110.88	нноннно
	Comment					

# For Informational Purposes Only Not For Use In Contract

4 10s allowed M-Th with Friday makeup day because of bad weather

County: Genesee

#### Page 17 of 24

<u>Classification</u> Name Description			Straight Hourly	Time and a Half	Double Time	Overtime Provision
Crane Operator, Job Me	chanic, 3 Drum Hoist & Excavato	nanic, 3 Drum Hoist & Excavator EN-324-SWCO		\$79.88	\$99.26	HHDHHHDDY
Make up day allowed	Comment					
	4 10s allowed M-Th with Friday m	. ,	ad weather			
	Apprentice	Rates:				
	0-999 hours		\$47.87	\$61.43	\$75.00	
	1,000-1,999	hours	\$49.81	\$64.35	\$78.88	
	2,000-2,999	hours	\$51.74	\$67.24	\$82.74	
	3,000-3,999	hours	\$53.68	\$70.15	\$86.62	
	4,000-4,999	hours	\$55.62	\$73.07	\$90.50	
	5,000 hours		\$57.56	\$75.97	\$94.38	
Crane Operator w/ Oiler		EN-324-SWCO-O	\$61.50	\$81.38	\$101.26	ннонннооч
Make up day allowed	Comment 4 10s allowed M-Th with Friday m	nakeup day because of ba	ad weather			
Compressor or Welder C	Operator	EN-324-SWCW	\$53.15	\$68.86	\$84.56	HHDHHHDDY
Make up day allowed	Comment 4 10s allowed M-Th with Friday m	nakeup day because of ba	ad weather			
Hoisting Operator, 2 Dru	ım Hoist, & Rubber Tire Backhoe	EN-324-SWHO	\$59.86	\$78.92	\$97.98	HHDHHHDDY
Make up day allowed	Comment					
	4 10s allowed M-Th with Friday m	nakeup day because of ba	ad weather			
Oiler		EN-324-SWO	\$51.64	\$66.59	\$81.54	ННОНННООҮ
Make up day allowed	Comment 4 10s allowed M-Th with Friday m	nakeup day because of ba	ad weather			
Tower Crane & Derrick v	where work is 50' or more above	EN-324-SWTD50	\$61.59	\$81.52	\$101.44	ННДНННДДҮ
Make up day allowed	Comment					
	4 10s allowed M-Th with Friday m	nakeup day because of ba	ad weather			
Tower Crane & Derrick 5 station is 50' or more ab	50' or more w/ Oiler where work ove first level	EN-324-SWTD50-O	\$62.59	\$83.02	\$103.44	HHDHHHDDY
Make up day allowed	Comment					

4 10s allowed M-Th with Friday makeup day because of bad weather

For Informational Purposes Only Not For Use In Contract

County: Genesee

Date Rendered:

4/7/2015

### Page 18 of 24

Classification Name Description			Straight Hourly	Time and a Half	Double Time	Overtime Provisio
Operating Engineer Undergrou	ınd					
Class I Equipment		EN-324A1-UC1	\$51.74	\$66.98	\$82.22	нннннн
	Apprentice F	Rates:				
	0-999 hours		\$41.79	\$52.45	\$63.12	
	1,000-1,999 h	nours	\$43.32	\$54.75	\$66.18	
	2,000-2,999 h	nours	\$44.84	\$57.03	\$69.22	
	3,000-3,999 h	nours	\$46.36	\$59.31	\$72.26	
	4,000-4,999 h	nours	\$47.89	\$61.61	\$75.32	
	5,000-5,999 h	nours	\$49.41	\$63.89	\$78.36	
Class II Equipment		EN-324A1-UC2	\$47.01	\$59.89	\$72.76	ннннннр
Class III Equipment		EN-324A1-UC3	\$46.28	\$58.79	\$71.30	ннннннг
Class IV Equipment		EN-324A1-UC4	\$45.71	\$57.94	\$70.16	ннннннг
Master Mechanic		EN-324A1-UMM	\$51.99	\$67.81	\$83.63	ннннннг
Painter						
Painter the regular weekly work schedule ten (10) hour days on consecutiv Saturday		PT-1052-BR	\$34.15	\$45.58	\$57.00	ххнхххнс
The regular weekly work schedul on consecutive days, Monday this day may be scheduled for work reinclement weather.	u Saturday. A make-up					
Make up day allowed						
	Apprentice F	Rates:				
	1st year		\$22.72	\$28.43	\$34.14	
	2nd year, 1st	6 months	\$25.01	\$31.86	\$38.72	
	2nd year, 2nd	d 6 months	\$27.30	\$35.30	\$43.30	
	3rd year, 1st	6 months	\$29.58	\$38.72	\$47.86	
			\$31.86	\$42.14	\$52.42	

For Informational Purposes Only Not For Use In Contract

County: Genesee

# **Statewide County**

### Page 19 of 24

<u>Classification</u> Name Description			Straight Hourly	Time and a Half	Double Time	Overtime Provision
Pipe and Manhole Rehab						
General Laborer for rehab work or normactv work-top man, scaffold man, CCTV vac assistant	al cleaning and assistant, jetter-	TM247	\$27.20	\$36.70		ннннннн
Tap cutter/CCTV Tech/Grout Equipment driver and operator of CCTV; grouting equipment		TM247-2	\$31.70	\$43.45		ннннннн
CCTV Technician/Combo Unit Operator: operator of cctv unit or combo unit in cornormal cleaning and televising work		TM247-3	\$30.45	\$41.57		ннннннн
Boiler Operator: unit driver and operator heater units and all ancillary equipment a	r of steam/water associated	TM247-4	\$32.20	\$44.20		ннннннн
Combo Unit driver & Jetter-Vac Operator	r	TM247-5	\$32.20	\$44.20		ннннннн
Pipe Bursting & Slip-lining Equipment Op	perator	TM247-6	\$33.20	\$45.70		ннннннн
Plasterer						
Plasterer - 4 10s allowed M-F		BR9-12-PL	\$43.56	\$56.96	\$70.35	ннннннрү
	Apprentice	Rates:				
	0-749 hours		\$34.18	\$42.89	\$51.59	
	750-1499 ho	urs	\$35.52	\$44.89	\$54.27	
	1500-2249 h	ours	\$36.86	\$46.91	\$56.95	
	2250-2999 h	ours	\$38.20	\$48.91	\$59.63	
	3000-3749 h	ours	\$39.54	\$50.93	\$62.31	
	3750-4499 h	ours	\$40.88	\$52.93	\$64.99	
Plasterer		PL16-3	\$36.61	\$48.48	\$60.34	HHHHHHDN
	Apprentice	Rates:				
	1st year		\$28.30	\$36.01	\$43.72	
	2nd year		\$30.68	\$39.58	\$48.48	
	3rd year		\$33.05	\$43.14	\$53.22	

For Informational Purposes Only Not For Use In Contract

County: Genesee

### Page 20 of 24

Classification Name Description			Straight Hourly	Time and a Half	Double Time	Overtime Provision
Plumber & Pipefitter						
Plumber & Pipefitter		PL-370	\$51.21	\$76.44	\$101.67	ннннннр
Make up day allowed						
	Apprentice F	Rates:				
	1st 6 months		\$23.82	\$35.52	\$47.21	
	2nd 6 months	6	\$25.51	\$38.05	\$50.59	
	3rd 6 months		\$32.21	\$48.10	\$63.99	
	4th 6 months		\$33.91	\$50.65	\$67.39	
	5th 6 months		\$35.61	\$53.20	\$70.79	
	6th 6 months		\$37.31	\$55.75	\$74.19	
	7th 6 months		\$39.00	\$58.28	\$77.57	
	8th 6 months		\$40.70	\$60.84	\$80.97	
	9th 6 months		\$42.40	\$63.38	\$84.37	
	final 6 month	s	\$44.10	\$65.94	\$87.77	
Roofer						
Commercial Roofer		RO-149-MMA	\$38.61	\$50.72	\$62.82	ннннннр
Straight time is not to exceed ten (forty (40) hours per week.	10) hours per day or					
Make up day allowed						
	Apprentice F	Rates:				
	Apprentice 1		\$23.23	\$27.64	\$32.06	
	Apprentice 2		\$25.14	\$30.51	\$35.88	
	Apprentice 3		\$27.09	\$33.44	\$39.78	
	Apprentice 4		\$29.00	\$36.30	\$43.60	
	Apprentice 5		\$30.92	\$39.18	\$47.44	
	Apprentice 6		\$32.83	\$42.04	\$51.26	
Sewer Relining						
Class I-Operator of audio visual C remote in-ground cutter and other conjunction with CCTV system.	CTV system including equipment used in	SR-I	\$42.76	\$57.75	\$72.74	ннннннр
Class II-Operator of hot water hea system; water jetters; and vacuum removal systems and those assist	and mechanical debris	SR-II	\$41.23	\$55.46	\$69.68	ннннннр

# For Informational Purposes Only Not For Use In Contract

County: Statewide

### Page 21 of 24

Classification Name Description		Straight Hourly	Time and a Half	Double Time	Overtime Provision
Sheet Metal Worker					
Sheet Metal Worker 4 10s allowed as consecutive day	s, M-Th or T-F	\$49.90	\$64.16	\$78.41	НННХНННО
	Apprentice Rates:				
	1st 6 months	\$25.76	\$32.17	\$38.59	
	2nd 6 months	\$27.19	\$34.32	\$41.45	
	3rd 6 months	\$28.61	\$36.45	\$44.29	
	4th 6 months	\$30.04	\$38.59	\$47.15	
	5th 6 months	\$39.47	\$48.74	\$58.00	
	6th 6 months	\$40.90	\$50.88	\$60.86	
	7th 6 months	\$42.32	\$53.01	\$63.70	
	8th 6 months	\$43.75	\$55.16	\$66.56	
Sprinkler Fitter					
Sprinkler Fitter	SP 669	\$46.51	\$61.99	\$77.47	нннннн
Make up day allowed					
	Apprentice Rates:				
	Class 1 & 2	\$23.44	\$31.31	\$39.17	
	Class 3	\$29.35	\$37.75	\$46.15	
	Class 4	\$30.93	\$40.12	\$49.31	
	Class 5	\$35.50	\$45.47	\$55.45	
	Class 6	\$37.07	\$47.83	\$58.59	
	Class 7	\$38.65	\$50.20	\$61.75	
	Class 8	\$40.22	\$52.55	\$64.89	
	Class 9	\$41.79	\$54.91	\$68.03	
	Class 10	\$43.36	\$57.27	\$71.17	

For Informational Purposes Only Not For Use In Contract

County: Genesee

### Page 22 of 24

			a Half	Double Time	Overtime Provis
Tile, Marble and Terrazzo Finisher					
Finisher - 4 10s allowed M-F	BR9-12-TF	\$35.10	\$45.78	\$56.46	нннннн
	Apprentice Rates:				
	0-749 hours	\$27.62	\$34.56	\$41.50	
	750-1499 hours	\$28.69	\$36.16	\$43.64	
	1500-2249 hours	\$29.76	\$37.77	\$45.78	
	2250-2999 hours	\$30.83	\$39.38	\$47.92	
	3000-3749 hours	\$31.90	\$40.98	\$50.06	
	3750-4499 hours	\$32.96	\$42.57	\$52.18	
Truck Driver					
on all trucks of 8 cubic yard capacity or less trucks of 8 cubic yard capacity or over, tande trucks, transit mix and semis, euclid type eq double bottoms and low boys)	em axle	\$41.92	\$37.85		нннннн
of all trucks of 8 cubic yard capacity or over	TM-RB1A	\$41.30	\$38.00		нннннн
of all trucks of 8 cubic yard capacity or over on euclid type equipment	TM-RB1A	\$41.30 \$41.45	\$38.00 \$38.23		
on euclid type equipment					
on euclid type equipment  Make up day allowed				\$54.25	нннннн
on euclid type equipment  Make up day allowed  Underground Laborer Open Cut, Class I	TM-RB1B	\$41.45	\$38.23	\$54.25	нннннн
on euclid type equipment  Make up day allowed  Underground Laborer Open Cut, Class I	TM-RB1B LAUC-Z3-1	\$41.45	\$38.23	\$54.25 \$45.19	нннннн
on euclid type equipment  Make up day allowed  Underground Laborer Open Cut, Class I	TM-RB1B  LAUC-Z3-1  Apprentice Rates:	\$41.45 \$33.61	\$38.23 \$43.93		нннннн
on euclid type equipment  Make up day allowed  Underground Laborer Open Cut, Class I	TM-RB1B  LAUC-Z3-1  Apprentice Rates: 0-1,000 work hours	\$41.45 \$33.61 \$29.08	\$38.23 \$43.93 \$37.14	\$45.19	н н н н н н н н н н н н н н

For Informational Purposes Only Not For Use In Contract

County: Genesee

### Page 23 of 24

Underground Laborer Open Cut, Class II  Mortar and material mixer, concrete form man man, well point man, manhole, headwall and o builder, guard rail builders, headwall, seawall, dock builder and fence erector.	catch basin	\$33.75	<b>** ** ** ** ** ** **</b>		
man, well point man, manhole, headwall and o builder, guard rail builders, headwall, seawall, dock builder and fence erector.	catch basin	\$33.75	<b>CAA 44</b>		
A			\$44.14	\$54.53	XXXXXXXDY
	Apprentice Rates:				
C	0-1,000 work hours	\$29.18	\$37.29	\$45.39	
1	1,001-2,000 work hours	\$30.10	\$38.67	\$47.23	
2	2,001-3,000 work hours	\$31.01	\$40.04	\$49.05	
3	3,001-4,000 work hours	\$32.84	\$42.78	\$52.71	
Underground Laborer Open Cut, Class III					
Air, gasoline and electric tool operator, vibrato drillers, pump man, tar kettle operator, bracers reinforced steel or mesh man (e.g. wire mesh, dowel bars, etc.), cement finisher, welder, pipe and boring man, wagon drill and air track oper concrete saw operator (under 40 h.p.), windlast tugger man, and directional boring man.	s, rodder, , steel mats, e jacking rator and	\$33.87	\$44.32	\$54.77	X X X X X X X D Y
A	Apprentice Rates:				
C	0-1,000 work hours	\$29.27	\$37.42	\$45.57	
1	1,001-2,000 work hous	\$30.19	\$38.80	\$47.41	
2	2,001-3,000 work hours	\$31.11	\$40.18	\$49.25	
3	3,001-4,000 work hours	\$32.95	\$42.94	\$52.93	
Underground Laborer Open Cut, Class IV					
Trench or excavating grade man.	LAUC-Z3-4	\$33.92	\$44.40	\$54.87	$X\;X\;X\;X\;X\;X\;X\;X\;$
,	Apprentice Rates:				
C	0-1,000 work hours	\$29.31	\$37.48	\$45.65	
1	1,001-2,000 work hours	\$30.23	\$38.86	\$47.49	
2	2,001-3,000 work hours	\$31.15	\$40.24	\$49.33	
3	3,001-4,000 work hours	\$33.00	\$43.02	\$53.03	

For Informational Purposes Only Not For Use In Contract

County: Genesee

## Page 24 of 24

Classification  Name Description		Straight Hourly	Time and a Half	Double Time	Overtime Provision
Underground Laborer Open Cut, C	class V				
Pipe Layer	LAUC-Z	3-5 \$34.06	\$44.61	\$55.15	X X X X X X X D Y
	Apprentice Rates:				
	0-1,000 work hours	\$29.41	\$37.64	\$45.85	
	1,001-2,000 work hou	rs \$30.34	\$39.03	\$47.71	
	2,001-3,000 work hou	rs \$31.27	\$40.42	\$49.57	
	3,001-4,000 work hou	rs \$33.13	\$43.22	\$53.29	
Underground Laborer Open Cut, C	class VI				
Grouting man, top man assistant, au operations and all other operations in closed circuit television inspection, prelining work and the installation & repipe & appurtenances	n connection with pe cleaning and pipe	3-6 \$31.36	\$40.56	\$49.75	X X X X X X X D \
	Apprentice Rates:				
	0-1,000 work hours	\$27.39	\$34.60	\$41.81	
	1,001-2,000 work hou	rs \$28.18	\$35.79	\$43.39	
	2,001-3,000 work hou	rs \$28.98	\$36.99	\$44.99	
	3,001-4,000 work hou	rs \$30.57	\$39.38	\$48.17	
Underground Laborer Open Cut, C	class VII				
Restoration laborer, seeding, soddin mulching and topsoil grading and the property such as replacing mail boxe planter boxes, flagstones etc.	restoration of	73-7 \$28.51	\$36.28	\$44.05	X X X X X X X D
	Apprentice Rates:				
	0-1,000 work hours	\$25.25	\$31.40	\$37.53	
	1,001-2,000 work hou	rs \$25.90	\$32.37	\$38.83	
	1,001-2,000 WOR Hou				
	2,001-3,000 work hour	s \$26.56	\$33.36	\$40.15	

For Informational Purposes Only Not For Use In Contract

County: Genesee

#### SECTION 3 CLAUSE

All Section 3 covered contracts shall include the following clause (referred to as the "Section 3 Clause"):

- A. The work to be performed under this contract is subject to the requirements of Section 3 of the Housing and Urban Development Act of 1968, as amended, 12 U.S.C. 1701u (section 3). The purpose of section 3 is to ensure that employment and other economic opportunities generated by HUD assistance or HUD-assisted projects covered by section 3, shall, to the greatest extent feasible, be directed to low- and very low-income persons, particularly persons who are recipients of HUD assistance for housing.
- B. The parties to this contract agree to comply with HUD's regulations in 24 CFR Part 135, which implement section 3. As evidenced by their execution of this contract, the parties to this contract certify that they are under no contractual or other impediment that would prevent them from complying with the part 135 regulations.
- C. The contractor agrees to send to each labor organization or representative of workers with which the contractor has a collective bargaining agreement or other understanding, if any, a notice advising the labor organization or workers' representative of the contractor's commitments under this section 3 clause, and will post copies of the notice in conspicuous places at the work site where both employees and applicants for training and employment positions can see the notice. The notice shall describe the section 3 preference, shall set forth minimum number and job titles subject to hire, availability of apprenticeship and training positions, the qualifications for each; and the name and location of the person(s) taking applications for each of the positions; and the anticipated date the work shall begin.
- D. The contractor agrees to include this section 3 clause in every subcontract subject to compliance with regulations in 24 CFR Part 135, and agrees to take appropriate action, as provided in an applicable provision of the subcontract or in this section 3 clause, upon a finding that the subcontractor is in violation of the regulations in 24 CFR Part 135. The contractor will not subcontract with any subcontractor where the contractor has notice or knowledge that the subcontractor has been found in violation of the regulations in 24 CFR Part 135.
- E. The contractor will certify that any vacant employment positions, including training positions, that are filled (1) after the contractor is selected by before the contract is executed, and (2) with persons other than those to whom the regulations of 24 CFR part 135 require employment opportunities to be directed, were not filled to circumvent the contractor's obligations under 24 CFR part 135.
- F. Noncompliance with HUD's regulations in 24 CFR part 135 may result in sanctions, termination of this contract for default, and debarment or suspension from future HUD assisted contracts.

G. With respect to work performed in connection with section 3 covered Indian housing assistance, section 7(b) of the Indian Self-Determination and Education Assistance Act (25 U.S.C. 450e) also applies to the work to be performed under this contract. Section 7(b) requires that to the greatest extent feasible (i) preference in the award of contracts and subcontracts shall be given to Indian organizations and Indian-owned Economic Enterprises. Parties to this contract that are subject to the provisions of section 3 and section 7(b) agree to comply with section 3 to the maximum extent feasible, but not in derogation of compliance with section 7(b).

# **APPENDIX 5 -SAMPLE CONTRACT**

# (FUNDING SOURCE) Contract for DEMOLITION AND DISPOSAL OF RESIDENTIAL/COMMERCIAL STRUCTURES SERVICES

THIS CONTRACT made and entered into (MONTH) (DAY), 2014 between (NAME OF BUSINESS ENTITY) hereinafter referred to as the "Contractor" conduction business at (BUSINESS ADDRESS), and the Owner, GENESEE COUNTY LAND BANK (GCLBA) conducting business at 452 S. Saginaw Street – 2nd Floor, Flint, Michigan 48502, hereinafter referred to as "GCLBA".

GCLBA desires to engage the Contractor to perform the <u>Demolition and Disposal of Residential Structures</u> Services in the City of Flint and Genesee County, Michigan as an independent contractor and not as an employee(s) of and for the GCLBA. This Contract is intended to define the business relationship between the two entities with regards to general demolition and disposal services undertaken for the <u>(FUNDING SOURCE) Program.</u>

**REPRESENTATIVES OF GCLBA AND CONTRACTOR.** Douglas K. Weiland, Executive Director of the GCLBA has the authority to act as a liaison for the administration of this contract on behalf of the GCLBA, (NAME OF AUTHORIZED BUSINESS REPRESENTATIVE), has the authority to act on behalf of the Contractor, (NAME OF BUSINESS ENTITIY)...

**AUTHORITY TO ENTER INTO A CONTRACT.** The GCLBA recently received\$23.8 million from the State of Michigan: \$20.1 million in Hardest Hit Fund (HHF) through the Michigan State Housing Development Authority (MSHDA) and \$3.7 million in Michigan Blight Elimination Grant (MBEG) funds for demolition through the Michigan Land Bank in partnership with MSHDA, and the Department of Human Services.

**TERM OF CONTRACT.** The respective duties and obligations of the contracting parties is for a period beginning (MONTH) (DAY),. The end date of term of service will be determined by the scope of services, but not later than (MONTH) (DAY),, 2014, unless agree to in writing by both parties. At which time payment in full by the GCLBA will be made in full to the Contractor. **Contractors must provide updated work schedules to the GCLBA. Contractor must submit all required submittal documents as listed in Request for Proposal, Scope of Work (Attachment B) and Payment Request Packet (Attachment D).** 

All demolition work must be completed by (<u>MONTH</u>) (<u>DAY</u>),, 2014 and final paperwork and payment requests must be submitted to the Demolition Program Manager by (<u>MONTH</u>) (<u>DAY</u>),, 2014. Due to time constraints of the blight elimination program GCLBA does not anticipate allowing for any contract extensions.

LIABILITY AND WORKERS COMPENSATION INSURANCE. Commercial General Liability with limits not less than including Premises/operations \$1,000,000 per occurrence with \$2,000,000 aggregate; Workers Compensation Statutory limits of Michigan; Employers Liability with limits \$100,000 accident/disease, \$500,000 policy limit, disease; Automobile Liability with limits not less than \$1,000,000 combined single limit each accident-owned, hired, non-owned; and, Professional Liability with limits not less than \$1,000,000 including errors & omissions \$200,000 per occurrence \$600,000 in aggregate for Medical Malpractice must be carried by the Contractor during the term of contract and the GCLBA must be named as second insured on all certificates of insurance. If insurance information changes the Contractor must notify the GCLBA immediately of the change.

**ORDER TO PROCEED.** An Order To Proceed will be issued within 10 days of this contract execution upon receipt an original copy of Payment and Performance Bond and project work schedule.

**SECTION 3.** The Contractor will comply with the **Section 3 Clause** as described in **Attachment A.** By signing this contract the Contractor is providing a Statement of Assurances that they will comply with these Federal Contract Provisions and other requirements set forth in this contract.

**SCOPE OF WORK.** The Contractor will provide labor and/or materials for the work as outlined on the contract/estimate proposal dated, (MONTH) (DAY),, 2014, including ATTACHMENT B – Scope of Work. All demolition work must be completed by (MONTH) (DAY),, 2014 and payment requests must be submitted to the Demolition Program Manager by (MONTH) (DAY),, 2014.

FEES AND PAYMENT. The GCLBA will pay the Contractor a fixed price not to exceed – \$(AMOUNT OF CONTRACT) The GCLBA will not pay for services beyond the available in the (FUNDING SOURCE) or the contract amount, unless agreed to, in advance and in writing, by both parties to this Contract. Payment to Contractor is made by the GCLBA on a net 30 day cycle upon receiving completed payment request packet for each project/address and all required submittals (invoice, sworn statement, lien waivers, manifests, etc.). Completed payment request packets will also be accepted on the 15<sup>th</sup> and 30<sup>th</sup> of each month for processing or payment will be paid in full by the GCLBA at end of contract. All payments requests must include all required documents as listed in the ATTACHMENT B – Scope of Work Section 4.0, Part C and ATTACHMENT C.

.....

**EQUAL EMPLOYMENT OPPORTUNITY.** During the performance of this contract, the contractor (Contractor) agrees as follows:

- (1) The contractor will not discriminate against any employee or applicant for Employment because of race, creed, color, or national origin. The contractor will take affirmative action to ensure that applicants are employed, and that employees are treated during employment, without regard to their race, creed, color, or national origin. Such action shall include, but not be limited to the following: employment, upgrading, demotion, or transfer; recruitment or recruitment advertising; layoff or termination; rates of pay or other forms of compensation; and selection for training, including apprenticeship. The contractor agrees to post in conspicuous places, available to employees and applicants for employment, notices to be provided by the contracting officer setting forth the provisions of this nondiscrimination clause.
- (2) The contractor will, in all solicitations or advertisements for employees placed by or on behalf of the contractor, state that all qualified applicants will receive consideration for employment without regard to race, creed, color, or national origin.
- (3) The contractor will send to each labor union or representative of workers with which he has a collective bargaining Contract or other contract or understanding, a notice, to be provided by the agency contracting officer, advising the labor union or workers' representative of the contractor's commitments under Section 202 of Executive Order No. 11246 of September 24, 1965, and shall post copies of the notice in conspicuous places available to employees and applicants for employment.
- (4) The contractor will comply with all provisions of Executive Order No. 11246 of Sept. 24, 1965, and of the rules, regulations, and relevant orders of the Secretary of Labor.
- (5) The contractor will furnish all information and reports required by Executive Order No. 11246 of September 24, 1965, and by the rules, regulations, and orders of the Secretary of Labor, or pursuant thereto, and will permit access to his books, records, and accounts by the contracting agency and the Secretary of Labor for purposes of investigation to ascertain compliance with such rules, regulations, and orders.
- (6) In the event of the contractor's noncompliance with the nondiscrimination clauses of this contract or with any of such rules, regulations, or orders, this contract may be cancelled, terminated or suspended in whole or in part and the contractor may be declared ineligible for further Government contracts in accordance with procedures authorized in Executive Order No. 11246 of Sept 24, 1965, and such other sanctions may be imposed and remedies invoked as provided in Executive Order No. 11246 of September 24, 1965, or by rule, regulation, or order of the Secretary of Labor, or as otherwise provided by law.
- (7) The contractor will include the provisions of Paragraphs (1) through (7) in every subcontract or purchase order unless exempted by rules, regulations, or orders of the Secretary of Labor issued pursuant to Section 204 of Executive Order No. 11246 of Sept. 24, 1965, so that such provisions will be binding upon each subcontractor or vendor. The contractor will take such action with respect to any subcontract or purchase order as the contracting agency may direct as a means of enforcing such provisions including sanctions for noncompliance: Provided, however, That in the event the contractor becomes involved in, or is threatened with, litigation with a subcontractor or vendor as a result of such direction by the contracting agency, the contractor may request the United States to enter into such litigation to protect the interests of the United States.

**RIGHTS TO INVENTIONS Made Under a Contract or Contract.** Contracts or Contracts for the performance of experimental, developmental, or research work shall provide for the rights of the Federal Government and the recipient in any resulting invention in accordance with 37 CFR part 401, "Rights to Invention Made by Nonprofit Organizations and Small Business Firms. Under Government Grants, Contracts and Cooperative Contracts," and any implementing regulations issued by the awarding agency.

**CLEAN AIR ACT** (42 U. S.C. 7401 et seq.) and the **FEDERAL WATER POLLUTION CONTROL ACT** (33 U.S.C. 1251 et seq.), as amended. For contracts and subcontracts of amounts in excess of \$100,000 the contractor or subcontractor shall comply with all applicable standards, orders, or regulations issued pursuant to the Clean Air Act (42 U.S.C 7401 et seq.). Violations are reported to the Federal awarding agency and the Regional Agency (EPA).

BYRD ANTI-LOBBYING AMENDMENT (31 U.S.C. 1352). Contractors who apply or bid for an award of \$100,000 or more shall file the required certification. Each tier certifies to the tier above that it will not and has not used Federal appropriated funds to pay any person or organization for influencing or attempting to influence an officer or employee of any agency, a member of Congress, officer or employee of Congress, or an employee of a member of Congress in connection with obtaining any Federal contract, grant or any other award covered by 31 U.S.C. 1352. Each tier shall also disclose any lobbying with non-Federal funds that takes place in connection with obtaining any Federal award. Such disclosures are forwarded from tier to tier up to the recipient.

**DEBARMENT AND SUSPENSION** (Executive Orders 12549 and 12689). No contract shall be made to parties listed on the General Services Administration's List of Parties Excluded from Federal Procurement or Non-procurement Programs in accordance with E.O.s 12549 and 12689, "Debarment and Suspension," as set forth at 24 CFR part 24. This list contains the names of parties debarred, suspended, or otherwise excluded by agencies, and contractors declared ineligible under statutory or regulatory authority other than E.O. 12549. Contractors with awards that exceed the small purchase threshold shall provide the required certification regarding its exclusion status and that of its principal employees.

**FAIR HOUSING.** Contractors must comply with the Fair Housing Act Title VIII of the Civil Rights Act of 1968 as amended and the Genesee County Land Bank Authority Fair Housing Policy as stated: "Equal housing opportunity for all persons, regardless of race, color, national origin, religion, age, sex, familial status, marital status, sexual

orientation or disability, is a fundamental policy of the Genesee County Land Bank Authority (GCLBA). GCLBA is committed to diligence in assuring equal housing opportunity and non-discrimination to all aspects of its housing activities. As a county governmental authority undertaking housing activities, GCLBA has an ethical as well as legal imperative to work aggressively to ensure that GCLBA housing programs comply fully with all local, state and federal fair housing laws."

INTEREST OF THE GCLBA AND LOCAL PUBLIC OFFICIALS. The undersigned certifies, to the best of his or her knowledge and belief that: no member of the governing body of the GCLBA who exercises any functions or responsibilities in connection with the administration of the Hardest Hit Fund (HHF) or Michigan Blight Elimination Grant (MBEG) Programs, no other officer or employee or public official of the GCLBA, who exercises such functions or responsibilities, and no member of the City Government of the City of Flint, shall have any interest, direct or indirect, in this Contract. No Federal appropriated funds have been paid or will be paid, by or on behalf of the undersigned, to any person for influencing or attempting to influence an officer or employee of the GCLBA.

**RETENTION AND ACCESS TO RECORDS.** The Contractor shall maintain for a period of five (5) years all supporting documents, financial records, statistical records and all other records pertinent to this contract. GCLBA, the State of Michigan, U.S. Department of Treasury, the Comptroller General of the United States, or any of their duly authorized representatives as well as any and all relevant governmental agencies shall have access to any books, documents, papers and records of the Contractor which are pertinent to a specific program for the purpose of making audits, examinations, excerpts, and transcriptions.

**ARBITRATION CLAUSE.** In the event that any dispute arises over the performance, within eighteen (18) months of the end of the contract, interpretation or application of this Contract or alleged breach of it, the matter shall be submitted to arbitration. Each of the parties shall select one person, excluding relatives, as a member for the arbitration panel. The two persons so selected shall choose a third person to chair the arbitration panel. If the two arbitrators cannot agree on a third arbitrator, the GCLBA shall select a third member from a list of persons willing to arbitrate such disputes. The three member arbitration panel shall promptly meet and hear the dispute and shall expeditiously decide the matter upon a simple majority in writing. The decision of the arbitration panel shall be binding upon the parties and shall be enforceable by any court of competent jurisdiction. The GCLBA shall have the power to disburse from funds held by it based upon the arbitrators' written decision.

LIQUIDATED DAMAGES. CONTRACTOR and the GCLBA recognize that time is of the essence for this Contract and that GCLBA will suffer financial loss if the Work is not completed within the times specified in the Term of Contract, plus any extensions thereof allowed in accordance of Contract. The parties also recognize the delays, expense, and difficulties involved in proving in a legal or arbitration proceeding the actual loss suffered by GCLBA if the Work is not reasonably completed on time. Accordingly, instead of requiring any such proof, GCLBA and CONTRACTOR agree that as liquidated damages for delay (but not as a penalty), CONTRACTOR shall pay GCLBA \$250.00 for each day that expires after the time specified in Notices to Proceed, as well as, Term of Contract for Substantial Completion until the Work is substantially complete. After Substantial Completion, if CONTRACTOR shall neglect, refuse, or fail to complete the remaining Work within the Contract Time or any proper extension thereof granted by GCLBA, CONTRACTOR shall pay GCLBA \$250.00 for each day that expires after the time specified in the Term of Contract for completion and readiness for final payment until the Work is completed and ready for final payment. If the work is not completed to the GCLBA's specifications, at the discretion of the GCLBA, the GCLBA will make the necessary repairs and decrease that amount from the Contractor's contracted amount.

#### INDEMNIFICATION CONTRACTOR.

- (1) CONTRACTOR shall defend, indemnify and hold harmless GCLBA, and their respective directors, officers, employees, agents, sureties and servants, from and against all damages, liabilities, claims, suits demands, judgments and awards (including attorney's fees and other expenses) on account of any damage to property or injury (including death) to persons (including any damage or injury to the property or person of any employee of contractor, other subcontractor, or which may occur or be alleged to have occurred in connection with the performance of the Work, whether or not GCLBA is alleged to be concurrently negligent; provided, however, CONTRACTOR does not assume responsibility for liability to the proportional extent it arises from the active negligence of GCLBA.
- (2) In the event CONTRACTOR, or anyone under its control, utilizes any equipment, scaffolding, hoist, tools, generators or other machinery owned or leased by GCLBA, CONTRACTOR shall be liable to GCLBA for any loss or damage to property (whether owned by GCLBA, CONTRACTOR, or otherwise) or injury (including death) to any person (including employees of CONTRACTOR or any third party) which may arise from such use except only where such loss, damage or injury is due solely to the negligence of CONTRACTOR's employees in operating such equipment or machinery.
- (3) CONTRACTOR shall pay for all royalties and license fees, defend all suits or claims for the infringement of any patent or other proprietary rights involved in the Work, and shall hold GCLBA harmless from any and all losses, costs, expenses (including attorney's fees, costs and expenses) on account of any CONTRACTOR designed or specified Work or portion thereof.
- (4) CONTRACTOR shall defend, indemnify, and hold GCLBA and relevant parties harmless from any and all liens or claims or rights to enforce liens against the property or the improvements thereon arising out of the Work to be performed or labor or materials shall constitute waiver of this indemnity. If such lien or claim for lien shall at anytime be filed, CONTRACTOR shall refund to GCLBA all monies paid by GCLBA in discharging and/or bonding off such lien, including all attorneys' fees and costs incurred therein.
- (5)In the event the ("Contract") provides for an indemnification, such provision is incorporated into this Contract and shall supplement this Article. CONTRACTOR shall assume the obligations of GCLBA and defend, indemnify and hold harmless the indemnified parties. CONTRACTOR is required to indemnify in the ("Contract") to the full extent required of

GCLBA in the ("Contract") with respect to CONTRACTOR's Work or its acts and omissions. This subparagraph (5) shall supersede subparagraph (1), above with respect to indemnity obligations towards GCLBA/relevant parties if such is inconsistent with this subparagraph.

**TERMINATION.** This Contract may be terminated upon mutual Contract of the parties upon 30 days notice. If the Contract is terminated, the GCLBA will pay for services completed, up to the date of the termination, deemed with the terms of this contract. If the Contract is terminated, the Contractor will provide the GCLBA all pertinent records, data and information created up to the date of the termination to which the GCLBA, under the terms of this contract, is entitled. In the event of the contractor's noncompliance with any of the clauses of this contract or with any of such rules, regulations, or orders, this contract may be immediately cancelled, terminated or suspended in whole or in part and the contractor may be placed one the debarred list and declared ineligible for further contracts with the GCLBA.

WARRANTY. In addition to any other warranties set forth elsewhere in this Contract, CONTRACTOR warrants that Work performed and materials furnished under this Contract conform to the Contract requirements and as required in the ("Contract"), and are free of any defect of equipment, material or design furnished, or workmanship performed by CONTACTOR or any of its subcontractors or suppliers of any tier. Such warranty shall continue for a period of 1 year(s) from the date of final acceptance of the Work by Owner/Relevant Parties, or for such other greater period of time as may be specified in the ("Contract"). Under this warranty, CONTRACTOR shall remedy at its own expense any such failure to conform or any such defect. In addition, CONTRACTOR shall remedy at its own expense any damage to real or personal property owned or controlled by Owner/Relevant Parties when that damage is the result of CONTRACTOR's failure to conform to CONTRACTOR requirements or of any defect in equipment, material, workmanship or design furnished by CONTRACTOR. CONTRACTOR shall also restore any work damaged in fulfilling the terms of this Article.

RE-INSPECTION FEE. If the Contractor's work fails the GCLBA's inspection, the GCLBA will charge Contractor a \$75 per re-inspection fee.

**MODIFICATION OF CONTRACT.** No modification of this Contract will be made except by the written addendum, signed by the Contractor and the GCLBA.

**NOTICES.** Any notices or modifications given under this contract will be in writing and served personally or sent by certified or registered mail. Such notice is effective upon receipt by the other party.

Notices for the OWNER/GCLBA should be sent to: Doug Weiland, Executive Director GENESEE COUNTY LAND BANK AUTHORITY 452 S. Saginaw Street, 2<sup>nd</sup> Floor Flint, Michigan 48502 Notices for the Contractor should be sent to: (NAME OF AUTHORIZED BUSINESS REPRESENTATIVE) (NAME OF BUSINESS ENTITY) (ADDRESS OF BUSINESS ENTITY) **CONTRACT ENTERED INTO BY:** GENESEE COUNTY LAND BANK AUTHORITY (NAME OF BUSINESS ENTITY) Douglas K. Weiland, Executive Director (NAME & TITLE OF AUTHORIZED BUSINESS REPRESENTATIVE) Date Date Witnessed by: Witnessed by: Email: Phone:

Federal Identification Number: \_

License Number:

#### **ATTACHMENT A**

**SECTION 3 CLAUSE.** All Section 3 covered contracts shall include the following clause (referred to as the "Section 3 Clause"):

- A. The work to be performed under this contract is subject to the requirements of Section3 of the Housing and Urban Development Act of 1968, as amended, 12 U.S.C. 1701u(section 3). The purpose of section 3 is to ensure that employment and other economic opportunities generated by HUD assistance or HUD-assisted projects covered by section3, shall, to the greatest extent feasible, be directed to low- and very low-income persons, particularly persons who are recipients of HUD assistance for housing.
- B. The parties to this contract agree to comply with HUD's regulations in 24 CFR Part135, which implement section 3. As evidenced by their execution of this contract, the parties to this contract certify that they are under no contractual or other impediment that would prevent them from complying with the part 135 regulations.
- C. The contractor agrees to send to each labor organization or representative of workers with which the contractor has a collective bargaining agreement or other understanding, if any, a notice advising the labor organization or workers' representative of the contractor's commitments under this section 3 clause, and will post copies of the notice inconspicuous places at the work site where both employees and applicants for training and employment positions can see the notice.
- D. The notice shall describe the section 3 preference, shall set forth minimum number and job titles subject to hire, availability of apprenticeship and training positions, the qualifications for each; and the name and location of the person(s) taking applications for each of the positions; and the anticipated date the work shall begin.
- E. The contractor agrees to include this section 3 clause in every subcontract subject to compliance with regulations in 24 CFR Part 135, and agrees to take appropriate action, as provided in an applicable provision of the subcontract or in this section 3 clause, upon a finding that the subcontractor is in violation of the regulations in 24 CFR Part 135. The contractor will not subcontract with any subcontractor where the contractor has notice or knowledge that the subcontractor has been found in violation of the regulations in 24CFR Part 135.
- F. The contractor will certify that any vacant employment positions, including training positions, that are filled (1) after the contractor is selected by before the contract is executed, and (2) with persons other than those to whom the regulations of 24 CFR part135 require employment opportunities to be directed, were not filled to circumvent the contractor's obligations under 24 CFR part 135.
- G. Noncompliance with HUD's regulations in 24 CFR part 135 may result in sanctions, termination of this contract for default, and debarment or suspension from future HUD assisted contracts.

# For Examples of Completed Payment Request Packets Please visit our website:

http://thelandbank.org/democontract.asp